

CIRCLES

✓ (A) OBJECTIVE TYPE QUESTIONS


1 Mark Each



Stand Alone MCQs (1 Mark Each)

1. In the given figure, if $\angle AOB = 125^\circ$, then $\angle COD$ is equal to:

- (A) 62.5° (B) 45°
 (C) 35° (D) 55°



U + R


Ans. Option (D) is correct.

Explanation: Since, quadrilateral circumscribing a circle subtends supplementary angles at the centre of the circle.

$$\begin{aligned} \therefore \angle AOB + \angle COD &= 180^\circ \\ 125^\circ + \angle COD &= 180^\circ \\ \angle COD &= 180^\circ - 125^\circ = 55^\circ \end{aligned}$$

2. In the given figure, AB is a chord of the circle and AOC is its diameter, such that $\angle ACB = 50^\circ$. If AT is the tangent to the circle at the point A, then $\angle BAT$ is equal to:

- (A) 65° (B) 60°
 (C) 50° (D) 40°



U


Ans. Option (C) is correct.

Explanation: Since, the angle between chord and tangent is equal to the angle subtended by the same chord in alternate segment of circle.

$$\Rightarrow \angle BAT = 50^\circ.$$

3. From a point P which is at a distance of 13 cm from the centre O of a circle of radius 5 cm, the pair of tangents PQ and PR to the circle are drawn. Then the area of the quadrilateral PQOR is:

- (A) 60 cm^2 (B) 65 cm^2
 (C) 30 cm^2 (D) 32.5 cm^2



C + U

Ans. Option (A) is correct.

Explanation: PQ is tangent and QO is radius at contact point Q.

$$\therefore \angle PQO = 90^\circ$$

\therefore By Pythagoras theorem,

$$\begin{aligned} PQ^2 &= OP^2 - OQ^2 \\ &= 13^2 - 5^2 \\ &= 169 - 25 = 144 \end{aligned}$$

$$\Rightarrow PQ = 12 \text{ cm}$$

$$\therefore \triangle OPQ \cong \triangle OPR$$

[SSS congruence]

$$\therefore \text{Area of } \triangle OPQ = \text{area of } \triangle OPR$$

[Since, congruent figures are equal in areas]

$$\text{Area of quadrilateral } QORP = 2 \text{ area of } \triangle OPR$$

$$\begin{aligned}
 &= 2 \times \frac{1}{2} \text{ base} \times \text{height} \\
 &= RP \times OR \\
 &= 12 \times 5 \\
 &= 60 \text{ cm}^2
 \end{aligned}$$


4. At one end A of diameter AB of a circle of radius 5 cm, tangent XAY is drawn to the circle. The length of the chord CD parallel to XY and at a distance 8 cm from A is:

- (A) 4 cm (B) 5 cm
 (C) 6 cm (D) 8 cm

Ⓒ + Ⓐ

Ans. Option (D) is correct.

Explanation: XAY is tangent and AO is radius at contact point A of circle.



$$AO = 5 \text{ cm}$$

$$\therefore \angle OAY = 90^\circ$$

CD is another chord at distance (perpendicular) of 8 cm from A and $CMD \parallel XAY$ meets AB at M.

Join OD.

$$OD = 5 \text{ cm}$$

$$OM = 8 - 5 = 3 \text{ cm}$$

$$\angle OMD = \angle OAY = 90^\circ$$

Now, in right angled $\triangle OMD$

$$MD^2 = OD^2 - MO^2$$

$$= 5^2 - 3^2$$

$$= 25 - 9$$

$$= 16$$

$$\Rightarrow MD = 4 \text{ cm}$$

We know that, perpendiculars from centre O of circle bisect the chord.

$$\therefore CD = 2MD$$


$$= 2 \times 4$$

$$= 8 \text{ cm.}$$

Hence, length of chord, $CD = 8 \text{ cm.}$

5. In the given figure, AT is a tangent to the circle with centre 'O' such that $OT = 4 \text{ cm}$ and $\angle OTA = 30^\circ$. Then AT is equal to:

- (A) 4 cm (B) 2 cm
 (C) $2\sqrt{3}$ cm (D) $4\sqrt{3}$ cm



Ⓒ

Ans. Option (C) is correct.

Explanation: Join OA. OA is radius and AT is tangent at contact point A.

$$\therefore \angle OAT = 90^\circ,$$


Given that, $OT = 4 \text{ cm}$

$$\text{Now, } \frac{AT}{4} = \frac{\text{base}}{\text{hypotenuse}} = \cos 30^\circ$$

$$\Rightarrow AT = 4 \times \frac{\sqrt{3}}{2} = 2\sqrt{3} \text{ cm.}$$

6. In the given figure, 'O' is the centre of circle, PQ is a chord and the tangent PR at P makes an angle of 50° with PQ, then $\angle POQ$ is equal to:

- (A) 100° (B) 80°
 (C) 90° (D) 75°



Ⓐ

Ans. Option (A) is correct.

Explanation: OP is radius and PR is tangent at P.

$$\text{So, } \angle OPR = 90^\circ$$

$$\Rightarrow \angle OPQ + 50^\circ = 90^\circ$$

$$\Rightarrow \angle OPQ = 90^\circ - 50^\circ$$

$$\Rightarrow \angle OPQ = 40^\circ$$

$$\text{In } \triangle OPQ, \quad OP = OQ$$

[Radii of same circle]

$$\therefore \angle Q = \angle OPQ = 40^\circ$$

[Angles opposite to equal sides are equal]

$$\text{But, } \angle POQ = 180^\circ - \angle P - \angle Q$$


$$= 180^\circ - 40^\circ - 40^\circ$$

$$= 180^\circ - 80^\circ = 100^\circ$$

$$\Rightarrow \angle POQ = 100^\circ$$

7. In the given figure, if PA and PB are tangents to the circle with centre O such that $\angle APB = 50^\circ$, then $\angle OAB$ is equal to:

- (A) 25° (B) 30°
 (C) 40° (D) 50°



U

Ans. Option (A) is correct.

Explanation: In $\triangle OAB$, we have

$$OA = OB$$

[Radii of same circle]

$$\therefore \angle OAB = \angle OBA$$

[Angles opposite to equal sides are equal]

As OA and PA are radius and tangent respectively at contact point A.

$$\text{So, } \angle OAP = 90^\circ.$$

$$\text{Similarly, } \angle OBP = 90^\circ$$

Now, in quadrilateral PAOB,

$$\angle P + \angle A + \angle O + \angle B = 360^\circ$$

$$\Rightarrow 50^\circ + 90^\circ + \angle O + 90^\circ = 360^\circ$$

$$\Rightarrow \angle O = 360^\circ - 90^\circ - 90^\circ - 50^\circ$$

$$\Rightarrow \angle O = 130^\circ$$

Again, in $\triangle OAB$,

$$\angle O + \angle OAB + \angle OBA = 180^\circ$$



$$\Rightarrow 130^\circ + \angle OAB + \angle OAB = 180^\circ$$

[$\because \angle OBA = \angle OAB$]

$$\Rightarrow 2\angle OAB = 180^\circ - 130^\circ = 50^\circ$$

$$\Rightarrow \angle OAB = 25^\circ$$

$$\text{Hence, } \angle OAB = 25^\circ$$



[CBSE QB, 2021]

1. In the given figure find $\angle ROQ$.

- (A) 60° (B) 100°
(C) 150° (D) 90°

Ans. Option (C) is correct.

Explanation: $\angle ORP = 90^\circ = \angle OQP$

[\because radius of circle is perpendicular to tangent]

$$\therefore \angle ROQ + \angle ORP + \angle OQP + \angle QPR = 360^\circ$$

$$\angle ROQ + 90^\circ + 90^\circ + 30^\circ = 360^\circ$$

$$\angle ROQ + 210^\circ = 360^\circ$$

$$\angle ROQ = 360^\circ - 210^\circ$$

$$\angle ROQ = 150^\circ$$

2. Find $\angle RQP$.

- (A) 75° (B) 60°
(C) 30° (D) 90°

Ans. Option (A) is correct.

Explanation: In $\triangle OQR$

$$\angle OQR = \angle ORQ$$

$$\angle ROQ = 150^\circ$$

$$\text{and } \angle ROQ + \angle OQR + \angle ORQ = 180^\circ$$

$$150^\circ + 2\angle ORQ = 180^\circ$$

$$2\angle ORQ = 30^\circ$$

$$\angle ORQ = 15^\circ$$

$$\therefore \angle OQR = \angle ORQ = 15^\circ$$

$$\begin{aligned} \text{Now } \angle RQP &= \angle OQP \\ &\quad - \angle OQR \\ &= 90^\circ - 15^\circ \\ &= 75^\circ \end{aligned}$$

3. Find $\angle RSQ$.

- (A) 60° (B) 75°
(C) 100° (D) 30°

Ans. Option (B) is correct.

4. Find $\angle ORP$.

- (A) 90° (B) 70°
(C) 100° (D) 60°



Case-based MCQs

(1 Mark Each)

Attempt any four sub-parts from each question. Each sub-part carries 1 mark.

I. Read the following text and answer the questions that follows on the basis of the same: U

A Ferris wheel (or a big wheel in the United Kingdom) is an amusement ride consisting of a rotating upright wheel with multiple passenger-carrying components (commonly referred to as passenger cars, cabins, tubs, capsules, gondolas, or pods) attached to the rim in such a way that as the wheel turns, they are kept upright, usually by gravity.

After taking a ride in Ferris wheel, Aarti came out from the crowd and was observing her friends who were enjoying the ride. She was curious about the different angles and measures that the wheel will form. She forms the figure as given below.


Ans. Option (A) is correct.

Explanation: $\angle ORP = 90^\circ$
Because, radius of circle is perpendicular to tangent.

AI II. Read the following text and answer the questions that follows on the basis of the same:

There is a circular field of radius 5 m. Kanabh, Chikoo and Shubhi are playing with ball, in which Kanabh and Chikoo are standing on the boundary of the circle. The distance between Kanabh and Chikoo is 8 m. From Shubhi point S, two tangents are drawn as shown in the figure.

C + **AE**



1. What is the relation between the lengths of SK and SC ?

- (A) $SK \neq SC$ (B) $SK = SC$
(C) $SK > SC$ (D) $SK < SC$

Ans. Option (B) is correct.

Explanation: We know that the lengths of tangents drawn from an external point to a circle are equal. So, SK and SC are tangents to a circle with centre O.

$$\therefore SK = SC$$

2. The length (distance) of OR is:

- (A) 3 m (B) 4 m
(C) 5 m (D) 6 m

Ans. Option (A) is correct.

Explanation: In question 1, we have proved $SK = SC$
Then $\triangle SKC$ is an isosceles triangle and SO is the angle bisector of $\angle KSC$. So, $OS \perp KC$.
 $\therefore OS$ bisects KC , gives $KR = RC = 4$ cm.
Now, $OR = \sqrt{OK^2 - KR^2}$
[By using Pythagoras theorem]
 $= \sqrt{5^2 - 4^2}$
 $= \sqrt{25 - 16}$
 $= \sqrt{9}$
 $= 3$ m.

3. The sum of angles \overline{SKR} and \overline{OKR} is:

- (A) 45° (B) 30°
(C) 90° (D) None of these

Ans. Option (C) is correct.

Explanation:
 $\angle SKR + \angle OKR = \angle OKS$
 $= 90^\circ$ [Radius is \perp^r to tangent]

4. The distance between Kanabh and Shubhi is:

- (A) $\frac{10}{3}$ m (B) $\frac{13}{3}$ m
(C) $\frac{16}{3}$ m (D) $\frac{20}{3}$ m

Ans. Option (D) is correct.

Explanation: $\triangle SKR$ and $\triangle RKO$,
 $\angle RKO = \angle KSR$
and $\angle SRK = \angle ORK$
 $\therefore \triangle SKR \sim \triangle OKR$
(By AA Similarity)
Then $\frac{SK}{KO} = \frac{RK}{RO}$
 $\Rightarrow \frac{SK}{5} = \frac{4}{3}$
 $[RO = 3$ m, proved in Q.2.]
 $\Rightarrow 3SK = 20$
 $\Rightarrow SK = \frac{20}{3}$

Hence, the distance between Kanabh and Shubhi is $\frac{20}{3}$ m.

5. What is the mathematical concept related to this question ?


- (A) Constructions (B) Area
(C) Circle (D) None of these

Ans. Option (C) is correct.

Explanation: The mathematical concept (Circle) is related to this question.

AI III. Read the following text and answer the questions that follows on the basis of the same:

ABCD is a playground. Inside the playground a circular track is present such that it touches AB at point P, BC at Q, CD at R and DA at S.



1. If $DR = 5$ m, then DS is equal to:

- (A) 6 m (B) 11 m
(C) 5 m (D) 18 m

Ans. Option (C) is correct.

Explanation: $DR = 5$ m [given]
 $\therefore DR = DS$
 [Length of tangents are equal]
 i.e., $DS = 5$ m.

2. The length of AS is:

- (A) 18 m (B) 13 m
(C) 14 m (D) 12 m

Ans. Option (A) is correct.

Explanation: We have $AD = 23$ m.
 and $DS = 5$ m (Proved in Q.1)
 $\therefore AS = AD - DS$
 $= (23 - 5)$ m = 18 m.

3. The length of PB is:

- (A) 12 m (B) 11 m
(C) 13 m (D) 20 m

Ans. Option (B) is correct.

Explanation: We have,
 $AB = 29$ m
 But $AS = AP$ [Lengths of tangents are equal]

and $AS = 18$ m [Proved in Q. 2]
 $\therefore AP = 18$ m
 Now, $PB = AB - AP$
 $= (29 - 18)$ m
 $= 11$ m.

4. What is the angle of $\angle OQB$?

- (A) 60° (B) 30°
(C) 45° (D) 90°

Ans. Option (D) is correct.

Explanation: $\angle OQB = 90^\circ$
 (Radius is \perp to tangent)

5. What is the diameter of given circle?

- (A) 22 m (B) 33 m
(C) 20 m (D) 30 m

Ans. Option (A) is correct.

Explanation: $\therefore PB = 11$ m [proved in Q. 3]
 But $PB = BQ$ [Lengths of tangents are equal]
 $\therefore BQ = 11$ m
 or $r = OQ = QB = 11$ m
 Hence, diameter = $2r = 2 \times 11 = 22$ m.


(B) SUBJECTIVE QUESTIONS



Very Short Answer Type Questions

(1 Mark Each)

1. If $PQ = 28$ cm, then find the perimeter of $\triangle PLM$.



[A] [CBSE SQP, 2020-21]


Sol. $\therefore PQ = PT$
 $PL + LQ = PM + MT$
 $PL + LN = PM + MN$
 (LQ = LN, MT = MN)
 (Tangents to a circle from a common point)

$$\begin{aligned} \text{Perimeter } (\triangle PLM) &= PL + LM + PM && \frac{1}{2} \\ &= PL + LN + MN + PM \\ &= 2(PL + LN) \\ &= 2(PL + LQ) \\ &= 2 \times 28 = 56 \text{ cm} && \frac{1}{2} \end{aligned}$$

[CBSE SQP Marking Scheme, 2020-21]

Detailed Solution:

Given, $PQ = 28$ cm
 $\therefore PQ = PT$
 (Length of tangents from an external point are equal)
 i.e., $PQ = PT = 28$ cm
 According to figure,
 Let $LQ = x$, then $PL = (28 - x)$ cm
 and let $MT = y$, then $PM = (28 - y)$ cm
 and $LM = LN + NM = x + y$




Now, the perimeter of $\triangle PLM = PL + LM + PM$
 $= (28 - x) + (x + y) + (28 - y)$
 $= 28 + 28 = 56 \text{ cm.}$

AI 2. PQ is a tangent to a circle with centre O at point P. If $\triangle OPQ$ is an isosceles triangle, then find $\angle OQP$.

A [CBSE SQP, 2020-21]

Sol.



In $\triangle OPQ$,
 $\angle P + \angle Q + \angle O = 180^\circ$
 $(\angle O = \angle Q \text{ isosceles triangle})$
 $2\angle Q + \angle P = 180^\circ$
 $2\angle Q + 90^\circ = 180^\circ$
 $2\angle Q = 90^\circ$
 $\angle Q = 45^\circ$


1

[CBSE SQP Marking Scheme, 2020-21]

Detailed Solution:

$\angle OPQ = 90^\circ$ (Angle between tangent and radius)

Let $\angle PQO$ be x° , then
 $\angle QOP = x^\circ$ [$\triangle OPQ$ is isosceles triangle]



In $\triangle OPQ$,
 $\angle OPQ + \angle PQO + \angle QOP = 180^\circ$
 $(\text{Sum of angles of a triangle})$

$\therefore 90^\circ + x^\circ + x^\circ = 180^\circ$
 $\Rightarrow 2x^\circ = 180^\circ - 90^\circ = 90^\circ$


$\Rightarrow x^\circ = \frac{90^\circ}{2} = 45^\circ$

Hence, $\angle OQP$ is 45° .

3. If two tangents inclined at 60° are drawn to a circle of radius 3 cm, then find length of each tangent.

A [CBSE SQP, 2020-21]

Sol.



In $\triangle PAO$,

$$\tan 30^\circ = \frac{AO}{PA}$$

(Using trigonometry) $\frac{1}{2}$

$$\frac{1}{\sqrt{3}} = \frac{3}{PA}$$

$$PA = 3\sqrt{3} \text{ cm.} \quad \frac{1}{2}$$

[CBSE SQP Marking Scheme, 2020-21]

Detailed Solution:

$$PA = PB = ?$$

Angle between tangents = 60° (Given)

\therefore Tangents are equally inclined to each other.

$$\Rightarrow \angle OPA = \angle OPB = 30^\circ$$

$$\text{and } \angle OAP = 90^\circ$$

[Angle between tangent and radius]

In $\triangle PAO$,

$$\tan 30^\circ = \frac{\text{Perpendicular}}{\text{Base}} = \frac{OA}{AP}$$

$$\Rightarrow \frac{1}{\sqrt{3}} = \frac{3}{AP}$$


(Using trigonometric Ratios)

$$\Rightarrow AP = 3\sqrt{3}$$

Hence, the length of each tangent is $3\sqrt{3}$ cm.

AI 4. In the adjoining figure, if $\triangle ABC$ is circumscribing a circle, then find the length of BC.

U [CBSE Delhi Set-I, 2020]



Sol. \therefore AP and AR are tangents to the circle from external point A.

$\therefore AP = AR = 4 \text{ cm}$
 Similarly, PB and BQ are tangents.
 $\therefore BP = BQ = 3 \text{ cm}$
 Now, $CR = AC - AR = 11 - 4 = 7 \text{ cm}$
 Similarly, CR and CQ are tangents.
 $\therefore CR = CQ = 7 \text{ cm}$
 Now, $BC = BQ + CQ = 3 + 7 = 10 \text{ cm}$.
 Hence, the length of BC is 10 cm.


COMMONLY MADE ERROR

Some students were not versed with the properties of circle.

ANSWERING TIP

It is necessary for the students to learn all properties of circle.

AI 5. In the given figure, find the length of PB.



[CBSE OD Set-I, 2020]

Sol. Since AB is a tangent at P and OP is radius.

$\therefore \angle APO = 90^\circ$, $AO = 5 \text{ cm}$ and $OP = 3 \text{ cm}$

In right angled $\triangle OPA$,

$$AP^2 = AO^2 - OP^2$$

(By using Pythagoras theorem)

$$AP^2 = (5)^2 - (3)^2 = 25 - 9 = 16$$

$$\Rightarrow AP = 4 \text{ cm}$$

\therefore Perpendicular from centre to chord bisect the chord

$$\therefore AP = BP = 4 \text{ cm}.$$

6. If the radii of two concentric circles are 4 cm and 5 cm, then find the length of each chord of one circle which is tangent to the other circle.

[CBSE SQP, 2020]

Sol. Length of Tangent = $2 \times \sqrt{5^2 - 4^2}$
 $= 2 \times 3 \text{ cm} = 6 \text{ cm} \quad \frac{1}{2} + \frac{1}{2}$

[CBSE SQP Marking Scheme, 2020]

Detailed Solution:

In $\triangle OBC$,

$$CO^2 + BC^2 = OB^2$$


$$4^2 + BC^2 = 5^2$$

$$16 + BC^2 = 25$$

$$BC^2 = 25 - 16$$

$$BC^2 = 9$$

$$BC = 3$$



In $\triangle OAC$,

$$OC^2 + AC^2 = OA^2$$

$$4^2 + AC^2 = 5^2$$

$$AC^2 = 9$$

$$AC = 3$$


$$\begin{aligned} \therefore AB &= AC + BC \\ &= 3 + 3 \\ &= 6 \text{ cm}. \end{aligned}$$

AI 7. If the angle between two tangents drawn from an external point 'P' to a circle of radius 'r' and centre O is 60° , then find the length of OP.

[CBSE SQP, 2020]

[CBSE Foreign Set-I, II, III, 2016]

Sol.



In $\triangle OBP$,

$$\frac{OB}{OP} = \sin 30^\circ \quad \frac{1}{2}$$

$$\therefore OP = 2r \quad \frac{1}{2}$$

[CBSE Marking Scheme, 2020]

Detailed Solution:

$$OA = r$$

$$OP = ?$$

Angle between tangents = 60°


Tangents are equally inclined to each other

$$\Rightarrow \angle OPA = \angle OPB = 30^\circ$$

In $\triangle OPA$,

$$\begin{aligned} \angle POA &= 180^\circ - 90^\circ - 30^\circ \\ &= 60^\circ \end{aligned}$$

$$\therefore \cos 60^\circ = \frac{OA}{OP}$$



$$\frac{1}{2} = \frac{r}{OP}$$

$$\Rightarrow OP = 2r$$

8. Two concentric circles of radii a and b ($a > b$) are given. Find the length of the chord of the larger circle which touches the smaller circle. [CBSE Delhi Region, 2019]




Topper Answer, 2019

Given, 2 concentric circles

$OP = OQ = a$
 $OM = b$
 To find - PQ
 $PM = \sqrt{PO^2 - OM^2} \Rightarrow PM = \sqrt{a^2 - b^2}$
 $PQ = 2PM \Rightarrow PQ = 2\sqrt{a^2 - b^2}$ units

9. In given figure, O is the centre of the circle, PQ is a chord and PT is tangent to the circle at P . Find $\angle TPQ$.



[CBSE OD Set-I, II, III, 2017]

Sol. $\angle OPQ = \angle OQP$ (radius of circle)
 $= \frac{180^\circ - 70^\circ}{2} = 55^\circ$ $\frac{1}{2}$
 $\therefore \angle TPQ = 90^\circ - 55^\circ = 35^\circ$ $\frac{1}{2}$
 [CBSE Marking Scheme, 2017]


Detailed Solution:

According to the figure,
 $OP = OQ$ [radii]
 $\therefore \angle OPQ = \angle OQP$ [Isosceles triangle property]
 Now, in $\triangle POQ$,
 $\angle OPQ + \angle OQP + \angle POQ = 180^\circ$ [Angle sum property]
 $\angle OPQ + \angle OPQ + 70^\circ = 180^\circ$
 $\angle OPQ = 180^\circ - 70^\circ = 110^\circ$
 $\angle OPQ = 55^\circ$
 Since $\angle OPT = 90^\circ$ [Angle between tangent and radius]
 Hence, $\angle TPQ = 90^\circ - \angle OPQ = 90^\circ - 55^\circ = 35^\circ$

10. In the fig. there are two concentric circles with centre O . PRT and PQS are tangents to the inner


- circle from a point P lying on the outer circle. If $PR = 5$ cm, find the length of PS .

[Delhi Comptt. Set-I, II, III, 2017]



Sol. $PQ = PR = 5$ cm $\frac{1}{2}$
 and $PQ = QS$
 $\therefore PS = 2PQ = 2 \times 5 = 10$ cm. $\frac{1}{2}$
 [CBSE Marking Scheme, 2017]

11. PQ is a tangent drawn from an external point P to a circle with centre O and QOR is the diameter of the circle. If $\angle POR = 120^\circ$, What is the measure of $\angle OPQ$? [CBSE Foreign Set-I, II, III, 2016, 2017]




Sol. In $\triangle OQP$ $\angle POR = \angle OQP + \angle OPQ$ [Exterior angle]
 $\therefore \angle OPQ = \angle POR - \angle OQP = 120^\circ - 90^\circ = 30^\circ$



Short Answer Type Questions-I

(2 Marks Each)


1. In the figure, quadrilateral $ABCD$ is circumscribing a circle with centre O and $AD \perp AB$. If radius of incircle is 10 cm, then find the value of x .



[A] [CBSE SQP, 2020-21]

Sol. $\angle A = \angle OPA = \angle OSA = 90^\circ$ $\frac{1}{2}$
Hence, $\angle SOP = 90^\circ$
Also, $AP = AS$
Hence, OSAP is a square.
 $AP = AS = 10$ cm $\frac{1}{2}$
 $CR = CQ = 27$ cm
 $BQ = BC - CQ$
 $= 38 - 27 = 11$ cm $\frac{1}{2}$
 $BP = BQ = 11$ cm
 $x = AB = AP + BP$
 $= 10 + 11 = 21$ cm $\frac{1}{2}$
[CBSE Marking Scheme, 2020-21]

[AI] 2. In the given figure, two tangents TP and TQ are drawn to circle with centre O from an external point T. Prove that $\angle PTQ = 2\angle OPQ$.




[U] [CBSE Delhi Set-I, 2020]
[CBSE Delhi Set-I, II, III, 2017]

Sol. Let $\angle OPQ$ be θ , then
 $\angle TPQ = 90^\circ - \theta$ $\frac{1}{2}$
Since, $TP = TQ$
 $\therefore \angle TQP = 90^\circ - \theta$ $\frac{1}{2}$
[opposite angles of equal sides]

Now, $\angle TPQ + \angle TQP + \angle PTQ = 180^\circ$ $\frac{1}{2}$
[Angle sum property of a triangle]
 $\Rightarrow 90^\circ - \theta + 90^\circ - \theta + \angle PTQ = 180^\circ$
 $\Rightarrow \angle PTQ = 180^\circ - 180^\circ + 2\theta$
 $\Rightarrow \angle PTQ = 2\theta$
Hence, $\angle PTQ = 2\angle OPQ$ $\frac{1}{2}$
Hence Proved.
[CBSE Marking Scheme, 2020]

3. In fig. ABC is a triangle in which $\angle B = 90^\circ$, $BC = 48$ cm and $AB = 14$ cm. A circle is inscribed in the triangle, whose centre is O. Find radius of in circle.



[A] [CBSE Comptt. Set-I, II, III, 2018]

Sol. $AC = \sqrt{AB^2 + BC^2}$


 $= \sqrt{14^2 + 48^2} = \sqrt{2500} = 50$ cm $\frac{1}{2}$
 $\angle OQB = 90^\circ \Rightarrow OPBQ$ is a square
 $BQ = r$, $QC = 48 - r = CR$ $\frac{1}{2}$
Again, $PB = r$
 $PA = 14 - r \Rightarrow RA = 48 - r$ $\frac{1}{2}$
 $AR + RC = AC \Rightarrow 14 - r + 48 - r = 50$
 $r = 6$ cm $\frac{1}{2}$
[CBSE Marking Scheme, 2018]

Detailed Solution:

In $\triangle ABC$, $\angle B = 90^\circ$ [Given]
 $AC^2 = AB^2 + BC^2$
[By using pythagoras theorem]
 $= (14)^2 + (48)^2 = 196 + 2304$
 $= 2500$
 $\therefore AC = \sqrt{2500} = 50$ cm
Here, $\angle OQB = \angle OPB = 90^\circ$
(Radius is perpendicular to tangent)
 \therefore In Quadrilateral OPBQ,
 $\angle POQ = 360^\circ - (\angle OQB + \angle OPB + \angle PBQ)$
 $= 360^\circ - (90^\circ + 90^\circ + 90^\circ) = 90^\circ$
So, OPBQ is a square.
Then $OP = QB = BP = OQ = r$
Thus, $CQ = BC - QB = 48 - r$
But $CQ = CR$
[Tangents from external point C]
 $\therefore CR = 48 - r$
and $AP = AB - BP = 14 - r$
But $AP = AR$
[Tangents from external point A]
 $\therefore AR = 14 - r$
Now $AC = 50$ cm [proved above]
 $\Rightarrow AR + RC = 50$


$$\begin{aligned} \Rightarrow 14 - r + 48 - r &= 50 \\ \Rightarrow -2r &= 50 - 62 = -12 \\ \Rightarrow r &= 6 \text{ cm.} \end{aligned}$$

4. In the fig., AB and CD are common tangents to two circles of unequal radii. Prove that AB = CD.



[A] [CBSE Comptt. Delhi Set-III, 2017]


Sol. Construction : Produce AB and CD to meet at P.



$$\begin{aligned} \text{Now,} & PA = PC && \frac{1}{2} \\ \text{and} & PB = PD && \frac{1}{2} \\ \text{Tangents to a circle from external point} &&& \frac{1}{2} \\ \text{Now,} & PA - PB = PC - PD && \frac{1}{2} \\ \Rightarrow & AB = CD && \frac{1}{2} \end{aligned}$$

[CBSE Marking Scheme, 2017]

5. In the given figure, PA and PB are tangents to the circle from an external point P. CD is another tangent touching the circle at Q. If PA = 12 cm, QC = DQ = 3 cm, then find PC + PD.



[A] [CBSE Comptt. Delhi Set-I, II, III, 2017]


Sol. Here,

$$\begin{aligned} AC &= CQ && [\text{Tangents from external point to a circle}] \\ PA &= PC + CA = PC + CQ && \\ & && [\because CA = CQ] \end{aligned}$$

$$\begin{aligned} \Rightarrow 12 &= PC + 3 \\ \Rightarrow PC &= 12 - 3 = 9 \text{ cm} && 1 \\ PB &= PD + BD \\ PA &= PD + DQ \\ 12 - 3 &= PD = 9 \text{ cm} \\ \therefore PC + PD &= 9 + 9 = 18 \text{ cm} && 1 \end{aligned}$$


[CBSE Marking Scheme, 2017]

6. Prove that the tangents drawn at the end points of a chord of a circle make equal angles with the chord.



[A] [CBSE, OD Set-I, II, III, 2017]
[CBSE Delhi Term-II, 2015]

$$\begin{aligned} \text{Sol.} \therefore PM &= PN && [\text{length of tangents are equal}] \\ \angle 1 &= \angle 2 && [\text{angles opp. to equal sides are equal}] 1 \\ \therefore 180^\circ - \angle 1 &= 180^\circ - \angle 2 && [\text{linear pair}] \\ \angle 3 &= \angle 4 && 1 \end{aligned}$$



[CBSE Marking Scheme, 2015]




Topper Answer, 2017

Given: chord AB.
tangents AP and BP at A & B.
To prove: ~~AP = BP~~ $\angle PAM = \angle PBM$
Construction: Join centre O to P.
Let OP meet AB at M.

Proof:
In $\triangle AMP$ and $\triangle BMP$,
 $AP = BP$ - tangents from same point to a circle are equal.
 $MP = MP$ - common side
 $\angle APM = \angle BPM$ - tangents are equally inclined to line joining the point to circle's centre. *reference*

by SAS criterion,
 $\triangle AMP \cong \triangle BMP$.
 by cpct. $\angle PAM = \angle PBM$
 Hence, tangents at endpoints of a chord
 make equal angles with it


7. In given figure, O is the centre of the circle and LN is a diameter. If PQ is a tangent to the circle at K and $\angle KLN = 30^\circ$, find $\angle PKL$.



U [CBSE Comptt. OD Set-I, II, III, 2017]

Sol. Here, $OK = OL$ [radii]
 $\angle OKL = \angle OLK = 30^\circ$
 [Opposite angles of equal sides] 1
 Since $\angle OKP = 90^\circ$ [Tangent] 1
 $\therefore \angle PKL = 90^\circ - 30^\circ = 60^\circ$ 1
 [CBSE Marking Scheme, 2017]

8. In fig., AP and BP are tangents to a circle with centre O, such that $AP = 5$ cm and $\angle APB = 60^\circ$. Find the length of chord AB.




U [CBSE Delhi Set-I, II, III, 2016]

Sol. $PA = PB$ $\frac{1}{2}$
 or, $\angle PAB = \angle PBA = 60^\circ$ $\frac{1}{2}$
 $\therefore \triangle PAB$ is an equilateral triangle. $\frac{1}{2}$
 Hence, $AB = PA = 5$ cm. $\frac{1}{2}$

[CBSE Marking Scheme, 2016]

9. In the given figure PQ is chord of length 6 cm of the circle of radius 6 cm. TP and TQ are tangents to the circle at points P and Q respectively. Find $\angle PTQ$.



U [CBSE SA-II, 2016]

Sol. Here, $PQ = 6$ cm, $OP = OQ = 6$ cm
 $\therefore PQ = OP = OQ$
 $\therefore \angle POQ = 60^\circ$
 [angle of equilateral \triangle]
 $\angle OPT = \angle OQT = 90^\circ$
 [radius \perp tangent]
 $\therefore \angle PTQ + 90^\circ + 90^\circ + 60^\circ = 360^\circ$
 [angle sum property]
 $\angle PTQ = 120^\circ$

10. A circle touches all the four sides of a quadrilateral ABCD. Prove that $AB + CD = BC + DA$.

A [CBSE OD Set-I, II, III, 2016]



Topper Answer, 2016

5.
 Given: circle touching sides of ABCD at P, Q, R, S.
 To prove: $AB + CD = AD + BC$.
 Proof:
 $AP = AS$
 $PB = BQ$
 $DR = DS$
 $CR = CQ$
 } tangents from same point to a circle are equal in length.

adding all (4),


$$AP + PB + OR + CR = AS + BQ + DS + CQ$$

$$AB + CD = AS + SD + BQ + QC$$

$$AB + CD = AD + BC$$

Hence, proved.

11. In given figure, AB is the diameter of a circle with center O and AT is a tangent. If $\angle AOQ = 58^\circ$, find $\angle ATQ$. [CBSE Term-II, Set-I, II, III, 2015]




Sol. $\angle AOQ = 58^\circ$ (Given)
 $\angle ABQ = \frac{1}{2} \angle AOQ$
 [Angle on the circumference of the circle by the same arc]
 $= \frac{1}{2} \times 58^\circ$
 $= 29^\circ$ 1
 $\angle BAT = 90^\circ$ [$\because OA \perp AT$]
 $\therefore \angle ATQ = 90^\circ - 29^\circ$
 $= 61^\circ$ 1

[CBSE Marking Scheme, 2015]

12. In figure, PQ is a chord of a circle centre O and PT is a tangent. If $\angle QPT = 60^\circ$, find $\angle PRQ$.


[CBSE, OD Set-I, II, III, 2015]



Sol. Given, $\angle QPT = 60^\circ$
 $\angle OPQ = \angle OQP = 90^\circ - 60^\circ = 30^\circ$
 $\angle POQ = 180^\circ - (30^\circ + 30^\circ)$
 $= 180^\circ - 60^\circ = 120^\circ$
 $\angle PRQ = \frac{1}{2}$ Reflex $\angle POQ$ 1
 $[\because \text{Reflex } \angle POQ = 360^\circ - 120^\circ = 240^\circ]$
 $= \frac{1}{2} \times 240^\circ = 120^\circ$

[CBSE Marking Scheme, 2015] 1

13. PB is a tangent to the circle with centre O to B. AB is a chord of length 24 cm at a distance of 5 cm from the centre. If the tangent is of length 20 cm, find the length of PO.



[CBSE Delhi Term-II, 2015]


Sol. Construction : Join OB.

In rt. $\triangle OMB$,

$$OB^2 = 5^2 + 12^2 = 13^2$$

$$\therefore OB = 13 \text{ cm} \quad 1$$

Since $OB \perp PB$ [radius \perp tangent]



\therefore In rt. $\triangle OBP$,

$$OP^2 = OB^2 + BP^2$$

$$= 13^2 + 20^2$$

$$= 569$$


$$\text{or, } OP = \sqrt{569} = 23.85 \text{ cm.} \quad 1$$

[CBSE Marking Scheme, 2015]

14. From a point T outside a circle of centre O, tangents TP and TQ are drawn to the circle. Prove that OT is the right bisector of line segment PQ.

[CBSE Delhi Term-II, Set-I, II, III, 2015]

Sol. Given: A circle with centre O. Tangents TP and TQ are drawn from a point T outside a circle.



To Prove: OT is the right bisector of line segment PQ.

Construction: Join OP and OQ

Proof: $\triangle OPT$ and $\triangle OQT$

$$PT = PQ \quad \text{[Tangents of the circle]}$$

$$OT = OT \quad \text{[Common side]}$$

$$\angle OPT = \angle OQT = 90^\circ$$

$$\therefore \triangle OPT \cong \triangle OQT$$

[R.H.S. Congruency]

$$\angle PTO = \angle QTO \quad \text{[c.p.c.t.]}$$

$$\triangle PTR \text{ and } \triangle TRQ$$

$$TP = TQ \quad \text{[Tangents of circle]}$$

$$TR = TR \quad \text{[Common]}$$

$$\triangle PTR \cong \triangle QTR \quad \text{[SAS congruency]}$$


$$\angle PRT = \angle TRQ \quad \text{[c.p.c.t.]}$$

$$PR = QR \quad \text{[c.p.c.t.]}$$

$$\angle PRT + \angle TRQ = 180^\circ$$


$$\therefore \angle PRT = \angle TRQ = 90^\circ$$

15. In figure, a triangle ABC is drawn to circumscribe a circle of radius 3 cm, such that the segments BD and DC are respectively of lengths 6 cm and 9 cm. If the area of $\triangle ABC$ is 54 cm^2 , then find the lengths of sides AB and AC.



[A] [CBSE OD Set-I, II, III, 2015]

Sol.



Let $AF = AE = x$.

$$\therefore AB = 6 + x, AC = 9 + x \text{ and } BC = 15 \frac{1}{2}$$

$$\text{ar } \triangle ABC = \frac{1}{2} [15 + 6 + x + 9 + x].3 = 54$$

$$45 + 3x = 54 \quad 1$$


$$\text{or, } x = 3$$

$$\therefore AB = 9 \text{ cm, } AC = 12 \text{ cm} \quad \frac{1}{2}$$

$$\text{and } BC = 15 \text{ cm.}$$

[CBSE Marking Scheme, 2015]


16. In figure, O is the centre of a circle. PT and PQ are tangents to the circle from an external point P. If $\angle TPQ = 70^\circ$, find $\angle TRQ$.



[U] [Foreign Set-I, II, III, 2015]

$$\text{Sol. } \angle TOQ = 180^\circ - 70^\circ = 110^\circ \quad 1$$

[angle of supplementary]



$$\text{Then, } \angle TRQ = \frac{1}{2} \angle TOQ$$

[angle at the circumference of the circle by same arc]

$$= \frac{1}{2} \times 110^\circ = 55^\circ \quad 1$$

[CBSE Marking Scheme, 2015]



Short Answer Type Questions-II

(3 Marks Each)

1. Prove that the parallelogram circumscribing a circle is a rhombus. [A] [CBSE Delhi Set-II, 2020]


Sol. Let ABCD be the ||^{gm}.

$$\therefore AB = CD \text{ and } AD = BC \quad \dots(i) \frac{1}{2}$$

$$AP + PB + DR + CR = AS + BQ + DS + CQ \quad 1$$

$$\text{or, } AB + CD = AD + BC \quad \frac{1}{2}$$

$$\text{From (i), } 2AB = 2AD \text{ or } AB = AD$$



or, ABCD is a rhombus. 1

[CBSE Marking Scheme, 2020]

Detailed Solution:

Let ABCD be the parallelogram.

$$\therefore AB = CD \text{ and } AD = BC \quad \dots(i)$$

We know that the tangents drawn to a circle from an exterior point are equal in length.

Therefore, $AP = AS, BP = BQ, CR = CQ$ and $DR = DS$.

Adding the above equations.

$$AP + BP + CR + DR = AS + BQ + CQ + DS$$

$$\Rightarrow (AP + BP) + (CR + DR) = (AS + DS) + (BQ + CQ)$$

$$\Rightarrow AB + CD = AD + BC$$


From eq. (i),

$$2AB = 2AD$$

$$\text{or, } AB = AD$$

Hence, $ABCD$ is a rhombus. **Hence Proved.**

AI 2. In given fig., two circles touch each other at the point C . Prove that the common tangent to the circles at C , bisects the common tangents at P and Q .



A [CBSE Delhi Set-III, 2020]

Sol. Since, $PT = TC$
and $QT = TC$
[tangents of circle from external point]

$$\text{So, } PT = QT$$

$$\text{Now } PQ = PT + TQ$$

$$\Rightarrow PQ = PT + PT$$

$$\Rightarrow PQ = 2PT$$


$$\Rightarrow \frac{1}{2}PQ = PT$$

Hence, the common tangent to the circle at C , bisects the common tangents at P and Q .

AI 3. If a circle touches the side BC of a triangle ABC at P and extended sides AB and AC at Q and R , respectively, prove that $AQ = \frac{1}{2}(BC + CA + AB)$.

A [CBSE OD Set-I, 2020]

Sol. $BC + CA + AB$
 $= (BP + PC) + (AR - CR) + (AQ - BQ)$
 $= AQ + AR - BQ + BP + PC - CR$



\therefore From the same external point, the tangent segments drawn to a circle are equal.

$$\text{From the point B, } BQ = BP$$

From the point A, $AQ = AR$

From the point C, $CP = CR$

\therefore Perimeter of $\triangle ABC$,


$$AB + BC + CA = 2AQ - BQ + BQ + CR - CR$$

$$\Rightarrow = 2AQ$$

$$\Rightarrow AQ = \frac{1}{2}(BC + CA + AB)$$


Hence proved.

4. In figure AB is a chord of length 8 cm of a circle of radius 5 cm. The tangents to the circle at A and B intersect at P . Find the length of AP .



A [CBSE Delhi Set-I, 2019, Comptt. Set-I, II, III, 2018]

Sol.



Given, $AB = 8$ cm

$$\Rightarrow AM = 4$$
 cm.

$$\therefore OM = \sqrt{OA^2 - AM^2}$$

[By Pythagoras theorem]

$$OM = \sqrt{5^2 - 4^2} = 3$$
 cm.

Let $AP = y$ cm, $PM = x$ cm.

$\therefore \triangle OAP$ is a right angle triangle.

$$\therefore OP^2 = OA^2 + AP^2$$

[By Pythagoras theorem]

$$(x + 3)^2 = y^2 + 25$$

$$\Rightarrow x^2 + 9 + 6x = y^2 + 25 \quad \dots(i)$$

Also, $x^2 + 4^2 = y^2 \quad \dots(ii)$

$$x^2 + 6x + 9 = x^2 + 16 + 25$$

$$6x = 32$$


$$\Rightarrow x = \frac{32}{6} \text{ or } \frac{16}{3} \text{ cm}$$

$$y^2 = x^2 + 16 = \frac{256}{9} + 16$$

$$= \frac{400}{9}$$


$$y = \frac{20}{3} \text{ cm or } 6\frac{2}{3} \text{ cm.}$$

AI 5. In the given figure a circle is inscribed in a $\triangle ABC$ having sides $BC = 8$ cm, $AB = 10$ cm and $AC = 12$ cm. Find the length BL , CM and AN .




[A] [CBSE Delhi Set-II, 2019]
[Delhi Set-I, II, III, 2016]

Sol. Let $BL = x = BN$
[Tangents from external point B]
 $\therefore CL = 8 - x = CM$
[Tangents from external point C]
 $\therefore AC = 12$
 $\Rightarrow AM = 4 + x = AN$ 1
[Tangents from external point A]
Now $AB = AN + NB = 10$
 $\Rightarrow x + 4 + x = 10$ 1
 $\Rightarrow x = 3$ 1
 $\therefore BL = 3 \text{ cm}, CM = 5 \text{ cm}$ and $AN = 7 \text{ cm}$. 1




6. In figure PQ and RS are two parallel tangents to a circle with centre O and another tangent AB with point of contact C intersecting PQ at A and RS at B. Prove that $\angle AOB = 90^\circ$.

[CBSE Delhi Set-I, II, III, 2017]
[A] [CBSE OD Set-I, 2019]




Sol. $\triangle AOD \cong \triangle AOC$ [SAS] 1
 $\Rightarrow \angle 1 = \angle 2$ $\frac{1}{2}$
Similarly, $\angle 4 = \angle 3$ $\frac{1}{2}$
 $\Rightarrow \angle 1 + \angle 4 = \angle 2 + \angle 3 = \frac{1}{2}(180^\circ)$
 $\Rightarrow \angle 2 + \angle 3 = 90^\circ$ or $\angle AOB = 90^\circ$ $\frac{1}{2}$



Alternate method :


$\triangle OAD \cong \triangle OAC$ (By SAS)
 $\Rightarrow \angle 1 = \angle 2$ 1
Similarly, $\angle 4 = \angle 3$ $\frac{1}{2}$
But $\angle 1 + \angle 2 + \angle 3 + \angle 4 = 180^\circ$ ($\because PQ \parallel RS$)
 $\Rightarrow \angle 2 + \angle 3 = \angle 1 + \angle 4 = \frac{1}{2}(180^\circ) = 90^\circ$

\therefore In $\triangle AOB$, $\angle AOB = 180^\circ - (\angle 2 + \angle 3) = 90^\circ$ $\frac{1}{2}$



[CBSE Marking Scheme, 2019]

Detailed Solution:



In $\triangle DOA$ and $\triangle COA$

$$DA = AC$$

[Tangents drawn from common point]

$$\angle ODA = \angle OCA = 90^\circ$$

[angle between tangent and radius]

$$OD = OC \text{ [radius of circle]}$$

$\therefore \triangle DOA \cong \triangle COA$ [By SAS]

Hence, $\angle 1 = \angle 2$ i.e., $\angle DOA = \angle COA$ [By cpct] ... (i)

Similarly,

$$\triangle BOC \cong \triangle BOE \text{ [By SAS]}$$

$\therefore \angle 3 = \angle 4$ i.e., $\angle COB = \angle BOE$ [By cpct]

... (ii)

Now, $\angle 1 + \angle 2 + \angle 3 + \angle 4 = 180^\circ$

[angles on a straight line]

$$2\angle 2 + 2\angle 3 = 180^\circ$$

[from eq. (i) & (ii)]

$$\angle 2 + \angle 3 = 90^\circ$$

$$\text{i.e., } \angle AOC + \angle BOC = 90^\circ$$

or $\angle AOB = 90^\circ$ Hence Proved.

COMMONLY MADE ERROR


Some candidates could not apply the appropriate theorem to find out the unknown angles.

ANSWERING TIP

Learn circle and related angle properties, cyclic properties, tangent and secant properties thoroughly.

7. The radii of two concentric circles are 13 cm and 8 cm. AB is a diameter of the bigger circle and BD is a tangent to the smaller circle touching it at D and intersecting the larger circle at P on producing. Find the length of AP. [CBSE SQP, 2018-19]

Sol.



$\angle APB = 90^\circ$ [angle in semi-circle]
and $\angle ODB = 90^\circ$ [radius is perpendicular to tangent]

$\triangle ABP \sim \triangle OBD$
 $\Rightarrow \frac{AB}{OB} = \frac{AP}{OD}$


$\Rightarrow \frac{26}{13} = \frac{AP}{8}$

Hence, $AP = 16$ cm [CBSE Marking Scheme, 2018-19]

8. Prove that the lengths of two tangents drawn from an external point to a circle are equal.

[A] [CBSE OD Set-I, II, III, 2018]

Sol. Given: AP and BP are tangents of circle having centre O.



To Prove : $AP = BP$

Construction : Join OP, AO and BO

Proof : $\triangle OAP$ and $\triangle OBP$

$OA = OB$ [Radius of circle]

$OP = OP$ [Common side]

$\angle OAP = \angle OBP = 90^\circ$

[Radius \perp tangent]

$\triangle OAP = \triangle OBP$ [By RHS]

$AP = BP$ [By cpct]

Hence Proved.


Detailed Solution:



Topper Answer, 2018

19) Given: Circle (O, r). AP and PB are tangents drawn to the circle.
To prove: $PA = PB$.
Construction: Join OA, OB and OP.
Proof: $OA = OB$ [radius]. (side).
 $\angle OAP = \angle OBP = 90^\circ$ [right angle].
[\because radius is perpendicular to tangent at point of contact].
 $OP = OP$ (hypotenuse).
So in $\triangle OAP$ and $\triangle OBP$,
by RHS congruency,
 $\rightarrow \triangle OAP \cong \triangle OBP$.
by CPCT,
 $\Rightarrow AP = BP$.
hence proved.

9. In the given figure, PA and PB are tangents to a circle from an external point P such that $PA = 4$ cm and $\angle BAC = 135^\circ$. Find the length of chord AB.



[U] [CBSE OD Set I, II, III, 2017]

Sol.

$$PA = PB = 4 \text{ cm}$$

$$\begin{aligned} & \text{[Tangents from external point]} \frac{1}{2} \\ \angle PAB &= 180^\circ - 135^\circ = 45^\circ \end{aligned}$$

$$\begin{aligned} & \text{[Supplementary angles]} \\ \angle ABP &= \angle PAB = 45^\circ \end{aligned}$$

$$\begin{aligned} \therefore \angle APB &= 180^\circ - 45^\circ - 45^\circ \\ &= 90^\circ \end{aligned}$$

So, $\triangle ABP$ is an isosceles right angled triangle.

$$\Rightarrow AB^2 = 2AP^2 \quad 1$$

$$\Rightarrow AB^2 = 32 \quad 1$$


$$\text{Hence, } AB = \sqrt{32} = 4\sqrt{2} \text{ cm}$$

[CBSE Marking Scheme, 2017]

10. Prove that the tangents drawn at the ends of the diameter of a circle are parallel.

[A] [CBSE Delhi Set-I, II, III, 2017]

Sol. Let AB be the diameter of a given circle and let CD and EF be the tangents drawn to the circle at A and B respectively.



$$\therefore \angle CAB = 90^\circ \text{ and } \angle ABF = 90^\circ \quad \frac{1}{2}$$

$$\angle CAB = \angle ABF$$

$$\text{and } \angle ABE = \angle BAD \quad \frac{1}{2}$$

Hence, $\angle CAB$ and $\angle ABF$ also $\angle ABE$ and $\angle BAD$ are alternate interior angles. 1

$$\therefore CD \parallel EF \quad \text{Hence proved.}$$

[CBSE Marking Scheme, 2017]

11. ABC is a triangle. A circle touches sides AB and AC produced and side BC at X, Y and Z respectively. Show that

$$AX = \frac{1}{2} \text{ perimeter of } \triangle ABC.$$

[A] [CBSE Term-II, 2016]

Sol. Try yourself like Q. 3. SATQ-II.

Hence Proved.



Long Answer Type Questions

(5 Marks Each)

1. Prove that opposite sides of a quadrilateral circumscribing a circle subtend supplementary angles at the centre of the circle.

[A] [CBSE Delhi Region, 2019]

[CBSE Foreign Set-I, II, III, 2017]


Sol. Given: A circle with centre O is inscribed in a quadrilateral $ABCD$.

In $\triangle AEO$ and $\triangle AFO$,

$$OE = OF \quad \text{[radii of circle]}$$

$$\angle OEA = \angle OFA = 90^\circ$$

[radius is \perp to tangent] 1



The point of contact is perpendicular to the tangent.

$$OA = OA \quad \text{[common side]}$$

$$\triangle AEO \cong \triangle AFO$$

[By RHS]

$$\angle 7 = \angle 8 \quad \text{(By cpct) ... (i) 1}$$

Similarly,

$$\angle 1 = \angle 2 \quad \text{... (ii)}$$

$$\angle 3 = \angle 4 \quad \text{... (iii)}$$

$$\angle 5 = \angle 6 \quad \text{... (iv)}$$

$$\angle 1 + \angle 2 + \angle 3 + \angle 4 + \angle 5 + \angle 6 + \angle 7 + \angle 8 = 360^\circ \quad 1$$

[angle around a point]

$$2\angle 1 + 2\angle 8 + 2\angle 4 + 2\angle 5 = 360^\circ$$

$$\angle 1 + \angle 8 + \angle 4 + \angle 5 = 180^\circ$$

$$(\angle 1 + \angle 8) + (\angle 4 + \angle 5) = 180^\circ \quad 1$$

$$\angle AOB + \angle COD = 180^\circ$$



Topper Answer, 2018

To prove: opposite sides of a quadrilateral circumscribing a circle subtend equal angles at the centre.

Construction: Constructed

a quadrilateral ABCD, circumscribing a circle (centre O).
 Circle touches AB, BC, CD, DA at P, Q, R, S respectively.

To prove: $\angle AOB + \angle COD = 180^\circ$
 Or $\angle AOD + \angle BOC = 180^\circ$

We know, that tangents from same exterior point subtend equal angle at the centre of circle with radii.

$$\therefore \angle AOP = \angle AOS = \angle 1 \text{ (say)}$$

Similarly, $\angle BOP = \angle BOQ = \angle 2$

$$\angle COQ = \angle COR = \angle 3$$

$$\angle DOR = \angle DOS = \angle 4.$$

$$\therefore \angle AOP + \angle BOP + \angle BOQ + \angle COQ + \angle COR + \angle DOR + \angle DOS + \angle AOS = 360^\circ$$

[Complete angle around a point]

$$\Rightarrow 2\angle 1 + 2\angle 2 + 2\angle 3 + 2\angle 4 = 360^\circ$$

$$\Rightarrow \angle 1 + \angle 2 + \angle 3 + \angle 4 = 180^\circ$$

$$\Rightarrow (\angle 1 + \angle 2) + (\angle 3 + \angle 4) = 180^\circ$$

$$\Rightarrow \angle AOB + \angle COD = 180^\circ$$

Or $(\angle 1 + \angle 4) + (\angle 2 + \angle 3) = 180^\circ$


$$\Rightarrow \angle AOD + \angle BOC = 180^\circ$$

Hence, proved!

2. a, b and c are the sides of a right triangle, where c is the hypotenuse. A circle, of radius r , touches the sides of the triangle. Prove that, $r = \frac{a+b-c}{2}$.

[A] [CBSE Term-II, 2016]

Sol.



Let circle touches CB at M, CA at N and AB at P.
 Now $OM \perp CB$ and $ON \perp AC$ [radius \perp tangent]
 $OM = ON$ [radii]
 $CM = CN$ [Tangents] 1

\therefore OMCN is a square.
 Let $OM = r = CM = CN$ 1


$AN = AP$, $CN = CM$ and $BM = BP$
 [tangents from external point]

$$\begin{aligned} AN &= AP \\ \Rightarrow AC - CN &= AB - BP & 1 \\ b - r &= c - BM \\ b - r &= c - (a - r) \\ b - r &= c - a + r \\ \therefore 2r &= a + b - c \\ r &= \frac{a+b-c}{2} & 1 \end{aligned}$$

Hence Proved.

[CBSE Marking Scheme, 2016]

3. In Fig. O is the centre of a circle of radius 5 cm. T is a point such that $OT = 13$ cm and OT intersects circle at E. If AB is a tangent to the circle at E, find the length of AB, where TP and TQ are two tangents to the circle.



[U] [CBSE Delhi Set-I, II, III, 2016]

Sol.	$PT = \sqrt{169 - 25} = 12 \text{ cm}$	or,	$(12 - x)^2 = 8^2 + x^2$	1
and	$TE = OT - OE = 13 - 5$ $= 8 \text{ cm}$		$24x = 80$	
Let	$PA = AE = x.$ (Tangents)	or,	$x = 3.3 \text{ cm. (Approx.)}$	1
Then,	$TA^2 = TE^2 + EA^2$	Thus	$AB = 2 \times x = 2 \times 3.3$ $= 6.6 \text{ cm. (Approx.)}$	1

[CBSE Marking Scheme, 2016]

4. Prove that tangent drawn at any point of a circle is perpendicular to the radius through the point of contact.

[CBSE OD Set-II, 2016]




Topper Answer, 2016

Given - A circle (O, OP) and tangent at P.

To prove - $OP \perp PQ$

Constⁿ - Extend OR to Q, at AB



Proof - we have -

$OP = OR$ (radius)

$OQ = OR + RQ$

Clearly $OQ > OR$

$\therefore OQ > OP$


The shortest line joining a point to any point on given line is \perp to that line

$\Rightarrow OP \perp AB$


or $OP \perp PQ$

Hence proved

5. In the given figure, O is the centre of the circle. Determine $\angle APC$, if DA and DC are tangents and $\angle ADC = 50^\circ$.



Sol. **[A] [CBSE Term-II, 2015]**



1

Given DA and DC are tangents from point D to a circle with centre O.

$$\angle 1 = \angle 2 = 90^\circ$$

[radius \perp tangent] 1

$$\angle 1 + \angle 2 + \angle 3 + \angle 4 = 360^\circ \quad 1$$

or, $90^\circ + 90^\circ + 50^\circ + \angle 4 = 360^\circ$

or, $\angle 4 = 130^\circ$

\therefore Reflex $\angle 4 = 360^\circ - 130^\circ = 230^\circ \quad 1$

$$\angle APC = \frac{1}{2} \text{ reflex } \angle 4$$

[angle subtended at centre]

$$\angle APC = \frac{1}{2} \times 230^\circ = 115^\circ \quad 1$$

[CBSE Marking Scheme, 2015]