

# Tuples

## PART 1

### Objective Questions

#### • Multiple Choice Questions

1. Which of the following is a collection of Python objects separated by commas and represent as (,)?
- (a) List (b) Tuple  
(c) Dictionary (d) String

**Ans.** (b) A tuple is a collection of Python objects separated by commas and represent as (.). Tuples are immutable by design which means they cannot be changed after creation. It holds a sequence of heterogeneous elements.

e.g. T = (3, 4, 7, 6)

2. What will be the output of the following Python code?

```
>>> a=(1,2,(4,5))
>>> b=(1,2,(3,4))
>>> a<b
```

- (a) False  
(b) True  
(c) Error, < operator is not valid for tuples.  
(d) Error, < operator is valid for tuples but not if there are sub-tuples.

**Ans.** (a) Since the first element in the sub-tuple of 'a' is larger than the first element in the sub-tuple of 'b', hence False is printed.

3. What is the output of the following code?

```
t1=(70, 56, 'Hello', 22, 2, 'Hi', 'The', 'World', 3)
print(t1 [2:4])
```

(a) (56, 'Hello')  
(b) ('Hello', 22)  
(c) ('Hello', 22,2)  
(d) (56, 'Hello', 22)

**Ans.** (b) (: ) is a slice operator, which returns the sub-part of any data type as string, list, tuple etc. Index number is started from 0, so the value of index number 2 is 'Hello' and this will display the elements till last index number - 1, i.e. (4 - 1 =)3.  
So, the correct output is ('Hello', 22).

4. Is the following Python code valid?

```
>>> tup1=(56, 25,36, 15)
>>> result=tup1.update(4,)
```

- (a) Yes, tup1=(56, 25, 36, 15,4) and result=(56, 25, 36, 15,4)  
(b) Yes, tup1=(56, 25, 36,15) and result=(56, 25, 36, 15,4)  
(c) No, because tuples are immutable  
(d) No, because wrong syntax for update() method

**Ans.** (c) Tuple does not have any update() attribute because it is immutable and cannot be changed after creation.

5. What is the output of following code?

```
t=(4,0, 'Hello', 90, 'Two', ('One', 45), 34, 2)
t1=t[1]+t[-2]
```

```
print(t1)
```

(a) 34 (b) 38  
(c) Hello34 (d) 45

**Ans.** (a) Value of t[1] is 0 because index number is 1 and value of t[-2] is 34 because index number is started from -1 at the end point. t1 will store the sum of both values, i.e. 0+34=34.

6. What is the output of following code?

```
t=(1, 2, 'Hello', 'The', 3, 4)
print(max(t))
```

(a) 'Hello' (b) 4  
(c) 'The' (d) Error

**Ans.** (d) This code will give an error because '>' (max) not supported between instances of 'str' and 'int'.

7. To create a tuple in Python, put all the elements in

a

(a) () (b) []  
(c) {} (d) <>

**Ans.** (a) To create a tuple in Python, put all the elements in a parentheses (), separated by commas. We can have tuple of same type of data items as well as mixed type of data items.

```
>>> t=()
>>> print(t)
```

()

8. Suppose t1 = (3, 4, 5,8, 2, 1)  
Find the value of t1[3.5].

(a) 8 (b) 2  
(c) 5 (d) Error

**Ans.** (d) It will give TypeError because tuple's index must be integers or slices, not float.

9. Suppose tuple t1 = (3, 4, 5, 6, 7, 8)  
Choose the correct option for t1[6].

(a) 1 (b) 8  
(c) None (d) Error

**Ans.** (d) It will give IndexError because tuple index is out of range. Its maximum index is 5 because index is started from 0 but in t1[6] asked about index number 6, so it will give an error.

10. Tuple packs elements or value together, so this is called

(a) pickling (b) unpacking  
(c) packing (d) unpickling

**Ans.** (c) Tuple packs elements or value together, so this is called packing. In packing, we put values together into a new tuple while in unpacking we extract those values into a single variable.

11. Choose the correct output.

```
a=(2, 4, 3, 4)
b=(5, 8, 9)
t=a+b
print(t)
```

(a) (2, 4, 3, 4, 5, 8, 9) (b) (7, 12, 12, 4)  
(c) (2, 10, 13, 4, 9) (d) Error

**Ans.** (a) To concatenate tuples, (+) operator is used in Python. This operator can easily add the whole of one tuple to other tuple and perform concatenation. This operator cannot add one tuple with other type as number or string, otherwise it will give error in such conditions.

12. Suppose tuple t1 = (4, 7, 3, 6, 8, 9)

Choose the correct option for t1[: 4].

(a) (3, 6, 8, 9) (b) (4, 7, 3, 6)  
(c) (6) (d) (8, 9)

**Ans.** (b) To display a specific range of elements from the tuple, we use slicing operation. This operation is performed on tuples with the use of colon (:).

To display elements from beginning to a range, use [: index].  
So, t1[: 4] will print the element from starting to index-1.

13. Given a tuple t1=(1, 2, 3, 4, 5, 6, 7, 8, 9). What will be the output of print (t1 [3 : 7 : 2])?

(a) (4, 5, 6, 7, 8) (b) (4, 5, 6, 7)  
(c) (4, 5, 6) (d) (4, 6)

**Ans.** (d) t1[3 : 7 : 2] starts from index number 3 to index number 7 with gap of 2 elements.

In t1=(1, 2, 3, 4, 5, 6, 7, 8, 9), element of index number 3 is 4 and after two elements of gap, element is 6. So, output is (4, 6).

14. Given a tuple t1=(1, 2, 3, 4, 5). Identify the statement that will display an error.

(a) print (t1[3])  
(b) t1[4] = 7  
(c) print (len (t1))  
(d) print (max (t1))

**Ans.** (b) t1[4] = 7 means updation which is not possible in tuple because tuple is immutable which cannot be changed after creation.

15. What is the output of following code?

```
T=(100)
print (T * 2)
```

(a) Syntax error (b) (200,)  
(c) 200 (d) (100, 100)

**Ans.** (c) Tuple T contains a single element, so \* is used as multiplication operator.

So, T \* 2 = 100 \* 2 = 200

16. What will be the output of the following Python code?

```
>>> a=(5,6)
>>> b=(2,6)
>>> c=a+b
>>> c
```

(a) (7,12)  
(b) (5,6,2,6)  
(c) Error as tuples are immutable  
(d) None

**Ans.** (b) In the above piece of code, the values of the tuples are not being changed. Both the tuples are simply concatenated.

17. Choose the correct option.

(a) In Python, a tuple can contain only integers as its elements.  
(b) In Python, a tuple can contain only strings as its elements.  
(c) In Python, a tuple can contain both integers and strings as its elements.  
(d) In Python, a tuple can contain either string or integer but not both at a time.

**Ans.** (c) In Python, a tuple can contain both integers and strings as its elements is the correct option.

## • Case Based MCQs

18. Suppose that tuple

```
t1=("Hello", ("am", "an"), ("that", "the", "this"), "you",
    "we", "those", "these")
```

Based on the above information, answer the following questions.

- (i) Choose the correct option for len(t1).

(a) 7 (b) 10  
(c) None (d) Error

- (ii) What is the output of following code?

```
print(t1[3:5])
```

(a) ('the', 'this') (b) ('am', 'an')  
(c) ('you', 'we') (d) ('you', 'we', 'those')

- (iii) Identify the output of t1[5 : ] + t1[2].

(a) ('those', 'these', 'that')  
(b) ('those', 'these', 'that', 'the', 'this')  
(c) ('the', 'this')  
(d) Error

- (iv) Identify the output of print (t1[6:]).
- (‘these’,)
  - (‘those’)
  - ‘these’
  - Error
- (v) Find the correct output of print (t1[-3]\*2).
- wewe
  - youyou
  - None
  - IndexError

**Ans.** (i) (a) len() is used to count the number of elements that present in the tuple. Given tuple is a nested tuple, so (“am”, “an”) will considered as one element and (“that”, “the”, “this”) will considered as one element. Then, this will give 7 as output.

(ii) (c) To display a specific range of elements from the tuple, we use slicing operation. This operation is performed on tuples with the use of colon (:).  
t1[3 : 5] displays the element from index number 3, i.e. ‘you’ to index number (5 – 1 =) 4 i.e. we. So, output will be (‘you’, ‘we’).

(iii) (b) To display elements from specific index till the end, use [index :], so t1[5:] will display the elements from index number 5 to till end i.e. (‘those’, ‘these’).  
To access a particular element, use [index], so t1[2] will display the element of index number 2, i.e. (‘that’, ‘the’, ‘this’).  
+ operator is used to concatenate the tuples.

(iv) (a) To display elements from specific index till the end, use [Index :].  
So, t1[6:] will display the element from index number 6, i.e. ‘these’ till the end.

(v) (a) Index number – 3 represents the third element from end i.e. ‘we’. \* is the replication operator that can repeat the elements of the tuple.  
So, ‘we’ will be repeat two times because \* 2 is given.

## PART 2

# Subjective Questions

### • Short Answer Type Questions

#### 1. Distinguish between tuple and list.

**Ans.** Differences between tuple and list are as follows

Tuple	List
Elements of a tuple are immutable.	Elements of a list are mutable.
Tuple is declared in parenthesis ().	List is declared in square brackets [ ].
Tuples cannot be changed after creation.	Lists can be changed after creation.
Iterating over the elements of a tuple is fast.	Iterating over the elements of a list is slow.

#### 2. Explain the mixed data types tuple with an example.

**Ans.** Mixed data types can be created to place different data types such as integers, strings, double etc into one tuple. For example,

```
tuple1=('English', 90, 'Rahul', 'Meerut', '99.5')
```

#### 3. Observe the following tuple and answer the questions that follow.

```
t1=(76, 56, 'Harish', 'Ansh', 98, (45, 34), 'Muskan')
```

- len(t1)
- t1[-6]
- t1[3]
- t1[: 2]

**Ans.** (i) 7  
(ii) 56  
(iii) 'Ansh'  
(iv) (76, 56)

#### 4. Explain sum() method of tuple with an example.

**Ans.** sum() method is used to calculate the sum of elements of tuple. The elements of tuple must be integer.

**Syntax** sum(tuple\_name)

For example,

```
>>>price=(100, 150, 95, 120, 80)
```

```
>>>sum(price)
```

**Output**

```
545
```

#### 5. Observe the following tuples and answer the questions that follow.

```
t1=(4, 7, 8, 9)
```

```
t2=(0, 4, 3)
```

- >>>t=t1+t2  
>>>print(t)
- >>>t=t1\*t2  
>>>print(t)

**Ans.** (i) (4, 7, 8, 9, 0, 4, 3)

(ii) It gives TypeError because cannot multiply sequence by non-int of type 'tuple'.

#### 6. Write a Python program to find maximum and minimum elements in a tuple.

**Ans.** tuple1 = (23,45,-65,-45,20,45,65,-24)

```
print("The tuple is:",tuple1)
```

```
min1 = tuple1.index (min(tuple1))
```

```
max1 = tuple1.index (max(tuple1))
```

```
print("Maximum element in the tuple is :", max(tuple1)," at index number ",max1)
```

```
print("Minimum element in the tuple is :", min(tuple1)," at index number ",min1)
```

#### 7. What do you mean by membership operators in Python?

**Ans.** Membership operators are used to check whether a value/variable exists in the sequence like string, list, tuple etc. These operators return True or False as per conditions met.

Membership operators are of two types as:

- (i) in operator
- (ii) not in operator

**8.** Explain tuple slicing syntax with its parameters.

**Ans.** Syntax `t=tuple_name[start : stop : step]`

Here,

- **start** integer where the slicing of the object starts.
- **stop** integer until which the slicing takes place. The slicing stops at index stop-1.
- **step** integer value which determines the increment between each index for slicing.

**9.** Find the output of the given questions

`t=(45, 76, 23, 'The', 89, ('This', 56), (23, 'That'), 34)`

- (i) `t[4]`
- (ii) `t[2:10:3]`
- (iii) `t[2] + t[-1]`

**Ans.** (i) 89  
(ii) (23, ('This', 56))  
(iii) 57

**10.** Find the output of following code?

```
t=('A', 'R', 'I', 'H', 'A', 'N', 'T')
for i in range (len(t)):
    print (t[i])
```

**Ans. Output**

A  
R  
I  
H  
A  
N  
T

**11.** What will be the output of following code?

```
tuple1=(1,2,3,4,5)
tuple2=(6,7,8,9)
for item in tuple1:
    if item in tuple2:
        print("overlapping")
    else:
        print("not overlapping")
```

**Ans. Output**

not overlapping

**12.** What will be the output of following code?

```
x=44
y=30
tuple = (45, 65, 30, 78, 512)
if(x not in tuple):
    print("x is NOT present in given tuple")
```

else :

```
    print ("x is present in given tuple")
if(y in tuple):
    print("y is present in given tuple")
else:
    print("y is NOT present in given tuple")
```

**Ans.** x is NOT present in given tuple  
y is present in given tuple

**13.** What is the output of following code?

```
t1=(1, 2, 3, 4, 5)
print("Tuple is :", t1)
del(t1)
print("Tuple after deleting")
print(t1)
```

**Ans. Output**

Tuple is : (1, 2, 3, 4, 5)  
Tuple after deleting  
Trackback (most recent call last) :  
File "<pyshell#6>", line 1, in <module>  
 print(t1)  
NameError: name 't1' is not defined

**14.** Find and write the output of the following Python code.

```
t=(4, (8, 0, 7))
t1=(4, 7, (2, 8))
print(t.count(0))
print(t[1][2])
print(t*2)
print(len(t1))
print(t1[2])
print(t+t1)
```

**Ans. Output**

0  
7  
(4, (8, 0, 7), 4, (8, 0, 7))  
3  
(2, 8)  
(4, (8, 0, 7), 4, 7, (2, 8))

**15.** Identify the error, if any in the following code.

```
t1=(2, 3, 4, 'Hello', 6,9)
print (min(t1))
```

**Ans.** min() function is used in tuple to return with minimum value out of elements in tuple.

Given code has an error because min() will work only if elements in a tuple are of same data type, i.e. (2, 3, 4, 7, 6, 9).

**16.** Write a Python code to remove an element '2' from the following tuple.

```
tuple1 = (2, 5, 6, 9, 4)
```

**Ans.** `tuple1 = (2, 5, 6, 9, 4)`

```
list1 = list (tuple1)
list1. remove (2)
tuple1 = tuple (list1)
print (tuple1)
```

**17.** Write a Python code to display all the elements of the following tuple except 'H'.

```
t = ('A', 'R', 'I', 'H', 'A', 'N', 'T')
```

**Ans.** `t = ('A', 'R', 'I', 'H', 'A', 'N', 'T')`

```
t = t[0:3] + t[-3:]
```

```
print(t)
```

Output

```
('A', 'R', 'I', 'A', 'N', 'T')
```

**18.** TypeError occurs while statement 2 is running. Give reason. How can it be corrected?

```
>>> tuple1 = (5) #statement 1
```

```
>>> len(tuple1) #statement 2 [NCERT]
```

**Ans.** The 'statement 1' is creating a variable, tuple1 which is of 'int' data type. The 'statement 2' is checking for the length of the variable, but the argument passed is an 'int' data type. The len() function can return the length only when the object is a sequence or a collection. This is the reason for the type error.

The error can be corrected by adding one comma after '5' in statement 1, as this will create a tuple and as a tuple is a collection, len() function will not return an error.

The correct statement will be

```
>>> tuple1 = (5,)
```

```
>>> len(tuple1)
```

**19.** Prove with the help of an example that the variable is rebuilt in case of immutable data types. [NCERT]

**Ans.** When a variable is assigned to the immutable data type, the value of the variable cannot be changed in place.

Therefore, if we assign any other value of the variable, the interpreter creates a new memory location for that value and then points the variable to the new memory location. This is the same process in which we create a new variable. Thus, it can be said that the variable is rebuilt in case of immutable data types on every assignment.

Program to represent the same:

```
v = 20
```

```
print("Before: ", id(v))
```

```
v = 21
```

```
print("After: ", id(v))
```

**Output**

```
Before: 140705582623120
```

```
After: 140705582623152
```

It can be seen that the memory location a variable is pointing after the assignment is different. The variable is entirely new and it can be said that the variable is rebuilt.

## • Long Answer Type Questions

**20.** Write the short note on following terms.

(i) Tuple

(ii) in operator

(iii) Equal to (==) operator

(iv) Packing

**Ans.** (i) Tuple is a collection of Python objects separated by commas (,) and put the elements in parentheses ().

(ii) in operator is used to check, if a value exists in a sequence.

(iii) Equal to (==) operator returns True if the values on either side of the operator are equal.

(iv) Tuples put all the elements or values together in a parentheses, is called packing.

**21.** Answer the following questions;

(i) `t1 = (25, 78, (45, (65, 89)), 90, (34, 8))`

```
len(t1)
```

(ii) `t2 = (45, 'The', 78, ('This'), 67, 'The', 67, 67)`

```
t2.count(67)
```

(iii) `t1 = (3,)`

```
t2 = ()
```

```
t = t1 + t2
```

```
any(t)
```

(iv) `t3 = (87, 89, 56, 99, 75, 45, 100)`

```
max(t3)
```

**Ans.** (i) 5 (ii) 2 (iii) True (iv) 100

**22.** Write a Python program to count the number of elements in a given range using traversal. Also, display its output.

**Ans.** `c = 0`

```
l = 40
```

```
r = 80
```

```
tuple1 = (10, 20, 30, 40, 50, 40, 40, 60, 70)
```

```
for x in tuple1:
```

```
    if x > l and x <= r:
```

```
        c += 1
```

```
print("Tuple:", tuple1)
```

```
print("Elements in a tuple:", c)
```

**Output**

```
Tuple : (10, 20, 30, 40, 50, 40, 40, 60, 70)
```

```
Elements in a tuple : 6
```

**23.** Write a Python program to find the common elements in two tuples.

**Ans.** `tuple1 = (45, 87, 56, -78, 36, -12)`

```
tuple2 = (65, 32, 45, -78, 36, -75)
```

```
a_set = set(tuple1)
```

```
b_set = set(tuple2)
```

```
if (a_set & b_set):
```

```
    print("Common elements are:", a_set &
```

```
        b_set)
```

```
else:
```

```
    print("No common elements")
```

**Output**

```
Common elements are: {-78, 36, 45}
```

- 24.** Write a Python program to calculate the sum and mean of the elements in a tuple.

**Ans.** tuple1 = (23,45,20,45,65,24)  
 print("The tuple is:",tuple1)  
 sm=0  
 for i in range(len(tuple1)):  
     sm=sm+tuple1[i]  
 mean=sm/num  
 print("SUM = ",sm)  
 print("MEAN = ",mean)

**Output**

The tuple is: (23, 45, 20, 45, 65, 24)  
 SUM = 222  
 MEAN = 44.4

- 25.** Write a program to find the occurrence of a given element.

**Ans.** t = (23,45,20,-45,65,24,-45,-23)  
 print("The tuple is:",t)  
 k=0  
 num=int(input("Enter the number to be counted:"))

for j in t:  
     if(j==num):  
         k=k+1  
 print("Number",num,"is appear",k,"times.")

**Output**

The tuple is: (23, 45, 20, - 45, 65, 24, - 45, - 23)  
 Enter the number to be counted:45  
 Number 45 is appear 1 times.

- 26.** Write a Python program to search an element with its index number.

**Ans.** tuple1=(12,65,78,-63,-2,3,78,-12)  
 sm=0  
 x = int(input("Enter number to be searched:"))  
 found = False  
 for i in range(len(tuple1)):  
     if(tuple1[i] == x):  
         found = True  
         print("%d found at %drd position"%(x,i))  
         break  
 if(found == False):  
     print("%d is not in tuple"%x)

**Output**

Enter number to be searched: - 63  
 - 63 found at 3rd position

- 27.** Consider the following tuples, tuple1 and tuple2.

tuple1 = (23,1,45,67,45,9,55,45)  
 tuple2 = (100,200)

Find the output of the following statements.

- (i) print(tuple1.index(45))
- (ii) print(tuple1.count(45))
- (iii) print(tuple1 + tuple2)
- (iv) print(len(tuple2))
- (v) print(max(tuple1))
- (vi) print(min(tuple1))
- (vii) print(sum(tuple2))
- (viii) print(sorted(tuple1))

print(tuple1)

[NCERT]

- Ans.** (i) 2  
 (ii) 3  
 (iii) (23, 1,45, 67,45, 9, 55, 45, 100, 200)  
 (iv) 2  
 (v) 67  
 (vi) 1  
 (vii) 300  
 (viii) [1, 9, 23, 45, 45, 45, 55, 67]  
 (23,1,45,67,45,9,55,45)

- 28.** Write a program to read email IDs of n number of students and store them in a tuple. Create two new tuples, one to store only the usernames from the email IDs and second to store domain names from the email IDs. Print all three tuples at the end of the program.

[Hint You may use the function split()]

[NCERT]

**Ans.** num = int(input("Enter number of students: "))  
 list1 = []  
 for i in range(num):  
     email=input("Enter email: ")  
     list1.append(email)  
 tuple1=tuple(list1)  
 username=[]  
 domain=[]  
 for i in tuple1:  
     n,d = i.split("@")  
     username.append(n)  
     domain.append(d)  
 username = tuple(username)  
 domain = tuple(domain)  
 print("Names = ",username)  
 print("Domains = ",domain)  
 print("Tuple = ",tuple1)

**29.** A tuple is a collection of objects which ordered and immutable. Tuples are sequences, just like lists. The differences between tuples and lists are, the tuples cannot be changed unlike lists and tuples use parentheses, whereas lists use square brackets. We can use the index operator `[]` to access an item in a tuple, where the index starts from 0.

So, a tuple having 6 elements will have indices from 0 to 5. Trying to access an index outside of the tuple index range(6,7,... in this example) will raise an `IndexError`.

(i) Which types of elements are stored in tuple?

(ii) What do you mean by nested tuples?

(iii) Write the syntax to create tuple from an existing sequence.

(iv) Observe the output of giving code.

```
>>>t=["T", "U", "P", "L", "E"]
>>>t2 = tuple(t)
>>>t2
```

(v) What is traversing a tuple in Python?

**Ans.** (i) Tuples hold a sequence of heterogeneous elements.

(ii) Nested tuples are tuple objects where the elements in the tuples can be tuples themselves.

(iii) `new_tuple_name=tuple(sequence)`

(iv) `('T', 'U', 'P', 'L', 'E')`

(v) Traversing a tuple is a technique to access an individual element of that tuple.

# Chapter Test

## Multiple Choice Questions

1. Consider the declaration `obj = (2, 'Hello', 3, 4)`. What will be the data type of `obj`?  
(a) List (b) Tuple  
(c) Dictionary (d) String
2. What is the output of following code?  
`t1=(1, 2, 3, 4, 5, 6, 7, 8)`  
`print (t1[2 : 4])`  
(a) (3, 4) (b) (2, 3)  
(c) (4, 5, 6) (d) (3, 4, 5)
3. Choose the correct option with respect to Python.  
(a) Both tuples and lists are immutable.  
(b) Tuples are immutable while lists are mutable.  
(c) Both tuples and lists are mutable.  
(d) Tuples are mutable while lists are immutable.
4. Which of the following options will not result in an error when performed on tuples in Python where `tpl=(5,2,7,0,3)`?  
(a) `tpl[1]=2`  
(b) `tpl.append(2)`  
(c) `tpl1=tpl+tpl`  
(d) `tpl.sort()`
5. What will be the output of the following Python code?  
`>>>my_tuple = (10, 20, 30, 40)`  
`>>>my_tuple.append((50, 60))`  
`>>>print (len(my_tuple))`  
(a) 1 (b) 6  
(c) 4 (d) Error
6. Is the following Python code valid?  
`>>> a,b=1,2,3`  
(a) Yes, this is an example of tuple unpacking, where `a=1` and `b=2`.  
(b) Yes, this is an example of tuple unpacking, where `a=(1,2)` and `b=3`.  
(c) No, too many values to unpack.  
(d) Yes, this is an example of tuple unpacking, where `a=1` and `b=(2,3)`.

## Short Answer Type Questions

7. Observe the following tuple and answer the questions that follow  
`t = (1, 2, 3, 4, 5, 6, 7, 8, 9, 10)`  
(i) `t[-3]`  
(ii) `t[: 2]`
8. Explain the `any()` method of tuple with an example.

9. Suppose the tuple `t1 = (2, 3, 4, 7, 1, 6)`. Find  
(i) `t1.index(4)`  
(ii) `t1.count(4)`
10. Suppose the tuple `t1 = (2, 3, 2, 2, 3, 4, 6, 7)`.  
(i) `count (t1)` (ii) `len(t1)`
11. Observe the given tuples and answer the questions  
`t1 = (1, 2, 3, 4)`  
`t2 = (5, 6, 7)`  
(i) `>>> t = t1 + t2`  
`>>> print(t)`  
(ii) `>>> t = t1 * t2`  
`>>> print(t)`
12. Consider the tuple `t = (2,3, 'Hello', 2, 5, 9)` and find out the error if any in following code  
`tuple1 = t + 5`  
`print(tuple1)`
13. Compare the tuple and write the output.  
(i) `t1 = (4, 5, 6, 9)`  
`t2 = (6, 9, 5, 6)`  
`print(t1 < t2)`  
(ii) `t1 = (4, 5, 6, 9)`  
`t2 = (4.0, 5.0, 6.0, 9.0)`  
`print(t1 == t2)`

## Long Answer Type Questions

14. Write a Python program to count the positive numbers and negative numbers in a tuple.
15. Write the most appropriate tuple methods for the following conditions.  
(i) To count the number of elements in a tuple.  
(ii) Calculate total occurrence of given element.  
(iii) Returns the element with maximum value.  
(iv) Returns the element with minimum value.  
(v) To sort the given tuple in ascending order.  
(vi) Returns true if atleast one element is present in the tuple.  
(vii) Returns the index of first occurrence of element.  
(viii) Converts string and list into tuple.
16. Write a Python program to test if a variable is a list or tuple.
17. Write a Python program to sort a list of tuples by the second item.
18. Write a Python program to sort a list of tuples alphabetically.

## Answers

### Multiple Choice Questions

1. (b) 2. (a) 3. (b) 4. (c) 5. (d) 6. (c)