

Sl.No. <sup>1</sup>

**331 (E)**  
(MARCH, 2024)  
(SCIENCE STREAM)  
(CLASS - XII)

પ્રશ્ન પેપરનો સેટ નંબર જેની  
સામેનું વર્તુળ OMR શીટમાં  
ઘટ્ટ કરવાનું રહે છે.  
Set No. of Question Paper,  
circle against which is to be  
darken in OMR sheet.

**08**

**Time : 2 Hours]**

**[Maximum Marks : 100**

**Instructions:**

- 1) There are 100 questions in this question paper. All questions are compulsory.
- 2) Select proper option to make statement correct.
- 3) The OMR sheet is given for answering the questions. The answer of each question is represented by (A) O, (B) O, (C) O, (D) O. Darken the circle ● of the correct answer with ball-pen.
- 4) Each question carries 1 mark.
- 5) Rough work is to be done on the space provided for this purpose in the Test Booklet only.
- 6) Read the questions carefully before your answer.
- 7) Set No. of Question Paper printed on the upper-most right side of the Question Paper is to be written in the column provided in the OMR sheet.

1) Which of the following statement is true for the object oriented programming concept?

- i) The focus is on writing functions or procedures which operates on data
- ii) It uses object as its fundamental building block -
- iii) Similar objects are classified using concept of class -

(A) (i), (ii) and (iii)

(B) (i) and (iii)

• (C) (ii) and (iii)

(D) (i) and (ii)

**(Space for Rough Work)**

- 2) Unified Modelling Language (UML) is defined and maintained by which of the following?
- (A) Management Group of OOPs      (B) Object Oriented Group  
(C) Object Set Management      (D) Object Management Group
- 3) In class diagram, which of the following is not included into the rectangle icon used to represent a class?
- (A) return type      (B) attribute  
(C) behaviour      (D) name
- 4) In the class diagram, which of the following symbol is used for protected visibility?
- (A) ~      (B) #  
(C) +      (D) -
- 5) In object oriented programming which of the following provides data hiding capability?
- (A) polymorphism      (B) data abstraction  
(C) messaging      (D) encapsulation
- 6) Composition represents which type of relationship between classes?
- (A) is-like      (B) is-a  
(C) a-part-of      (D) a-kind-of
- 7) In class diagram, aggregation is represented using which of the following symbols?
- (A) Empty circle symbol      (B) Filled diamond symbol  
(C) Filled triangle symbol      (D) Empty diamond symbol

---

**(Space for Rough Work)**

- 8) In Java, which of the following data types hold integers only?
- (A) byte, short, int, long (B) byte, int, short, double  
(C) int, long, short, double (D) byte, short, float, double
- 9) Which of the following is not right for the variable name in Java?
- (A) Some legal names : 4x, %amt  
(B) No spaces are allowed  
(C) It can not be reserved word  
(D) It must begin with an alphabets, underscore ( ) or dollar sign (\$)
- 10) In Java, which of the following Escape code is used for New line?
- (A) \r (B) \t  
(C) \b (D) \n
- 11) Which of the following is not used for comment in Java?
- (A) \ \ \* \ (B) /\* \*/  
(C) /\*\* \*/ (D) //
- 12) Which of the following is not a comparison operator of Java?
- (A) != (B) <=  
(C) <> (D) ==
- 13) In Java, which of the following logical operator is used for XOR (Exclusive OR)?
- (A) ! (B) ||  
(C) ^ (D) &&
- 14) In the shorthand assignment operator of Java, a += b is same as which of the following?
- (A) a = a + b (B) a ++  
(C) b ++ (D) a = b ++

---

(Space for Rough Work)

- 15) Which of the following is a exit-controlled or post-test loop construct of Java?  
(A) for and while (B) while  
(C) do-while (D) for
- 16) In Java, which of the following statement is used to skip the following statements in a loop and continue with the next iteration?  
(A) go <line no> (B) continue  
(C) goto <line no> (D) break
- 17) In Java, what will be the result of arithmetic expression  $-7\%2$ ?  
(A) -3.5 (B) -1  
(C) 1 (D) -3
- 18) Which of the following is a template for multiple objects with similar features?  
(A) variables (B) functions  
(C) class (D) message
- 19) Which of the following is not a step of object creation from the class in Java?  
(A) Execution (B) Instantiation  
(C) Initialization (D) Declaration
- 20) In Java, instance variables and instance methods are accessed via objects can be referred by which of the following operator?  
(A) \$ (dollar) (B) , (comma)  
(C) : (colon) (D) . (dot)
- 21) In Java, which of the following variables are defined inside methods or blocks?  
(A) program variable (B) instance variable  
(C) class variable (D) local variable

---

(Space for Rough Work)

- 22) Which of the following is not true for the constructors in Java?
- (A) constructor is invoked implicitly only when an object is constructed using new operator
  - (B) constructor does not have return type
  - (C) constructor can be invoked explicitly elsewhere in the program
  - (D) constructor must have the same name as class name
- 23) In Java, which of the following access modifier is used to get highest level of protection in program?
- (A) Protected
  - (B) Public
  - ✓ (C) Private
  - (D) Package
- 
- 24) In Java, if we want to allow other methods to read only the data value than which of the following method is used?
- (A) setter and mutator
  - (B) setter
  - (C) mutator
  - (D) getter
- 25) In Java, which of the following allows to build a new class with added capabilities by extending existing class?
- (A) inheritance
  - (B) encapsulation
  - (C) data abstraction
  - (D) constructor
- 26) In Java, which keyword is used to create a subclass by extending superclass?
- (A) friend
  - (B) extends
  - ✓ (C) add
  - (D) super
- 27) Which of the following keyword is used to declare class variables and class methods?
- ✓ (A) package
  - (B) private
  - (C) public
  - (D) static
- 

(Space for Rough Work)

28) In Java, which of the following is used to represent vector, matrix and other multi-dimensional data?

- (A) function (B) class  
(C) array (D) object

29) Which of the following is not a right command to declare an array in Java?

- (A) `int [3] marks = {10, 20, 30};` (B) `int [] marks = new int [3];`  
(C) `int marks [] = {10, 20, 30};` (D) `int marks [] = new int [3];`

30) In Java, which method of `Java.util.Arrays` class is used to fill the whole or partial array with specified value?

- (A) replace (B) add  
(C) fill (D) sort

31) In Java, an array declared using `int marks [] [] = new int [3][3];` will occupy how many bytes space in the memory?

- (A) 72 (B) 18  
(C) 36 (D) 9

32) Which of the following is not right for an array in Java?

- (A) Index value starts with 1  
(B) array is treated as an object  
(C) array elements can be accessed using index for each dimension in []  
(D) array is a collection of homogeneous type of data

33) Java supports how many types of strings?

- (A) 6 (B) 3  
(C) 4 (D) 2

---

(Space for Rough Work)

- 34) In Java, `int compareTo(string str)` method returns which of the following if invoking string is equal to 'str'?
- (A) 1 (B) < 0  
(C) > 0 (D) 0
- 35) In Java, which method of string class returns a string after appending str with the invoking string?
- (A) String Indexat(string str) (B) String Add(string str)  
(C) String concat(string str) (D) String to append(string str)
- 36) In Java, which constant of Calendar class is used for the 'day of Calendar month'?
- (A) MONTH (B) DATE\_OF\_YEAR  
(C) DAY\_OF\_YEAR (D) DATE 'OR' DAY\_OF\_MONTH
- 37) In Java, if str is an object of String class and its content is "I LOVE INDIA", then what is the value of `str.length()`?
- (A) 20 (B) 12  
(C) 24 (D) 10
- 38) Which of the following keyword is not used to write an exception handler?
- (A) finally (B) error  
(C) catch (D) try
- 39) In exception handling of Java, which of the following block may give rise to one or more exception?
- (A) throws (B) catch  
(C) finally (D) try

---

**(Space for Rough Work)**

40) In exception handling of Java, which of the following block is always executed before the program ends?

- (A) throwable (B) catch  
(C) finally (D) try

41) Which of the following is not true for the catch block of exception handling in Java?

- (A) For a single try block there is only one catch block  
(B) Catch block contains the code that is to be executed to handle an exception  
(C) Catch block consists of keyword catch  
(D) Catch block must immediately follow the try block

42) In the exception handling of Java, which keyword is used to explicitly throw an exception object?

- (A) eobj (B) finally  
(C) excp (D) throw

43) Which of the following refers to an error condition in object-oriented programming terminology?

- (A) deviation (B) abbreviation  
(C) exception (D) anomaly

44) Which of the following is an example of binary file extension?

- (A) .c (B) .java  
(C) .class (D) .txt

45) In Java, which of the following method of file class returns true if the file or directory exists, otherwise returns false?

- (A) boolean directory() (B) boolean exists()  
(C) boolean file() (D) boolean isfind()

---

(Space for Rough Work)



46) Which of the following is not a method of `FileInputStream` class in Java?

- (A) `int read(byte[] b)`                      (B) `void write(int b)`  
 (C) `int read()`                              (D) `void close()`

47) In Java, which of the following class belongs to `Java.util` package?

- (A) `stream`                                      (B) `console`  
 (C) `scanner`                                    (D) `file`

48) In Java, which of the following class provides a method for reading password?

- (A) `string`                                      (B) `console`  
 (C) `scanner`                                    (D) `file`

49) The data hierarchy occurs in which of the following order from the smallest to largest piece of data?

- (A) `character:field:record:file`              (B) `file:character:record:field`  
 (C) `character:field:file:record`              (D) `file:character:field:record`

50) In LaTeX, which of the following brackets are used for mandatory arguments?

- (A) `[]` (square brackets)                      (B) `{ }` (curly brackets)  
 (C) `<>` (angular brackets)                    (D) `( )` (round brackets)

51) In LaTeX, which of the following package has special features for including programming code within the document?

- (A) `geometry`                                    (B) `amsmath`  
 (C) `listings`                                    (D) `easylist`

---

**(Space for Rough Work)**

52) In SciTE, which shortcut key is used to compile a LATEX file?

(A) F9

(B) F6

(C) F7

(D) F5

53) In LaTeX, which of the following command is used to insert a break in line?

(A) /\*

(B) \$

(C) %

(D) \\\n

54) Which of the following website hosts the LaTeX packages?

(A) CLEN

(B) CLAN

(C) CTEN

(D) CTAN

<https://www.gujaratboardonline.com>

55) Which of the following is not a reserved character in LaTeX?

(A) ^

(B) %

(C) \$

(D) @

56) In VLC media player, which of the following bar shows how much of the current track has been played and what is its total duration?

(A) Progress bar

(B) Toolbar

(C) Menu bar

(D) Status bar

57) Which of the following is a default view of Google maps?

(A) land view

(B) satellite view

(C) sea view

(D) map view

58) In 'R' software which of the following function is used to display list of all defined variables?

(A) list var()

(B) list()

(C) disp()

(D) ls()

---

(Space for Rough Work)

- 59) Which of the following RationalPlan shares project in its original file format (.xrp)?
- (A) RationalPlan single and multi batch
  - (B) RationalPlan multi
  - ☒ (C) RationalPlan viewer
  - (D) RationalPlan single
- 60) Which of the following service allows users to communicate with peers using voice, video as well as text?
- ☒ (A) Skype
  - (B) Google Talk
  - (C) Rediff Bol
  - (D) Yahoo Messenger
- 61) In HTML, which of the following attribute of the <Input> element specifies the field that is to be created in the form?
- (A) Value
  - ☒ (B) Type
  - (C) Name
  - (D) Input
- 62) Which of the following is not an example of open source IDE?
- (A) NetBeans
  - (B) KompoZer
  - (C) Eclipse
  - ☒ (D) Visual Basic
- 63) In HTML, what is the default value of method attribute of <Form> tag?
- (A) value
  - (B) post
  - (C) action
  - ☒ (D) get

---

(Space for Rough Work)

64) Which of the following viewing mode is not available on the edit mode toolbar of KompoZer?

- (A) Split (B) HTML tag  
(C) Preview (D) Normal

65) In KompoZer, which menu-option is used to insert a label in the form?

- (A) Insert → Label (B) Insert → Form → Label  
(C) Insert → Form → Define Label (D) Insert → Form → Text

66) Where will the page title be displayed, when webpage is viewed in the browser window?

- (A) Toolbar (B) Title bar  
(C) Menu bar (D) Status bar

67) In KompoZer, which button of the "selection list properties" dialog box is used to add list items in the selection list?

- (A) Edit items (B) Add group  
(C) Add options (D) Add items

68) In KompoZer, which menu is used to give a background color to the webpage?

- (A) Form (B) Edit  
(C) Format (D) Insert

69) In KompoZer, CSS button is available on which toolbar?

- (A) Edit mode toolbar (B) Format toolbar 1  
(C) Format toolbar 2 (D) Composition toolbar

---

**(Space for Rough Work)**

- 70) Which of the following tab is not available in the CSS stylesheets dialog box?  
(A) Background (B) Text  
(C) Bullets (D) General
- 71) In the following JavaScript statement what is "write"?  
document.write("Hello");  
(A) variable (B) method  
(C) message (D) object
- 72) Which of the following is an example of inbuilt function?  
(A) myFun() (B) validate form()  
(C) alert() (D) v form()
- 73) In JavaScript, which event would occurs when document or image is loaded?  
(A) upload (B) focus  
(C) abort (D) select
- 74) Which of the following statement is not true for the variable in JavaScript?  
(A) Variable can be declared using keyword var  
(B) Variable in JavaScript are not case sensitive  
(C) The variable can store numbers, string or text  
(D) A variable is a container for storing data
- 75) In Browser object model elements of the webpage like forms, images, links are contained within which object?  
(A) frame (B) document  
(C) location (D) history

---

(Space for Rough Work)

- 76) In JavaScript, which of the following is used for logical OR?  
(A) != (B) &&  
(C) \*\* (D) ||
- 77) Which of the following is known as special symbol in the syntax of CSS?  
(A) Input (B) Selector  
(C) Declaration (D) Rules
- 78) Which of the following symbol signifies the start and end of a JavaScript block?  
(A) Round bracket (()) (B) Square bracket ([])  
(C) Curly bracket ({} ) (D) Semicolon (;)
- 79) The website content should be classified into how many categories?  
(A) 6 (B) 3  
(C) 4 (D) 2
- 80) In KompoZer, which option of table tab of "table properties" dialog box is used to give caption to the table?  
(A) Caption (B) Heading  
(C) Title (D) Border
- 81) In KompoZer, which tab of "Image properties" dialog box is used to change a size of an image?  
(A) resize (B) size  
(C) dimensions (D) x & y of image

---

(Space for Rough Work)

82) Which of the following protocol is used to transfer the webpages from users computer to the web host?

(A) HT

(B) HTP

☒ (C) FTP

(D) SMT

83) Which of the following offers space on the web server?

(A) FSP

(B) IPS

(C) SP

☒ (D) ISP

84) Which of the following open source IDE is used to develop web applications using HTML, CSS and JavaScript?

(A) MS Publisher

(B) BlueGriffon

(C) Amaya

☒ (D) Aptana Studio

85) Which of the following is the free open source WYSIWYG web editor developed by the World Wide Web Consortium?

☒ (A) Amaya

(B) Aptana Studio

(C) BlueGriffon

(D) KompoZer

86) Which of the following is the first page that opens when the user enters the URL address in the address bar of the browser?

(A) Main page

(B) First page

(C) Webpage

☒ (D) Homepage

---

**(Space for Rough Work)**

- 87) Which of the following is the first E-commerce application of online book store on Internet? 9
- (A) www.bookshopofindia.com (B) www.mybookstore.com  
(C) www.buybooksindia.com (D) www.amazon.com
- 88) In which of the following services, after selling the products, companies are providing online support to the customers? 9
- (A) Net Banking (B) Information services  
(C) Support services (D) Online billing
- 89) Which of the following service can not be availed by customer with the help of online banking? 9
- (A) Cash withdraw  
(B) Find status of transaction  
(C) Transfer the money from one account to other  
(D) Obtain statements for any credit or debit
- 90) Which of the following website is not an example of consumer to consumer (C2C) E-commerce business model? 9
- (A) Quikr.com (B) eBay.com  
(C) OLX.com (D) TradeIndia.com
- 91) JeetLe.in and bidstall.com websites are examples of which of the following E-commerce business model? 9
- (A) Business to Consumer (B2C) (B) Consumer to Consumer (C2C)  
(C) Consumer to Business (C2B) (D) Business to Business (B2B)

---

**(Space for Rough Work)**





97) Which of the following security system is used by credit card companies to make online transactions secure?

- (A) Successful Electronic Transfer    ☒ (B) Secure Electronic Transfer  
(C) Safe Electronic Transaction    (D) Set Electrical Transaction

98) Which of the following new card payment mechanism launched by National Payment Corporation of India?

- ☒ (A) RuPay    (B) Debit Card  
(C) E-wallet    (D) Credit Card

99) Which of the following refers to an unsolicited e-mails that may be of commercial or non-commercial nature?

- (A) Grooming    ☒ (B) Spam  
(C) Phishing    (D) Bullying

100) Which of the following programming language supports object-oriented programming?

- (A) Pascal    (B) Cobol  
☒ (C) Java    (D) C