

# Matrices

## Case Study Based Questions

### Case Study 1

A manufacturer produces three stationery products pencil, eraser and sharpener which he sells in two markets. Annual sale is mentioned below:



Market	Products (in numbers)		
	Pencil	Eraser	Sharpener
X	15,000	6,000	8,000
Y	9,500	17,000	12,000

If the unit sale price of pencil, eraser and sharpener are ₹ 3.50, 1.75 and ₹ 2.00 respectively, and unit cost of the above three commodities are 3.25, ₹ 1.50 and 0.75 respectively.

Based on the above information, solve the following questions:

**Q1. Total revenue of market X is:**

- a. 64,000
- b. 60,000
- c. 79,000
- d. 81,000

**Q2. Total revenue of market Y is:**

- a. ₹ 35,000
- b. 87,000
- c. 53,000
- d. 81,000

**Q 3. Cost incurred in market X is:**

- a. ₹ 13,000
- b. ₹ 30,100
- c. ₹ 47,400
- d. ₹ 63,750

**Q4. Profit in markets X and Y respectively are:**

a. ₹ 15,250 and ₹ 21,625

b. ₹ 17,000 and ₹ 15,000

c. ₹ 10,000 and ₹ 20,000

d. ₹ 51,000 and ₹ 71,000

**Q5. Gross profit in both market is:**

a. ₹ 23,000

b. ₹ 32,000

c. ₹ 36,875

d. ₹ 40,200

### Solutions

1. Given data can be written in matrix form as below:

$$\begin{array}{c} \text{Pencil} \quad \text{Eraser} \quad \text{Sharpener} \quad \text{Sale Price} \quad \text{Cost Price} \\ \text{Market } \begin{matrix} X \\ Y \end{matrix} \begin{bmatrix} 15,000 & 6,000 & 8,000 \\ 9,500 & 17,000 & 12,000 \end{bmatrix}_{2 \times 3} \begin{bmatrix} 3.50 \\ 1.75 \\ 2.00 \end{bmatrix}_{3 \times 1} \begin{bmatrix} 3.25 \\ 1.52 \\ 0.75 \end{bmatrix}_{3 \times 1} \end{array}$$

$$\begin{aligned} \text{Let } A &= \begin{bmatrix} 15,000 & 6,000 & 8,000 \\ 9,500 & 17,000 & 12,000 \end{bmatrix}, \\ B &= \begin{bmatrix} 3.50 \\ 1.75 \\ 2.00 \end{bmatrix}, C = \begin{bmatrix} 3.25 \\ 1.50 \\ 0.75 \end{bmatrix} \end{aligned}$$

$$\text{Now, } AB = \begin{bmatrix} 15,000 & 6,000 & 8,000 \\ 9,500 & 17,000 & 12,000 \end{bmatrix} \begin{bmatrix} 3.50 \\ 1.75 \\ 2.00 \end{bmatrix}$$

$$\begin{aligned} \Rightarrow AB &= \begin{bmatrix} 15,000 \times 3.50 + 6,000 \times 1.75 + 8,000 \times 2 \\ 9,500 \times 3.50 + 17,000 \times 1.75 + 12,000 \times 2 \end{bmatrix} \\ &= \begin{bmatrix} 52,500 + 10,500 + 16,000 \\ 33,250 + 29,750 + 24,000 \end{bmatrix} = \begin{bmatrix} 79,000 \\ 87,000 \end{bmatrix} \end{aligned}$$

$$\text{and } AC = \begin{bmatrix} 15,000 & 6,000 & 8,000 \\ 9,500 & 17,000 & 12,000 \end{bmatrix} \begin{bmatrix} 3.25 \\ 1.50 \\ 0.75 \end{bmatrix}$$

$$\begin{aligned} &= \begin{bmatrix} 15,000 \times 3.25 + 6,000 \times 1.50 + 8,000 \times 0.75 \\ 9,500 \times 3.25 + 17,000 \times 1.50 + 12,000 \times 0.75 \end{bmatrix} \\ &= \begin{bmatrix} 48,750 + 9,000 + 6,000 \\ 30,875 + 25,500 + 9,000 \end{bmatrix} = \begin{bmatrix} 63,750 \\ 65,375 \end{bmatrix} \end{aligned}$$

∴ Total revenue of market X is ₹ 79,000.

So, option (c) is correct.

2. From the above data, total revenue of market Y is ₹ 87,000.

So, option (b) is correct.

3. From the above data, cost incurred in market X is ₹ 63,750.

So, option (d) is correct.

4.

From the above data, profit =  $AB - AC$

$$= \begin{bmatrix} 79,000 \\ 87,000 \end{bmatrix} - \begin{bmatrix} 63,750 \\ 65,375 \end{bmatrix} = \begin{bmatrix} 79,000 - 63,750 \\ 87,000 - 65,375 \end{bmatrix} = \begin{bmatrix} 15,250 \\ 21,625 \end{bmatrix}$$

∴ Total revenue of market X is ₹ 79,000 and cost incurred in market X is ₹ 63,750.

∴ Profit in market X = ₹ (79,000 - 63,750) = ₹ 15,250

∴ Total revenue of market Y is 87,000 and cost incurred in market Y is ₹ 65,375.

∴ Profit in market Y = ₹ (87,000 - 65,375) = ₹ 21,625

So, option (a) is correct.

5. Gross profit in both markets

= Profit in market X + Profit in market Y

= ₹ (15,250 + 21,625) = ₹ 36,875

So, option (c) is correct.

## Case Study 2

Three schools A, B and C organised a mela for collecting funds for helping the rehabilitation of flood victims. They sold handmade fans, mats and plates from recycled material at a cost of ₹ 25, ₹ 100 and ₹ 50 each. The number of articles sold are given:



School/Article	A	B	C
Hand-fans	40	25	35
Mats	50	40	50
Plates	20	30	40

Based on the above information, solve the following questions:

**Q1. The fund collected by school A if they sold 45 hand-fans, 40 mats and 25 plates, is:**

- a. ₹ 6,375                      b. ₹ 14,000  
c. ₹ 21,000                    d. ₹ 18,000

**Q2. The fund collected by school B and C is:**

- a. ₹ 14,000                    b. ₹ 18,000  
c. ₹ 21,000                    d. ₹ 6,375

**Q3. The total fund collected by all the schools is:**

- a. ₹ 6,375                      b. ₹ 14,000  
c. ₹ 18,000                    d. ₹ 21,000

**Q4. If the number of hand-fans and mats are interchanged for all the schools, what is the total fund collected by all schools?**

- a. ₹ 21,000                    b. ₹ 18,000  
c. ₹ 14,000                    d. ₹ 6,375

**Q5. The total number of all articles sold is:**

- a. ₹ 230                        b. ₹ 280  
c. ₹ 330                        d. ₹ 350

## Solutions

1. As we have to find the funds collected by each school. We write table as:

$$\begin{array}{c} \text{Hand-fan} \quad \text{Mats} \quad \text{Plates} \\ \begin{bmatrix} A \\ B \\ C \end{bmatrix} = \begin{bmatrix} 40 & 50 & 20 \\ 25 & 40 & 30 \\ 35 & 50 & 40 \end{bmatrix} \begin{bmatrix} 25 \\ 100 \\ 50 \end{bmatrix} \end{array}$$

$$= \begin{bmatrix} 1,000 + 5,000 + 1,000 \\ 625 + 4,000 + 1,500 \\ 875 + 5,000 + 2,000 \end{bmatrix} = \begin{bmatrix} 7,000 \\ 6,125 \\ 7,875 \end{bmatrix}$$

Funds collected by schools A, B and C are ₹ 7,000, ₹ 6,125 and ₹ 7,875 respectively.

Fund collected by school A if they sold 45 hand-fans, 40 mats and 25 plates

$$= 45 \times 25 + 40 \times 100 + 25 \times 50$$

$$= 1,125 + 4,000 + 1,250 = ₹ 6,375$$

So, option (a) is correct.

2. Fund collected by schools B and C

$$= 6,125 + 7,875 = ₹ 14,000$$

So, option (a) is correct.

3. Total fund collected by all the schools

$$= 7,000 + 6,125 + 7,875 = ₹ 21,000$$

So, option (d) is correct.

4. According to the given condition,

$$\begin{bmatrix} 50 & 40 & 20 \\ 40 & 25 & 30 \\ 50 & 35 & 40 \end{bmatrix} \begin{bmatrix} 25 \\ 100 \\ 50 \end{bmatrix} = \begin{bmatrix} 1,250 + 4,000 + 1,000 \\ 1,000 + 2,500 + 1,500 \\ 1,250 + 3,500 + 2,000 \end{bmatrix} = \begin{bmatrix} 6,250 \\ 5,000 \\ 6,750 \end{bmatrix}$$

Total fund collected by all schools

$$= 6,250 + 5,000 + 6,750 = ₹ 18,000$$

So, option (b) is correct.

5. Total number of all articles sold

$$= (40 + 25 + 35) + (50 + 40 + 50) + (20 + 30 + 40)$$

$$= 330$$

So, option (c) is correct.

### Case Study 3

Two farmers Ramakishan and Gurucharan Singh cultivate only three varieties of rice namely Basmati, Permal and Naura. The sale (in rupees) of these varieties of rice by both the farmers in the month of September and October are given by the following matrices A and B.



September sales (in ₹)

$$A = \begin{bmatrix} 10,000 & 20,000 & 30,000 \\ 50,000 & 30,000 & 10,000 \end{bmatrix} \begin{matrix} \text{Ramakishan} \\ \text{Gurucharan} \end{matrix}$$

October sales (in ₹)

$$B = \begin{bmatrix} 5,000 & 10,000 & 6,000 \\ 20,000 & 10,000 & 10,000 \end{bmatrix} \begin{matrix} \text{Ramakishan} \\ \text{Gurucharan} \end{matrix}$$

Based on the above information, solve the following questions:

**Q1. The total sales in September and October for each farmer in each variety can be represented as:**

- a.  $A + B$
- b.  $A - B$
- c.  $A > B$
- d.  $A < B$

**Q2. What is the value of  $A_{23}$  ?**

- a. 10,000
- b. 20,000
- c. 30,000
- d. 40,000

**Q3. The decrease in sales from September to October is given by:**

- a.  $A + B$
- b.  $A - B$
- c.  $A > B$
- d.  $A < B$

**Q4. If Ramakishan receives 2% profit on gross sales, compute his profit for each variety sold in October.**

- a. ₹ 100, ₹ 200 and ₹ 120
- b. ₹ 100, ₹ 200 and ₹ 130

c. ₹ 100, ₹ 220 and ₹ 120

d. ₹ 110, ₹ 200 and ₹ 120

**Q5. If Gurucharan receives 2% profit on gross sales, compute his profit for each variety sold in September.**

a. ₹ 100, ₹ 200, ₹ 120

b. ₹ 1,000, ₹ 600, ₹ 200

c. ₹ 400, ₹ 200, ₹ 120

d. ₹ 1,200, ₹ 200, ₹ 120

### Solutions

1. Total sales in September and October for each farmer in each variety can be represented as  $A + B$ .

So, option (a) is correct.

2. The value of  $A_{23}$  in  $A = 10,000$

So, option (a) is correct.

3. The decrease in sales from September to October is given by  $A - B$ .

So, option (b) is correct.

$$4. \quad 2\% \text{ of } B = \frac{2}{100} \times B = 0.02 \times B$$

$$= 0.02 \begin{bmatrix} 5,000 & 10,000 & 6,000 \\ 20,000 & 10,000 & 10,000 \end{bmatrix}$$

$$= \begin{bmatrix} 100 & 200 & 120 \\ 400 & 200 & 200 \end{bmatrix} \begin{matrix} \text{Ramakishan} \\ \text{Gurucharan} \end{matrix}$$

∴ Required profit of Ramakishan for each variety sold in October are ₹ 100, ₹ 200 and ₹ 120.

So, option (a) is correct.

$$5. \quad 2\% \text{ of } A = \frac{2}{100} \times A = 0.02 \times A$$

$$= 0.02 \begin{bmatrix} 10,000 & 20,000 & 30,000 \\ 50,000 & 30,000 & 10,000 \end{bmatrix}$$

$$= \begin{bmatrix} 200 & 400 & 600 \\ 1,000 & 600 & 200 \end{bmatrix} \begin{matrix} \text{Ramakishan} \\ \text{Gurucharan} \end{matrix}$$

∴ Required profit of Gurucharan for each variety sold in September are 1,000, 600 and 200.

So, option (b) is correct.

### Case Study 4

To promote the making of toilets for women, an organisation tried to generate awareness through (i) house calls, (ii) emails and (iii) announcements.



The cost for each model per attempt is given below:

(i) ₹ 50                      (ii) ₹ 20                      (iii) ₹ 40

The number of attempts made in the villages X, Y and Z are given below:

	(i)	(ii)	(iii)
X	400	300	100
Y	300	250	75
Z	500	400	150

Also, the chance of making of toilets corresponding to one attempt of given model is:

(i) 2%                      (ii) 4%                      (iii) 20%

Based on the above information, solve the following questions:

**Q1. The cost incurred by the organisation on village X is:**

- a. ₹ 10,000                      b. ₹ 15,000
- c. ₹ 30,000                      d. ₹ 20,000



a. ₹ 25,000                      b. ₹ 18,000

c. ₹ 23,000                      d. ₹ 28,000

a. ₹ 19,000                      b. ₹ 39,000  
c. ₹ 45,000                      d. ₹ 50,000

[illegible][illegible]

1. Let A, B and C be the cost incurred by the organisation for villages X, Y and Z respectively. Then A, B, C will be given by the following matrix equation:

2. From the above data, the cost incurred by the organisation on village Y is ₹ 23,000.

So, option (c) is correct.

3. From the above data, the cost incurred by the organisation on village Z is ₹ 39,000.

So, option (b) is correct.

4. Total number of toilets that can be expected in each village is given by the following matrix:

$$\begin{bmatrix} X \\ Y \\ Z \end{bmatrix} = \begin{bmatrix} 400 & 300 & 100 \\ 300 & 250 & 75 \\ 500 & 400 & 150 \end{bmatrix} \begin{bmatrix} 2/100 \\ 4/100 \\ 20/100 \end{bmatrix}$$
$$\begin{bmatrix} X \\ Y \\ Z \end{bmatrix} = \begin{bmatrix} 8 + 12 + 20 \\ 6 + 10 + 15 \\ 10 + 16 + 30 \end{bmatrix} = \begin{bmatrix} 40 \\ 31 \\ 56 \end{bmatrix}$$

The total number of toilets that can be expected after promotion in village X is 40.

So, option (c) is correct.

5. The total number of toilets that can be expected after the production in village Z is 56.

So, option (d) is correct.

### Case Study 5

Assume X, Y, Z, W and P are matrices of order  $2 \times n$ ,  $3 \times k$ ,  $2 \times p$ ,  $n \times 3$  and  $p \times k$ , respectively.

Based on the above information, solve the following questions: (NCERT EXERCISE)

Q1. The restriction on n, k and p, so that define the order of  $PY + WY$ .

Q2. If  $n = p$ , then find the order of the matrix  $7X - 5Z$ .

### Solutions

1. Given, order of the matrix  $P = p \times k$

order of the matrix  $Y = 3 \times k$

and order of the matrix  $W = n \times 3$

$PY$  is defined when,

Number of columns of matrix  $P =$  Number of rows of matrix  $Y$

$$\Rightarrow k = 3 \quad \dots (1)$$

Also, WY is defined when,

Number of columns of matrix W = Number of rows of matrix Y

$$\Rightarrow 3 = 3 \quad (\text{True})$$

Now, PY+WY is defined when both PY and WY have same order.

$\therefore$  Order of matrix PY =  $p \times 3$

and order of matrix WY =  $n \times k$

Here, restriction for PY + WY are  $p = n$  and  $k = 3$ .

2. Matrix X is of the order  $2 \times n$ .

Therefore, matrix 7X is also of the same order.

Matrix Z is of the order  $2 \times n$  i.e.,  $2 \times n$  (Since,  $n = p$ )

Therefore, matrix 5Z is also of the same order.

Now, both the matrices 7X and 5Z are of the order  $2 \times n$ .

Thus, matrix 7X - 5Z is well-defined and is of order  $2 \times n$ .

### Case Study 6

Sanjeev, Amit and Nitika were given the task of creating a square matrix of order 3. X, Y and Z are the matrices created by Sanjeev, Amit and Nitika respectively, which is given below:

$$X = \begin{bmatrix} 1 & 2 & -1 \\ 0 & 3 & 1 \\ -1 & 0 & 2 \end{bmatrix}, Y = \begin{bmatrix} 2 & 1 & -1 \\ 1 & 0 & 3 \\ 2 & 1 & -1 \end{bmatrix}, Z = \begin{bmatrix} 3 & 1 & 0 \\ -1 & 2 & 1 \\ 0 & 1 & 2 \end{bmatrix}$$

Based on the above information, solve the following questions:

Q1. If  $a = 5$  and  $b = -3$ , then find the value of  $(bX)^T + (aZ)^T$ .

Q2. Find the value of  $(XY - YZ)$ .

Q3. If  $a = -4$  and  $b = -2$ , then find the value of  $(a - b)(YZ)^T$ .

### Solutions

1. Here,  $X^T = \begin{bmatrix} 1 & 0 & -1 \\ 2 & 3 & 0 \\ -1 & 1 & 2 \end{bmatrix}$  and  $Z^T = \begin{bmatrix} 3 & -1 & 0 \\ 1 & 2 & 1 \\ 0 & 1 & 2 \end{bmatrix}$

Now,  $(bX)^T + (aZ)^T = bX^T + aZ^T$

$$= (-3) \begin{bmatrix} 1 & 0 & -1 \\ 2 & 3 & 0 \\ -1 & 1 & 2 \end{bmatrix} + 5 \begin{bmatrix} 3 & -1 & 0 \\ 1 & 2 & 1 \\ 0 & 1 & 2 \end{bmatrix}$$

$$= \begin{bmatrix} -3 & 0 & 3 \\ -6 & -9 & 0 \\ 3 & -3 & -6 \end{bmatrix} + \begin{bmatrix} 15 & -5 & 0 \\ 5 & 10 & 5 \\ 0 & 5 & 10 \end{bmatrix} = \begin{bmatrix} 12 & -5 & 3 \\ -1 & 1 & 5 \\ 3 & 2 & 4 \end{bmatrix}$$

2. Here,  $XY = \begin{bmatrix} 1 & 2 & -1 \\ 0 & 3 & 1 \\ -1 & 0 & 2 \end{bmatrix} \begin{bmatrix} 2 & 1 & -1 \\ 1 & 0 & 3 \\ 2 & 1 & -1 \end{bmatrix}$

$$= \begin{bmatrix} 2+2-2 & 1+0-1 & -1+6+1 \\ 0+3+2 & 0+0+1 & 0+9-1 \\ -2+0+4 & -1+0+2 & 1+0-2 \end{bmatrix} = \begin{bmatrix} 2 & 0 & 6 \\ 5 & 1 & 8 \\ 2 & 1 & -1 \end{bmatrix}$$

and  $YZ = \begin{bmatrix} 2 & 1 & -1 \\ 1 & 0 & 3 \\ 2 & 1 & -1 \end{bmatrix} \begin{bmatrix} 3 & 1 & 0 \\ -1 & 2 & 1 \\ 0 & 1 & 2 \end{bmatrix}$

$$= \begin{bmatrix} 6-1+0 & 2+2-1 & 0+1-2 \\ 3+0+0 & 1+0+3 & 0+0+6 \\ 6-1+0 & 2+2-1 & 0+1-2 \end{bmatrix} = \begin{bmatrix} 5 & 3 & -1 \\ 3 & 4 & 6 \\ 5 & 3 & -1 \end{bmatrix}$$

$$\therefore XY - YZ = \begin{bmatrix} 2 & 0 & 6 \\ 5 & 1 & 8 \\ 2 & 1 & -1 \end{bmatrix} - \begin{bmatrix} 5 & 3 & -1 \\ 3 & 4 & 6 \\ 5 & 3 & -1 \end{bmatrix} = \begin{bmatrix} -3 & -3 & 7 \\ 2 & -3 & 2 \\ -3 & -2 & 0 \end{bmatrix}$$

3. Here,  $YZ = \begin{bmatrix} 5 & 3 & -1 \\ 3 & 4 & 6 \\ 5 & 3 & -1 \end{bmatrix}$  [from Q. 2]

Now,  $(a-b)(YZ)^T = (-4+2) \begin{bmatrix} 5 & 3 & -1 \\ 3 & 4 & 6 \\ 5 & 3 & -1 \end{bmatrix}^T$

$$= -2 \begin{bmatrix} 5 & 3 & 5 \\ 3 & 4 & 3 \\ -1 & 6 & -1 \end{bmatrix} = \begin{bmatrix} -10 & -6 & -10 \\ -6 & -8 & -6 \\ 2 & -12 & 2 \end{bmatrix}$$

## Case Study 7

If  $A = [a_{ij}]$  is  $m \times n$  matrix, then the matrix obtained by interchanging the rows and columns of  $A$  is called the transpose of  $A$ .

A square matrix  $A = [a_{ij}]$  is said to be symmetric, if  $A^T = A$  for all possible values of  $i$  and  $j$ .

A square matrix  $A = [a_{ij}]$  is said to be skew-symmetric, if  $A^T = -A$  for all possible values of  $i$  and  $j$ .

Based on the above information, solve the following questions:

**Q1. Evaluate  $(ABC)^T$ , by using transpose properties.**

**Q2. What is the relation between symmetric and skew-symmetric matrices?**

**Q3. For any square matrix  $A$  with real number entries, show that  $(A + A^T)$  is symmetric matrix and  $(A - A^T)$  is a skew-symmetric matrix.**

Or

If  $A^T = \begin{bmatrix} 0 & -1 \\ 2 & 3 \end{bmatrix}$  and  $B = \begin{bmatrix} 2 & -1 \\ 1 & 4 \end{bmatrix}$ , then evaluate  $(2A + B)^T$ .

## Solutions

- $(ABC)^T = \{(AB)C\}^T = C^T(AB)^T = C^TB^TA^T$
- Any square matrix can be expressed as sum of a symmetric and skew-symmetric matrices.

$$\mathbf{3.} \quad (A + A^T)^T = (A)^T + (A^T)^T = A^T + A \quad [\because (A^T)^T = A] \\ = (A + A^T)$$

and  $(A - A^T)^T = (A)^T - (A^T)^T = A^T - A = -(A - A^T)$   
So,  $(A + A^T)$  is symmetric matrix and  $(A - A^T)$  is a skew-symmetric matrix.

Or

$$\begin{aligned} \text{Given,} \quad A^T &= \begin{bmatrix} 0 & -1 \\ 2 & 3 \end{bmatrix} \\ \therefore (A^T)^T &= \begin{bmatrix} 0 & -1 \\ 2 & 3 \end{bmatrix}^T \\ \Rightarrow A &= \begin{bmatrix} 0 & 2 \\ -1 & 3 \end{bmatrix} \quad \text{and} \quad B = \begin{bmatrix} 2 & -1 \\ 1 & 4 \end{bmatrix} \\ \therefore 2A + B &= 2 \begin{bmatrix} 0 & 2 \\ -1 & 3 \end{bmatrix} + \begin{bmatrix} 2 & -1 \\ 1 & 4 \end{bmatrix} \\ &= \begin{bmatrix} 0 & 4 \\ -2 & 6 \end{bmatrix} + \begin{bmatrix} 2 & -1 \\ 1 & 4 \end{bmatrix} = \begin{bmatrix} 2 & 3 \\ -1 & 10 \end{bmatrix} \\ \Rightarrow (2A + B)^T &= \begin{bmatrix} 2 & 3 \\ -1 & 10 \end{bmatrix}^T = \begin{bmatrix} 2 & -1 \\ 3 & 10 \end{bmatrix} \end{aligned}$$

## Case Study 8

Three car dealers, say A, B and C, deals in three types of cars, namely Hatchback cars, Sedan cars, SUV cars. The sales figure of 2019 and 2020 showed that dealer A sold 120 Hatchback, 50 Sedan, 10 SUV cars in 2019 and 300 Hatchback, 150 Sedan, 20 SUV cars in 2020; dealer B sold 100 Hatchback, 30 Sedan, 5 SUV cars in 2019 and 200 Hatchback, 50 Sedan, 6 SUV cars in 2020; dealer C sold 90 Hatchback, 40 Sedan, 2 SUV cars in 2019 and 100 Hatchback, 60 Sedan, 5 SUV cars in 2020.



Based on the above information, solve the following questions:

**Q1. Find the matrix summarising sales data of 2019 and 2020.**

**Q 2. Find the matrix form of the total number of cars sold in two given years, by each dealer.**

Or

**Find the matrix form of the increase in sales from 2019 to 2020.**

**Q3. If each dealer receive profit of ₹ 50,000 on sale of a Hatchback, ₹ 1,00,000 on sale of a Sedan and ₹ 2,00,000 on sale of a SUV, then find the matrix form of the amount of profit received in the year 2020 by each dealer.**

1. In 2019, dealer A sold 120 Hatchback, 50 Sedan and 10 SUV; dealer B sold 100 Hatchback, 30 Sedan and 5 SUV and dealer C sold 90 Hatchback, 40 Sedan and 2 SUV.  
∴ Required matrix, say P, is given by

$$P = \begin{matrix} & \begin{matrix} \text{Hatchback} & \text{Sedan} & \text{SUV} \end{matrix} \\ \begin{matrix} A \\ B \\ C \end{matrix} & \begin{bmatrix} 120 & 50 & 10 \\ 100 & 30 & 5 \\ 90 & 40 & 2 \end{bmatrix} \end{matrix}$$

## Solutions

In 2020, dealer A sold 300 Hatchback, 150 Sedan, 20 SUV dealer B sold 200 Hatchback, 50 Sedan, 6 SUV and dealer C sold 100 Hatchback, 60 Sedan, 5 SUV.

∴ Required matrix, say Q, is given by

### Solutions

$$Q = \begin{matrix} & \begin{matrix} \text{Hatchback} & \text{Sedan} & \text{SUV} \end{matrix} \\ \begin{matrix} A \\ B \\ C \end{matrix} & \begin{bmatrix} 300 & 150 & 20 \\ 200 & 50 & 6 \\ 100 & 60 & 5 \end{bmatrix} \end{matrix}$$

2. Total number of cars sold in two given years, by each dealer, is given by

$$P + Q = \begin{matrix} & \begin{matrix} \text{Hatchback} & \text{Sedan} & \text{SUV} \end{matrix} \\ \begin{matrix} A \\ B \\ C \end{matrix} & \begin{bmatrix} 120 + 300 & 50 + 150 & 10 + 20 \\ 100 + 200 & 30 + 50 & 5 + 6 \\ 90 + 100 & 40 + 60 & 2 + 5 \end{bmatrix} \end{matrix}$$

$$= \begin{matrix} & \begin{matrix} \text{Hatchback} & \text{Sedan} & \text{SUV} \end{matrix} \\ \begin{matrix} A \\ B \\ C \end{matrix} & \begin{bmatrix} 420 & 200 & 30 \\ 300 & 80 & 11 \\ 190 & 100 & 7 \end{bmatrix} \end{matrix}$$

3. The amount of profit in 2020 received by each dealer is given by the matrix

$$\begin{matrix} & \begin{matrix} \text{Hatchback} & \text{Sedan} & \text{SUV} \end{matrix} \\ \begin{matrix} A \\ B \\ C \end{matrix} & \begin{bmatrix} 300 & 150 & 20 \\ 200 & 50 & 6 \\ 100 & 60 & 5 \end{bmatrix} \end{matrix} \begin{bmatrix} 50,000 \\ 1,00,000 \\ 2,00,000 \end{bmatrix}$$

$$= \begin{matrix} & \begin{matrix} \text{Hatchback} & \text{Sedan} & \text{SUV} \end{matrix} \\ \begin{matrix} A \\ B \\ C \end{matrix} & \begin{bmatrix} 1,50,00,000 + 1,50,00,000 + 40,00,000 \\ 1,00,00,000 + 50,00,000 + 12,00,000 \\ 50,00,000 + 60,00,000 + 10,00,000 \end{bmatrix} \end{matrix}$$

$$= \begin{matrix} & \begin{matrix} \text{Hatchback} & \text{Sedan} & \text{SUV} \end{matrix} \\ \begin{matrix} A \\ B \\ C \end{matrix} & \begin{bmatrix} 3,40,00,000 \\ 1,62,00,000 \\ 1,20,00,000 \end{bmatrix} \end{matrix}$$

## Solutions for Questions 9 to 18 are Given Below

### Case Study 9

In a city there are two factories A and B. Each factory produces sports clothes for boys and girls. There are three types of clothes produced in both the factories, type I, II and III. For boys the number of units of types I, II and III respectively are 80, 70 and 65 in factory A and 85, 65 and 72 are in factory B. For girls the number of units of types I, II and III respectively are 80, 75, 90 in factory A and 50, 55, 80 are in factory B.



Based on the above information, answer the following questions.

- (i) If  $P$  represents the matrix of number of units of each type produced by factory A for both boys and girls, then  $P$  is given by

(a) 
$$\begin{array}{c} \text{Boys} \quad \text{Girls} \\ \text{I} \begin{bmatrix} 85 & 50 \end{bmatrix} \\ \text{II} \begin{bmatrix} 65 & 55 \end{bmatrix} \\ \text{III} \begin{bmatrix} 72 & 80 \end{bmatrix} \end{array}$$

(b) 
$$\begin{array}{c} \text{I} \quad \text{II} \quad \text{III} \\ \text{Boys} \begin{bmatrix} 50 & 55 & 80 \end{bmatrix} \\ \text{Girls} \begin{bmatrix} 85 & 65 & 72 \end{bmatrix} \end{array}$$

(c) 
$$\begin{array}{c} \text{I} \quad \text{II} \quad \text{III} \\ \text{Boys} \begin{bmatrix} 80 & 75 & 90 \end{bmatrix} \\ \text{Girls} \begin{bmatrix} 80 & 70 & 65 \end{bmatrix} \end{array}$$

(d) 
$$\begin{array}{c} \text{Boys} \quad \text{Girls} \\ \text{I} \begin{bmatrix} 80 & 80 \end{bmatrix} \\ \text{II} \begin{bmatrix} 70 & 75 \end{bmatrix} \\ \text{III} \begin{bmatrix} 65 & 90 \end{bmatrix} \end{array}$$

- (ii) If  $Q$  represents the matrix of number of units of each type produced by factory B for both boys and girls, then  $Q$  is given by

(a) 
$$\begin{array}{c} \text{Boys} \quad \text{Girls} \\ \text{I} \begin{bmatrix} 85 & 50 \end{bmatrix} \\ \text{II} \begin{bmatrix} 65 & 55 \end{bmatrix} \\ \text{III} \begin{bmatrix} 72 & 80 \end{bmatrix} \end{array}$$

(b) 
$$\begin{array}{c} \text{I} \quad \text{II} \quad \text{III} \\ \text{Boys} \begin{bmatrix} 50 & 55 & 80 \end{bmatrix} \\ \text{Girls} \begin{bmatrix} 85 & 65 & 72 \end{bmatrix} \end{array}$$



$$(c) \begin{matrix} & \text{I} & \text{II} & \text{III} \\ \text{Boys} & 80 & 75 & 90 \\ \text{Girls} & 80 & 70 & 65 \end{matrix}$$

$$(d) \begin{matrix} & \text{Boys} & \text{Girls} \\ \text{I} & 80 & 80 \\ \text{II} & 70 & 75 \\ \text{III} & 65 & 90 \end{matrix}$$

(iii) The total production of sports clothes of each type for boys is given by the matrix

$$(a) \begin{matrix} \text{I} & \text{II} & \text{III} \\ 165 & 130 & 137 \end{matrix}$$

$$(b) \begin{matrix} \text{I} & \text{II} & \text{III} \\ 130 & 165 & 137 \end{matrix}$$

$$(c) \begin{matrix} \text{I} & \text{II} & \text{III} \\ 165 & 135 & 137 \end{matrix}$$

$$(d) \begin{matrix} \text{I} & \text{II} & \text{III} \\ 137 & 135 & 165 \end{matrix}$$

(iv) The total production of sports clothes of each type for girls is given by the matrix

$$(a) \begin{matrix} \text{I} & \text{II} & \text{III} \\ 130 & 130 & 170 \end{matrix}$$

$$(b) \begin{matrix} \text{I} & \text{II} & \text{III} \\ 170 & 130 & 130 \end{matrix}$$

$$(c) \begin{matrix} \text{I} & \text{II} & \text{III} \\ 130 & 170 & 130 \end{matrix}$$

(d) none of these

(v) Let  $R$  be a  $3 \times 2$  matrix that represent the total production of sports clothes of each type for boys and girls, then transpose of  $R$  is

$$(a) \begin{bmatrix} 165 & 135 & 137 \\ 130 & 130 & 170 \end{bmatrix}$$

$$(b) \begin{bmatrix} 130 & 130 & 170 \\ 165 & 135 & 138 \end{bmatrix}$$

$$(c) \begin{bmatrix} 165 & 132 \\ 135 & 130 \\ 137 & 170 \end{bmatrix}$$

$$(d) \begin{bmatrix} 130 & 168 \\ 130 & 135 \\ 170 & 137 \end{bmatrix}$$

## Case Study 10

To promote the making of toilets for women, an organisation tried to generate awareness through (i) house calls (ii) emails and (iii) announcements. The cost for each mode per attempt is given below :

(i) ₹ 50                      (ii) ₹ 20                      (iii) ₹ 40

The number of attempts made in the villages X, Y and Z are given below :

	(i)	(ii)	(iii)
X	400	300	100
Y	300	250	75
Z	500	400	150



Also, the chance of making of toilets corresponding to one attempt of given modes is

(i) 2%                      (ii) 4%                      (iii) 20%

Based on the above information, answer the following questions.

(i) The cost incurred by the organisation on village X is

(a) ₹ 10000

(b) ₹ 15000

(c) ₹ 30000

(d) ₹ 20000

(ii) The cost incurred by the organisation on village Y is

(a) ₹ 25000

(b) ₹ 18000

(c) ₹ 23000

(d) ₹ 28000

(iii) The cost incurred by the organisation on village Z is

(a) ₹ 19000

(b) ₹ 39000

(c) ₹ 45000

(d) ₹ 50000

(iv) The total number of toilets that can be expected after the promotion in village X, is

(a) 20

(b) 30

(c) 40

(d) 50

(v) The total number of toilets that can be expected after the promotion in village Z, is

(a) 26

(b) 36

(c) 46

(d) 56

## Case Study 11

Three car dealers, say A, B and C, deals in three types of cars, namely Hatchback cars, Sedan cars, SUV cars. The sales figure of 2019 and 2020 showed that dealer A sold 120 Hatchback, 50 Sedan, 10 SUV cars in 2019 and

300 Hatchback, 150 Sedan, 20 SUV cars in 2020; dealer B sold 100 Hatchback, 30 Sedan, 5 SUV cars in 2019 and 200 Hatchback, 50 Sedan, 6 SUV cars in 2020; dealer C sold 90 Hatchback, 40 Sedan, 2 SUV cars in 2019 and 100 Hatchback, 60 Sedan, 5 SUV cars in 2020.



Based on the above information, answer the following questions.

(i) The matrix summarizing sales data of 2019 is

(a) 
$$\begin{matrix} & \begin{matrix} \text{Hatchback} & \text{Sedan} & \text{SUV} \end{matrix} \\ \begin{matrix} A \\ B \\ C \end{matrix} & \begin{bmatrix} 300 & 150 & 20 \\ 200 & 50 & 6 \\ 100 & 30 & 5 \end{bmatrix} \end{matrix}$$

(b) 
$$\begin{matrix} & \begin{matrix} \text{Hatchback} & \text{Sedan} & \text{SUV} \end{matrix} \\ \begin{matrix} A \\ B \\ C \end{matrix} & \begin{bmatrix} 120 & 50 & 10 \\ 100 & 30 & 5 \\ 90 & 40 & 2 \end{bmatrix} \end{matrix}$$

(c) 
$$\begin{matrix} & \begin{matrix} \text{Hatchback} & \text{Sedan} & \text{SUV} \end{matrix} \\ \begin{matrix} A \\ B \\ C \end{matrix} & \begin{bmatrix} 100 & 30 & 5 \\ 120 & 50 & 10 \\ 90 & 40 & 2 \end{bmatrix} \end{matrix}$$

(d) 
$$\begin{matrix} & \begin{matrix} \text{Hatchback} & \text{Sedan} & \text{SUV} \end{matrix} \\ \begin{matrix} A \\ B \\ C \end{matrix} & \begin{bmatrix} 200 & 50 & 6 \\ 100 & 30 & 5 \\ 300 & 150 & 20 \end{bmatrix} \end{matrix}$$

(ii) The matrix summarizing sales data of 2020 is

(a) 
$$\begin{matrix} & \begin{matrix} \text{Hatchback} & \text{Sedan} & \text{SUV} \end{matrix} \\ \begin{matrix} A \\ B \\ C \end{matrix} & \begin{bmatrix} 300 & 150 & 20 \\ 200 & 50 & 6 \\ 100 & 60 & 5 \end{bmatrix} \end{matrix}$$

(b) 
$$\begin{matrix} & \begin{matrix} \text{Hatchback} & \text{Sedan} & \text{SUV} \end{matrix} \\ \begin{matrix} A \\ B \\ C \end{matrix} & \begin{bmatrix} 120 & 50 & 10 \\ 100 & 60 & 5 \\ 90 & 40 & 2 \end{bmatrix} \end{matrix}$$

(c) 
$$\begin{matrix} & \begin{matrix} \text{Hatchback} & \text{Sedan} & \text{SUV} \end{matrix} \\ \begin{matrix} A \\ B \\ C \end{matrix} & \begin{bmatrix} 100 & 60 & 5 \\ 120 & 50 & 10 \\ 90 & 40 & 2 \end{bmatrix} \end{matrix}$$

(d) 
$$\begin{matrix} & \begin{matrix} \text{Hatchback} & \text{Sedan} & \text{SUV} \end{matrix} \\ \begin{matrix} A \\ B \\ C \end{matrix} & \begin{bmatrix} 200 & 50 & 6 \\ 100 & 60 & 5 \\ 300 & 150 & 20 \end{bmatrix} \end{matrix}$$

(iii) The total number of cars sold in two given years, by each dealer, is given by the matrix

(a) 
$$\begin{matrix} & \begin{matrix} \text{Hatchback} & \text{Sedan} & \text{SUV} \end{matrix} \\ \begin{matrix} A \\ B \\ C \end{matrix} & \begin{bmatrix} 190 & 100 & 7 \\ 300 & 80 & 11 \\ 420 & 200 & 30 \end{bmatrix} \end{matrix}$$

(b) 
$$\begin{matrix} & \begin{matrix} \text{Hatchback} & \text{Sedan} & \text{SUV} \end{matrix} \\ \begin{matrix} A \\ B \\ C \end{matrix} & \begin{bmatrix} 300 & 80 & 11 \\ 190 & 100 & 7 \\ 420 & 200 & 30 \end{bmatrix} \end{matrix}$$

(c) 
$$\begin{matrix} & \begin{matrix} \text{Hatchback} & \text{Sedan} & \text{SUV} \end{matrix} \\ \begin{matrix} A \\ B \\ C \end{matrix} & \begin{bmatrix} 420 & 200 & 30 \\ 300 & 80 & 11 \\ 190 & 100 & 7 \end{bmatrix} \end{matrix}$$

(d) None of these

(iv) The increase in sales from 2019 to 2020 is given by the matrix

(a) 
$$\begin{matrix} & \begin{matrix} \text{Hatchback} & \text{Sedan} & \text{SUV} \end{matrix} \\ \begin{matrix} A \\ B \\ C \end{matrix} & \begin{bmatrix} 180 & 100 & 10 \\ 10 & 20 & 1 \\ 100 & 20 & 3 \end{bmatrix} \end{matrix}$$

(b) 
$$\begin{matrix} & \begin{matrix} \text{Hatchback} & \text{Sedan} & \text{SUV} \end{matrix} \\ \begin{matrix} A \\ B \\ C \end{matrix} & \begin{bmatrix} 10 & 20 & 3 \\ 100 & 20 & 1 \\ 180 & 100 & 10 \end{bmatrix} \end{matrix}$$

$$(c) \begin{matrix} & \text{Hatchback} & \text{Sedan} & \text{SUV} \\ \begin{matrix} A \\ B \\ C \end{matrix} & \begin{bmatrix} 180 \\ 100 \\ 10 \end{bmatrix} & \begin{bmatrix} 100 \\ 20 \\ 20 \end{bmatrix} & \begin{bmatrix} 10 \\ 1 \\ 3 \end{bmatrix} \end{matrix}$$

$$(d) \begin{matrix} & \text{Hatchback} & \text{Sedan} & \text{SUV} \\ \begin{matrix} A \\ B \\ C \end{matrix} & \begin{bmatrix} 100 \\ 180 \\ 10 \end{bmatrix} & \begin{bmatrix} 20 \\ 100 \\ 20 \end{bmatrix} & \begin{bmatrix} 3 \\ 10 \\ 3 \end{bmatrix} \end{matrix}$$

(v) If each dealer receive profit of ₹ 50000 on sale of a Hatchback, ₹ 100000 on sale of a Sedan and ₹ 200000 on sale of a SUV, then amount of profit received in the year 2020 by each dealer is given by the matrix.

$$(a) \begin{matrix} A \\ B \\ C \end{matrix} \begin{bmatrix} 30000000 \\ 15000000 \\ 12000000 \end{bmatrix}$$

$$(b) \begin{matrix} A \\ B \\ C \end{matrix} \begin{bmatrix} 12000000 \\ 16200000 \\ 34000000 \end{bmatrix}$$

$$(c) \begin{matrix} A \\ B \\ C \end{matrix} \begin{bmatrix} 34000000 \\ 16200000 \\ 12000000 \end{bmatrix}$$

$$(d) \begin{matrix} A \\ B \\ C \end{matrix} \begin{bmatrix} 15000000 \\ 30000000 \\ 12000000 \end{bmatrix}$$

## Case Study 12

A trust fund has ₹ 35000 that must be invested in two different types of bonds, say X and Y. The first bond pays 10% interest p.a. which will be given to an old age home and second one pays 8% interest p.a. which will be given to WWA (Women Welfare Association).

Let A be a  $1 \times 2$  matrix and B be a  $2 \times 1$  matrix, representing the investment and interest rate on each bond respectively.



Based on the above information, answer the following questions.

(i) If ₹ 15000 is invested in bond X, then

$$(a) A = \begin{matrix} X \\ Y \end{matrix} \begin{matrix} \text{Investment} \\ \begin{bmatrix} 15000 \\ 20000 \end{bmatrix} \end{matrix}; B = \begin{matrix} X & Y \\ \begin{bmatrix} 0.1 & 0.08 \end{bmatrix} \end{matrix} \text{Interest rate}$$

$$(b) A = \text{Investment} \begin{matrix} X & Y \\ \begin{bmatrix} 15000 & 20000 \end{bmatrix} \end{matrix}; B = \begin{matrix} X \\ Y \end{matrix} \begin{matrix} \text{Interest rate} \\ \begin{bmatrix} 0.1 \\ 0.08 \end{bmatrix} \end{matrix}$$

$$(c) A = \text{Investment} \begin{matrix} X & Y \\ \begin{bmatrix} 20000 & 15000 \end{bmatrix} \end{matrix}; B = \begin{matrix} X \\ Y \end{matrix} \begin{matrix} \text{Interest rate} \\ \begin{bmatrix} 0.08 \\ 0.1 \end{bmatrix} \end{matrix}$$

(d) None of these

(ii) If ₹ 15000 is invested in bond X, then total amount of interest received on both bonds is

(a) ₹ 2000                      (b) ₹ 2100                      (c) ₹ 3100                      (d) ₹ 4000

(iii) If the trust fund obtains an annual total interest of ₹ 3200, then the investment in two bonds is

(a) ₹ 15000 in X, ₹ 20000 in Y                      (b) ₹ 17000 in X, ₹ 18000 in Y  
(c) ₹ 20000 in X, ₹ 15000 in Y                      (d) ₹ 18000 in X, ₹ 17000 in Y

(iv) The total amount of interest received on both bonds is given by

(a) AB                      (b) A'B                      (c) B'A                      (d) none of these

- (v) If the amount of interest given to old age home is ₹ 500, then the amount of investment in bond Y is  
 (a) ₹ 20000 (b) ₹ 30000 (c) ₹ 15000 (d) ₹ 25000

### Case Study 13

Three schools A, B and C organized a mela for collecting funds for helping the rehabilitation of flood victims. They sold hand made fans, mats and plates from recycled material at a cost of ₹ 25, ₹ 100 and ₹ 50 each. The number of articles sold by school A, B, C are given below.

School \ Article	A	B	C
Fans	40	25	35
Mats	50	40	50
Plates	20	30	40



Based on above information, answer the following questions.

- (i) If  $P$  be a  $3 \times 3$  matrix represent the sale of handmade fans, mats and plates by three schools A, B and C, then

$$(a) P = \begin{matrix} & \begin{matrix} \text{Fans} & \text{Mats} & \text{Plates} \end{matrix} \\ \begin{matrix} A \\ B \\ C \end{matrix} & \begin{bmatrix} 40 & 50 & 20 \\ 25 & 40 & 30 \\ 35 & 50 & 40 \end{bmatrix} \end{matrix}$$

$$(b) P = \begin{matrix} & \begin{matrix} \text{Fans} & \text{Mats} & \text{Plates} \end{matrix} \\ \begin{matrix} A \\ B \\ C \end{matrix} & \begin{bmatrix} 25 & 40 & 20 \\ 35 & 40 & 30 \\ 40 & 50 & 20 \end{bmatrix} \end{matrix}$$

$$(c) P = \begin{matrix} & \begin{matrix} \text{Fans} & \text{Mats} & \text{Plates} \end{matrix} \\ \begin{matrix} A \\ B \\ C \end{matrix} & \begin{bmatrix} 40 & 25 & 35 \\ 50 & 40 & 50 \\ 20 & 30 & 40 \end{bmatrix} \end{matrix}$$

$$(d) P = \begin{matrix} & \begin{matrix} \text{Fans} & \text{Mats} & \text{Plates} \end{matrix} \\ \begin{matrix} A \\ B \\ C \end{matrix} & \begin{bmatrix} 25 & 35 & 40 \\ 40 & 40 & 50 \\ 20 & 30 & 20 \end{bmatrix} \end{matrix}$$

- (ii) If  $Q$  be a  $3 \times 1$  matrix represent the sale prices (in ₹) of given products per unit, then

$$(a) Q = \begin{bmatrix} 25 \\ 50 \\ 100 \end{bmatrix} \begin{matrix} \text{Fans} \\ \text{Mats} \\ \text{Plates} \end{matrix} \quad (b) Q = \begin{bmatrix} 25 & 50 & 100 \end{bmatrix} \begin{matrix} \text{Fans} & \text{Mats} & \text{Plates} \end{matrix} \quad (c) Q = \begin{bmatrix} 25 & 100 & 50 \end{bmatrix} \begin{matrix} \text{Fans} & \text{Mats} & \text{Plates} \end{matrix} \quad (d) Q = \begin{bmatrix} 25 \\ 100 \\ 50 \end{bmatrix} \begin{matrix} \text{Fans} \\ \text{Mats} \\ \text{Plates} \end{matrix}$$

- (iii) The funds collected by school A by selling the given articles is

$$(a) ₹ 7000 \quad (b) ₹ 6125 \quad (c) ₹ 7875 \quad (d) ₹ 8000$$

- (iv) The funds collected by school B by selling the given articles is

$$(a) ₹ 5125 \quad (b) ₹ 6125 \quad (c) ₹ 7125 \quad (d) ₹ 8125$$

- (v) The total funds collected for the required purpose is

$$(a) ₹ 20000 \quad (b) ₹ 21000 \quad (c) ₹ 30000 \quad (d) ₹ 35000$$

### Case Study 14

Two farmers Shyam and Balwan Singh cultivate only three varieties of pulses namely Urad, Masoor and Mung. The sale (in ₹) of these varieties of pulses by both the farmers in the month of September and October are given by the following matrices A and B.





September sales (in ₹)

$$A = \begin{bmatrix} \text{Urad} & \text{Masoor} & \text{Mung} \\ 10000 & 20000 & 30000 \\ 50000 & 30000 & 10000 \end{bmatrix} \begin{matrix} \text{Shyam} \\ \text{Balwan Singh} \end{matrix}$$

October sales (in ₹)

$$B = \begin{bmatrix} \text{Urad} & \text{Masoor} & \text{Mung} \\ 5000 & 10000 & 6000 \\ 20000 & 10000 & 10000 \end{bmatrix} \begin{matrix} \text{Shyam} \\ \text{Balwan Singh} \end{matrix}$$

Using algebra of matrices, answer the following questions.

- (i) The combined sales of Masoor in September and October, for farmer Balwan Singh, is
  - (a) ₹ 80000
  - (b) ₹ 90000
  - (c) ₹ 40000
  - (d) ₹ 135000
- (ii) The combined sales of Urad in September and October, for farmer Shyam is
  - (a) ₹ 20000
  - (b) ₹ 30000
  - (c) ₹ 36000
  - (d) ₹ 15000
- (iii) Find the decrease in sales of Mung from September to October, for the farmer Shyam.
  - (a) ₹ 24000
  - (b) ₹ 10000
  - (c) ₹ 30000
  - (d) No change
- (iv) If both farmers receive 2% profit on gross sales, compute the profit for each farmer and for each variety sold in October.
 

Urad Masoor Mung

(a)  $\begin{bmatrix} 100 & 200 & 220 \\ 400 & 300 & 200 \end{bmatrix} \begin{matrix} \text{Shyam} \\ \text{Balwan Singh} \end{matrix}$

Urad Masoor Mung

(c)  $\begin{bmatrix} 150 & 200 & 220 \\ 400 & 200 & 280 \end{bmatrix} \begin{matrix} \text{Shyam} \\ \text{Balwan Singh} \end{matrix}$

Urad Masoor Mung

(b)  $\begin{bmatrix} 100 & 200 & 120 \\ 400 & 200 & 200 \end{bmatrix} \begin{matrix} \text{Shyam} \\ \text{Balwan Singh} \end{matrix}$

Urad Masoor Mung

(d)  $\begin{bmatrix} 100 & 200 & 120 \\ 250 & 200 & 220 \end{bmatrix} \begin{matrix} \text{Shyam} \\ \text{Balwan Singh} \end{matrix}$
- (v) Which variety of pulse has the highest selling value in the month of September for the farmer Balwan Singh?
  - (a) Urad
  - (b) Masoor
  - (c) Mung
  - (d) All of these have the same price

## Case Study 15

A manufacturer produces three types of bolts,  $x$ ,  $y$  and  $z$  which he sells in two markets. Annual sales (in ₹) are indicated below :



Markets	Products		
	$x$	$y$	$z$
I	10000	2000	18000
II	6000	20000	8000

If unit sales prices of  $x$ ,  $y$  and  $z$  are ₹ 2.50, ₹ 1.50 and ₹ 1.00 respectively, then answer the following questions using the concept of matrices.

- Find the total revenue collected from the Market-I.  
 (a) ₹ 44000 (b) ₹ 48000 (c) ₹ 46000 (d) ₹ 53000
- Find the total revenue collected from the Market-II.  
 (a) ₹ 51000 (b) ₹ 53000 (c) ₹ 46000 (d) ₹ 49000
- If the unit costs of the above three commodities are ₹ 2.00, ₹ 1.00 and 50 paise respectively, then find the gross profit from both the markets.  
 (a) ₹ 53000 (b) ₹ 46000 (c) ₹ 34000 (d) ₹ 32000
- If matrix  $A = [a_{ij}]_{2 \times 2}$ , where  $a_{ij} = 1$ , if  $i \neq j$  and  $a_{ij} = 0$  if  $i = j$ , then  $A^2$  is equal to  
 (a)  $I$  (b)  $A$  (c)  $O$  (d) none of these
- If  $A$  and  $B$  are matrices of same order, then  $(AB' - BA')$  is a  
 (a) skew-symmetric matrix (b) null matrix (c) symmetric matrix (d) unit matrix

## Case Study 16

If  $A = [a_{ij}]_{m \times n}$  and  $B = [b_{ij}]_{m \times n}$  are two matrices, then  $A \pm B$  is of order  $m \times n$  and is defined as  $(A \pm B)_{ij} = a_{ij} \pm b_{ij}$ , where  $i = 1, 2, \dots, m$  and  $j = 1, 2, \dots, n$

If  $A = [a_{ij}]_{m \times n}$  and  $B = [b_{jk}]_{n \times p}$  are two matrices, then  $AB$  is of order  $m \times p$  and is defined as

$$(AB)_{ik} = \sum_{r=1}^n a_{ir} b_{rk} = a_{i1}b_{1k} + a_{i2}b_{2k} + \dots + a_{in}b_{nk}$$

Consider  $A = \begin{bmatrix} 2 & -1 \\ 3 & 4 \end{bmatrix}$ ,  $B = \begin{bmatrix} 5 & 2 \\ 7 & 4 \end{bmatrix}$ ,  $C = \begin{bmatrix} 2 & 5 \\ 3 & 8 \end{bmatrix}$  and  $D = \begin{bmatrix} a & b \\ c & d \end{bmatrix}$

Using the concept of matrices answer the following questions.

- Find the product  $AB$ .  
 (a)  $\begin{bmatrix} 3 & 0 \\ 43 & 22 \end{bmatrix}$  (b)  $\begin{bmatrix} 0 & 3 \\ 22 & 43 \end{bmatrix}$  (c)  $\begin{bmatrix} 43 & 22 \\ 0 & 3 \end{bmatrix}$  (d)  $\begin{bmatrix} 22 & 43 \\ 3 & 0 \end{bmatrix}$
- If  $A$  and  $B$  are any other two matrices such that  $AB$  exists, then  
 (a)  $BA$  does not exist (b)  $BA$  will be equal to  $AB$   
 (c)  $BA$  may or may not exist (d) None of these
- Find the values of  $a$  and  $c$  in the matrix  $D$  such that  $CD - AB = 0$ .  
 (a)  $a = 77, c = -191$  (b)  $a = -191, c = 77$  (c)  $a = 191, c = 77$  (d)  $a = 91, c = 70$
- Find the values of  $b$  and  $d$  in the matrix  $D$  such that  $CD - AB = 0$ .  
 (a)  $b = 44, d = -110$  (b)  $b = 110, d = 44$  (c)  $b = -110, d = 44$  (d)  $b = -44, d = 110$
- Find  $B + D$ .  
 (a)  $\begin{bmatrix} 80 & 200 \\ 115 & 105 \end{bmatrix}$  (b)  $\begin{bmatrix} 84 & 48 \\ 180 & 181 \end{bmatrix}$  (c)  $\begin{bmatrix} 186 & 108 \\ -84 & -48 \end{bmatrix}$  (d)  $\begin{bmatrix} -186 & -108 \\ 84 & 48 \end{bmatrix}$

## Case Study 17

Consider 2 families A and B. Suppose there are 4 men, 4 women and 4 children in family A and 2 men, 2 women and 2 children in family B. The recommended daily amount of calories is 2400 for a man, 1900 for a woman, 1800 for a children and 45 grams of proteins for a man, 55 grams for a woman and 33 grams for children.



Based on the above information, answer the following questions.

(i) The requirement of calories and proteins for each person in matrix form can be represented as

(a)

	Calories	Proteins
Man	2400	45
Woman	1900	55
Children	1800	33

(b)

	Calories	Proteins
Man	1900	55
Woman	2400	45
Children	1800	33

(c)

	Calories	Proteins
Man	1800	33
Woman	1900	55
Children	2400	45

(d)

	Calories	Proteins
Man	2400	33
Woman	1900	55
Children	1800	45

(ii) Requirement of calories of family A is

- (a) 24000                      (b) 24400                      (c) 15000                      (d) 15800

(iii) Requirement of proteins for family B is

- (a) 560 grams                      (b) 332 grams                      (c) 266 grams                      (d) 300 grams

(iv) If  $A$  and  $B$  are two matrices such that  $AB = B$  and  $BA = A$ , then  $A^2 + B^2$  equals

- (a)  $2AB$                       (b)  $2BA$                       (c)  $A + B$                       (d)  $AB$

(v) If  $A = (a_{ij})_{m \times n}$ ,  $B = (b_{ij})_{n \times p}$  and  $C = (c_{ij})_{p \times q}$ , then the product  $(BC)A$  is possible only when

- (a)  $m = q$                       (b)  $n = q$                       (c)  $p = q$                       (d)  $m = p$

## Case Study 18

Three shopkeepers A, B and C go to a store to buy stationary. A purchase 12 dozen notebooks, 5 dozen pens and 6 dozen pencils. B purchases 10 dozen notebooks, 6 dozen pens and 7 dozen pencils. C purchases 11 dozen notebooks, 13 dozen pens and 8 dozen pencils. A notebook costs ₹ 40, a pen costs ₹ 12 and a pencil costs ₹ 3.

Based on the above information, answer the following questions.



(i) The number of items purchased by shopkeepers A, B and C represented in matrix form as

$$(a) \begin{matrix} & \text{Notebooks} & \text{pens} & \text{pencils} \\ \begin{bmatrix} 144 & 60 & 72 \\ 120 & 72 & 84 \\ 132 & 156 & 96 \end{bmatrix} & A & B & C \end{matrix}$$

$$(b) \begin{matrix} & \text{Notebooks} & \text{pens} & \text{pencils} \\ \begin{bmatrix} 144 & 72 & 60 \\ 120 & 84 & 72 \\ 132 & 156 & 96 \end{bmatrix} & A & B & C \end{matrix}$$

$$(c) \begin{matrix} & \text{Notebooks} & \text{pens} & \text{pencils} \\ \begin{bmatrix} 144 & 72 & 72 \\ 120 & 156 & 84 \\ 132 & 84 & 96 \end{bmatrix} & A & B & C \end{matrix}$$

$$(d) \begin{matrix} & \text{Notebooks} & \text{pens} & \text{pencils} \\ \begin{bmatrix} 144 & 60 & 60 \\ 120 & 84 & 72 \\ 132 & 156 & 96 \end{bmatrix} & A & B & C \end{matrix}$$

(ii) If Y represents the matrix formed by the cost of each item, then XY equals

$$(a) \begin{bmatrix} 5740 \\ 6780 \\ 8040 \end{bmatrix}$$

$$(b) \begin{bmatrix} 6696 \\ 5916 \\ 7440 \end{bmatrix}$$

$$(c) \begin{bmatrix} 5916 \\ 6696 \\ 7440 \end{bmatrix}$$

$$(d) \begin{bmatrix} 6740 \\ 5740 \\ 8140 \end{bmatrix}$$

(iii) Bill of A is equal to

$$(a) ₹ 6740$$

$$(b) ₹ 8140$$

$$(c) ₹ 5740$$

$$(d) ₹ 6696$$

(iv) If  $A^2 = A$ , then  $(A + I)^3 - 7A =$

$$(a) A$$

$$(b) A - I$$

$$(c) I$$

$$(d) A + I$$

(v) If A and B are  $3 \times 3$  matrices such that  $A^2 - B^2 = (A - B)(A + B)$ , then

$$(a) \text{ either } A \text{ or } B \text{ is zero matrix}$$

$$(b) \text{ either } A \text{ or } B \text{ is unit matrix}$$

$$(c) A = B$$

$$(d) AB = BA$$

## HINTS & EXPLANATIONS

9. (i) (d): In factory A, number of units of types I, II and III for boys are 80, 70, 65 respectively and for girls number of units of types I, II and III are 80, 75, 90 respectively.

$$\therefore P = \begin{matrix} & \text{Boys} & \text{Girls} \\ \begin{bmatrix} 80 & 80 \\ 70 & 75 \\ 65 & 90 \end{bmatrix} & I & II & III \end{matrix}$$

(ii) (a): In factory B, number of units of types I, II and III for boys are 85, 65, 72 respectively and for girls number of units of types I, II and III are 50, 55, 80 respectively.

$$\therefore Q = \begin{matrix} & \text{Boys} & \text{Girls} \\ \begin{bmatrix} 85 & 50 \\ 65 & 55 \\ 72 & 80 \end{bmatrix} & I & II & III \end{matrix}$$

(iii) (c): Let X be the matrix that represent the number of units of each type produced by factory A for boys, and Y be the matrix that represent the number of units of each type produced by factory B for boys.

$$\text{Then, } X = \begin{matrix} & I & II & III \\ \begin{bmatrix} 80 & 70 & 65 \end{bmatrix} & I & II & III \end{matrix} \text{ and } Y = \begin{matrix} & I & II & III \\ \begin{bmatrix} 85 & 65 & 72 \end{bmatrix} & I & II & III \end{matrix}$$

Now, required matrix =  $X + Y = [80 \ 70 \ 65] + [85 \ 65 \ 72]$   
 $= [165 \ 135 \ 137]$

$$(iv) (a): \text{ Required matrix} = [80 \ 75 \ 90] + [50 \ 55 \ 80]$$

$$= [130 \ 130 \ 170]$$

(v) (a): Clearly,  $R = P + Q$

$$= \begin{bmatrix} 80 & 80 \\ 70 & 75 \\ 65 & 90 \end{bmatrix} + \begin{bmatrix} 85 & 50 \\ 65 & 55 \\ 72 & 80 \end{bmatrix} = \begin{bmatrix} 165 & 130 \\ 135 & 130 \\ 137 & 170 \end{bmatrix}$$

$$\therefore R' = \begin{bmatrix} 165 & 135 & 137 \\ 130 & 130 & 170 \end{bmatrix}$$

10. (i) (c): Let ₹ A, ₹ B and ₹ C be the cost incurred by the organisation for villages X, Y and Z respectively. Then A, B, C will be given by the following matrix equation.

$$\begin{bmatrix} 400 & 300 & 100 \\ 300 & 250 & 75 \\ 500 & 400 & 150 \end{bmatrix} \begin{bmatrix} 50 \\ 20 \\ 40 \end{bmatrix} = \begin{bmatrix} A \\ B \\ C \end{bmatrix}$$



$$\Rightarrow \begin{bmatrix} A \\ B \\ C \end{bmatrix} = \begin{bmatrix} 400 \times 50 + 300 \times 20 + 100 \times 40 \\ 300 \times 50 + 250 \times 20 + 75 \times 40 \\ 500 \times 50 + 400 \times 20 + 150 \times 40 \end{bmatrix}$$

$$= \begin{bmatrix} 20000 + 6000 + 4000 \\ 15000 + 5000 + 3000 \\ 25000 + 8000 + 6000 \end{bmatrix} = \begin{bmatrix} 30000 \\ 23000 \\ 39000 \end{bmatrix}$$

(ii) (c) (iii) (b)

(iv) (c) : Total number of toilets that can be expected in each village is given by the following matrix

$$\begin{bmatrix} X \\ Y \\ Z \end{bmatrix} \begin{bmatrix} 400 & 300 & 100 \\ 300 & 250 & 75 \\ 500 & 400 & 150 \end{bmatrix} \begin{bmatrix} 2/100 \\ 4/100 \\ 20/100 \end{bmatrix}$$

$$\begin{bmatrix} X \\ Y \\ Z \end{bmatrix} \begin{bmatrix} 8 + 12 + 20 \\ 6 + 10 + 15 \\ 10 + 16 + 30 \end{bmatrix} = \begin{bmatrix} X \\ Y \\ Z \end{bmatrix} \begin{bmatrix} 40 \\ 31 \\ 56 \end{bmatrix}$$

(v) (d)

11. (i) (b): In 2019,

dealer A sold 120 Hatchback, 50 Sedan and 10 SUV;  
dealer B sold 100 Hatchback, 30 Sedan and 5 SUV  
and dealer C sold 90 Hatchback, 40 Sedan and 2 SUV  
∴ Required matrix, say P, is given by

$$P = \begin{bmatrix} A \\ B \\ C \end{bmatrix} \begin{bmatrix} \text{Hatchback} & \text{Sedan} & \text{SUV} \\ 120 & 50 & 10 \\ 100 & 30 & 5 \\ 90 & 40 & 2 \end{bmatrix}$$

(ii) (a) : In 2020,

dealer A sold 300 Hatchback, 150 Sedan, 20 SUV  
dealer B sold 200 Hatchback, 50 sedan, 6 SUV  
dealer C sold 100 Hatchback, 60 sedan, 5 SUV  
∴ Required matrix, say Q, is given by

$$Q = \begin{bmatrix} A \\ B \\ C \end{bmatrix} \begin{bmatrix} \text{Hatchback} & \text{Sedan} & \text{SUV} \\ 300 & 150 & 20 \\ 200 & 50 & 6 \\ 100 & 60 & 5 \end{bmatrix}$$

(iii) (c) : Total number of cars sold in two given years, by each dealer, is given by

$$P + Q = \begin{bmatrix} A \\ B \\ C \end{bmatrix} \begin{bmatrix} \text{Hatchback} & \text{Sedan} & \text{SUV} \\ 120 + 300 & 50 + 150 & 10 + 20 \\ 100 + 200 & 30 + 50 & 5 + 6 \\ 90 + 100 & 40 + 60 & 2 + 5 \end{bmatrix}$$

$$= \begin{bmatrix} A \\ B \\ C \end{bmatrix} \begin{bmatrix} \text{Hatchback} & \text{Sedan} & \text{SUV} \\ 420 & 200 & 30 \\ 300 & 80 & 11 \\ 190 & 100 & 7 \end{bmatrix}$$

(iv) (c) : The increase in sales from 2019 to 2020 is given by

$$Q - P = \begin{bmatrix} A \\ B \\ C \end{bmatrix} \begin{bmatrix} \text{Hatchback} & \text{Sedan} & \text{SUV} \\ 300 - 120 & 150 - 50 & 20 - 10 \\ 200 - 100 & 50 - 30 & 6 - 5 \\ 100 - 90 & 60 - 40 & 5 - 2 \end{bmatrix}$$

$$= \begin{bmatrix} A \\ B \\ C \end{bmatrix} \begin{bmatrix} \text{Hatchback} & \text{Sedan} & \text{SUV} \\ 180 & 100 & 10 \\ 100 & 20 & 1 \\ 10 & 20 & 3 \end{bmatrix}$$

(v) (c) : The amount of profit in 2020 received by each dealer is given by the matrix

$$\begin{bmatrix} A \\ B \\ C \end{bmatrix} \begin{bmatrix} \text{Hatchback} & \text{Sedan} & \text{SUV} \\ 300 & 150 & 20 \\ 200 & 50 & 6 \\ 100 & 60 & 5 \end{bmatrix} \cdot \begin{bmatrix} 50000 \\ 100000 \\ 200000 \end{bmatrix}$$

$$= \begin{bmatrix} A \\ B \\ C \end{bmatrix} \begin{bmatrix} 15000000 + 15000000 + 4000000 \\ 10000000 + 5000000 + 1200000 \\ 5000000 + 6000000 + 1000000 \end{bmatrix}$$

$$= \begin{bmatrix} A \\ B \\ C \end{bmatrix} \begin{bmatrix} 34000000 \\ 16200000 \\ 12000000 \end{bmatrix}$$

12. (i) (b): If ₹ 15000 is invested in bond X, then the amount invested in bond Y = ₹ (35000 - 15000) = ₹ 20000.

$$A = \text{Investment} \begin{bmatrix} X & Y \\ 15000 & 20000 \end{bmatrix}$$

$$\text{and } B = \begin{bmatrix} X & Y \\ \text{Interest rate} & \text{Interest rate} \\ 10\% & 8\% \end{bmatrix} = \begin{bmatrix} X & Y \\ 0.1 & 0.08 \end{bmatrix}$$

(ii) (c) : The amount of interest received on each bond is given by

$$AB = [15000 \quad 20000] \times \begin{bmatrix} 0.1 \\ 0.08 \end{bmatrix}$$

$$= [15000 \times 0.1 + 20000 \times 0.08] = [1500 + 1600] = 3100$$

(iii) (c) : Let ₹ x be invested in bond X and then ₹ (35000 - x) will be invested in bond Y.

Now, total amount of interest is given by

$$[x \quad 35000 - x] \begin{bmatrix} 0.1 \\ 0.08 \end{bmatrix} = [0.1x + (35000 - x)0.08]$$

But, it is given that total amount of interest = ₹ 3200

$$\therefore 0.1x + 2800 - 0.08x = 3200$$

$$\Rightarrow 0.02x = 400 \Rightarrow x = 20000$$

Thus, ₹ 20000 invested in bond X and ₹ 35000 – ₹ 20000 = ₹ 15000 invested in bond Y.

(iv) (a): AB will give the total amount of interest received on both bonds.

(v) (b): Let ₹ x invested in bond X, then we have

$$x \times \frac{10}{100} = 500 \Rightarrow x = 5000$$

Thus, amount invested in bond X is ₹ 5000 and so investment in bond Y be ₹ (35000 – 5000) = ₹ 30000

$$13. \text{ (i) (a): Clearly, } P = B \begin{matrix} & \text{Fans} & \text{Mats} & \text{Plates} \\ A & \begin{bmatrix} 40 & 50 & 20 \\ 25 & 40 & 30 \\ 35 & 50 & 40 \end{bmatrix} \\ C & \end{matrix}$$

(ii) (d): Since Q is a  $3 \times 1$  matrix, therefore

$$Q = \begin{bmatrix} 25 \\ 100 \\ 50 \end{bmatrix} \begin{matrix} \text{Fans} \\ \text{Maths} \\ \text{Plates} \end{matrix}$$

(iii) (a): Clearly, total funds collected by each school is given by the matrix

$$PQ = \begin{bmatrix} 40 & 50 & 20 \\ 25 & 40 & 30 \\ 35 & 50 & 40 \end{bmatrix} \begin{bmatrix} 25 \\ 100 \\ 50 \end{bmatrix}$$

$$= \begin{bmatrix} 1000 + 5000 + 1000 \\ 625 + 4000 + 1500 \\ 875 + 5000 + 2000 \end{bmatrix} = \begin{bmatrix} 7000 \\ 6125 \\ 7875 \end{bmatrix}$$

∴ Funds collected by school A is ₹ 7000

Funds collected by school B is ₹ 6125

Funds collected by school C is ₹ 7875

(iv) (b)

(v) (b): Total funds collected for the required purpose = ₹ (7000 + 6125 + 7875) = ₹ 21000

14. Combined sales in September and October for each farmer in each variety is given by

$$A + B = \begin{matrix} & \text{Urad} & \text{Masoor} & \text{Mung} \\ \begin{bmatrix} 15000 & 30000 & 36000 \\ 70000 & 40000 & 20000 \end{bmatrix} & \begin{matrix} \text{Shyam} \\ \text{Balwan Singh} \end{matrix} \end{matrix}$$

(i) (c): Combined sales of Masoor in September and October for farmer Balwan Singh = ₹ 40000

(ii) (d): Combined sales of Urad in September and October for farmer Shyam = ₹ 15000

(iii) (a): Change in sales from September to October is given by

$$A - B = \begin{matrix} & \text{Urad} & \text{Masoor} & \text{Mung} \\ \begin{bmatrix} 5000 & 10000 & 24000 \\ 30000 & 20000 & 0 \end{bmatrix} & \begin{matrix} \text{Shyam} \\ \text{Balwan Singh} \end{matrix} \end{matrix}$$

∴ Decrease in sales of Mung from September to October for farmer Shyam = ₹ 24000.

(iv) (b): Required profit is given by

$$2\% \text{ of } B = \frac{2}{100} \times B = 0.02 \times B$$

$$= 0.02 \begin{matrix} & \text{Urad} & \text{Masoor} & \text{Mung} \\ \begin{bmatrix} 5000 & 10,000 & 6,000 \\ 20,000 & 10,000 & 10,000 \end{bmatrix} & \begin{matrix} \text{Shyam} \\ \text{Balwan Singh} \end{matrix} \end{matrix}$$

$$= \begin{matrix} & \text{Urad} & \text{Masoor} & \text{Mung} \\ \begin{bmatrix} 100 & 200 & 120 \\ 400 & 200 & 200 \end{bmatrix} & \begin{matrix} \text{Shyam} \\ \text{Balwan Singh} \end{matrix} \end{matrix}$$

Thus, in October Shyam receives ₹ 100, ₹ 200 and ₹ 120 as profit in the sale of each variety of pulses, respectively and Balwan Singh receives a profit of ₹ 400, ₹ 200 and ₹ 200 in the sale of each variety of pulses respectively.

(v) (a)

15. Let A be the  $2 \times 3$  matrix representing the annual sales of products in two markets.

$$\therefore A = \begin{matrix} & x & y & z \\ \begin{bmatrix} 10000 & 2000 & 18000 \\ 6000 & 20000 & 8000 \end{bmatrix} & \begin{matrix} \text{Market I} \\ \text{Market II} \end{matrix} \end{matrix}$$

Let B be the column matrix representing the sale price of each unit of products x, y, z.

$$\therefore B = \begin{bmatrix} 2.5 \\ 1.5 \\ 1 \end{bmatrix}$$

Now, revenue = sale price × number of items sold

$$= \begin{bmatrix} 10000 & 2000 & 18000 \\ 6000 & 20000 & 8000 \end{bmatrix} \begin{bmatrix} 2.5 \\ 1.5 \\ 1 \end{bmatrix}$$

$$= \begin{bmatrix} 25000 + 3000 + 18000 \\ 15000 + 30000 + 8000 \end{bmatrix} = \begin{bmatrix} 46000 \\ 53000 \end{bmatrix}$$

Therefore, the revenue collected from Market I = ₹ 46000 and the revenue collected from Market II = ₹ 53000.

(i) (c) (ii) (b)

(iii) (d): Let C be the column matrix representing cost price of each unit of products x, y, z.

$$\text{Then, } C = \begin{bmatrix} 2 \\ 1 \\ 0.5 \end{bmatrix}$$

∴ Total cost in each market is given by

$$AC = \begin{bmatrix} 10000 & 2000 & 18000 \\ 6000 & 20000 & 8000 \end{bmatrix} \begin{bmatrix} 2 \\ 1 \\ 0.5 \end{bmatrix}$$

$$= \begin{bmatrix} 20000 + 2000 + 9000 \\ 12000 + 20000 + 4000 \end{bmatrix} = \begin{bmatrix} 31000 \\ 36000 \end{bmatrix}$$

Now, Profit matrix = Revenue matrix – Cost matrix

$$= \begin{bmatrix} 46000 \\ 53000 \end{bmatrix} - \begin{bmatrix} 31000 \\ 36000 \end{bmatrix} = \begin{bmatrix} 15000 \\ 17000 \end{bmatrix}$$

Therefore, the gross profit from both the markets

$$= ₹ 15000 + ₹ 17000 = ₹ 32000$$

(iv) (a) : We have,  $A = \begin{bmatrix} 0 & 1 \\ 1 & 0 \end{bmatrix}$

$$\therefore A^2 = \begin{bmatrix} 0 & 1 \\ 1 & 0 \end{bmatrix} \begin{bmatrix} 0 & 1 \\ 1 & 0 \end{bmatrix} = \begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix} = I$$

(v) (a) : We have,  $(AB' - BA')' = (B')'A' - (A')'B'$   
 $= BA' - AB' = -(AB' - BA')$

Thus,  $AB' - BA'$  is a skew-symmetric matrix.

16. (i) (a) :  $AB = \begin{bmatrix} 2 & -1 \\ 3 & 4 \end{bmatrix} \begin{bmatrix} 5 & 2 \\ 7 & 4 \end{bmatrix}$

$$= \begin{bmatrix} 10-7 & 4-4 \\ 15+28 & 6+16 \end{bmatrix} = \begin{bmatrix} 3 & 0 \\ 43 & 22 \end{bmatrix}$$

(ii) (c)

(iii) (b) : We have,  $CD - AB = O$

$$\Rightarrow \begin{bmatrix} 2 & 5 \\ 3 & 8 \end{bmatrix} \begin{bmatrix} a & b \\ c & d \end{bmatrix} - \begin{bmatrix} 3 & 0 \\ 43 & 22 \end{bmatrix} = \begin{bmatrix} 0 & 0 \\ 0 & 0 \end{bmatrix}$$

$$\Rightarrow \begin{bmatrix} 2a+5c & 2b+5d \\ 3a+8c & 3b+8d \end{bmatrix} - \begin{bmatrix} 3 & 0 \\ 43 & 22 \end{bmatrix} = \begin{bmatrix} 0 & 0 \\ 0 & 0 \end{bmatrix}$$

$$\Rightarrow \begin{bmatrix} 2a+5c-3 & 2b+5d \\ 3a+8c-43 & 3b+8d-22 \end{bmatrix} = \begin{bmatrix} 0 & 0 \\ 0 & 0 \end{bmatrix}$$

By equality of matrices, we get  $2a + 5c - 3 = 0$  ... (i)

$3a + 8c - 43 = 0$  ... (ii)

$2b + 5d = 0$  ... (iii)

$3b + 8d - 22 = 0$  ... (iv)

Solving (i) and (ii), we get  $a = -191, c = 77$

(iv) (c) : Solving (iii) and (iv), we get  $b = -110, d = 44$

(v) (d) : We have,  $B + D = \begin{bmatrix} 5 & 2 \\ 7 & 4 \end{bmatrix} + \begin{bmatrix} -191 & -110 \\ 77 & 44 \end{bmatrix}$   
 $= \begin{bmatrix} -186 & -108 \\ 84 & 48 \end{bmatrix}$

17. (i) (a) : Let  $F$  be the matrix representing the number of family members and  $R$  be the matrix representing the requirement of calories and proteins for each person. Then

$$F = \begin{matrix} & \begin{matrix} \text{Men} & \text{Women} & \text{Children} \end{matrix} \\ \begin{matrix} \text{Family A} \\ \text{Family B} \end{matrix} & \begin{bmatrix} 4 & 4 & 4 \\ 2 & 2 & 2 \end{bmatrix} \end{matrix}$$

$$R = \begin{matrix} & \begin{matrix} \text{Calories} & \text{Proteins} \end{matrix} \\ \begin{matrix} \text{Man} \\ \text{Woman} \\ \text{Children} \end{matrix} & \begin{bmatrix} 2400 & 45 \\ 1900 & 55 \\ 1800 & 33 \end{bmatrix} \end{matrix}$$

(ii) (b) : The requirement of calories and proteins for each of the two families is given by the product matrix  $FR$ .

$$FR = \begin{bmatrix} 4 & 4 & 4 \\ 2 & 2 & 2 \end{bmatrix} \begin{bmatrix} 2400 & 45 \\ 1900 & 55 \\ 1800 & 33 \end{bmatrix}$$

$$= \begin{bmatrix} 4(2400+1900+1800) & 4(45+55+33) \\ 2(2400+1900+1800) & 2(45+55+33) \end{bmatrix}$$

$$FR = \begin{bmatrix} 24400 & 532 \\ 12200 & 266 \end{bmatrix} \begin{matrix} \text{Family A} \\ \text{Family B} \end{matrix}$$

(iii) (c)

(iv) (c) : Since,  $AB = B$  ... (i) and  $BA = A$  ... (ii)

$$\therefore A^2 + B^2 = A \cdot A + B \cdot B$$

$$= A(BA) + B(AB) \quad [\text{using (i) and (ii)}]$$

$$= (AB)A + (BA)B \quad [\text{Associative law}]$$

$$= BA + AB \quad [\text{using (i) and (ii)}]$$

$$= A + B$$

(v) (a) :  $A = (a_{ij})_{m \times n}, B = (b_{ij})_{n \times p}, C = (c_{ij})_{p \times q}$

$$BC = (b_{ij})_{n \times p} \times (c_{ij})_{p \times q} = (d_{ij})_{n \times q}$$

$$(BC)A = (d_{ij})_{n \times q} \times (a_{ij})_{m \times n}$$

Hence,  $(BC)A$  is possible only when  $m = q$

18. (i) (a) : Number of items purchased by shopkeepers A, B and C can be written in matrix form as

$$X = \begin{matrix} & \begin{matrix} \text{Notebooks} & \text{pens} & \text{pencils} \end{matrix} \\ \begin{matrix} A \\ B \\ C \end{matrix} & \begin{bmatrix} 144 & 60 & 72 \\ 120 & 72 & 84 \\ 132 & 156 & 96 \end{bmatrix} \end{matrix}$$

(ii) (b) : Since,  $Y = \begin{bmatrix} 40 \\ 12 \\ 3 \end{bmatrix} \begin{matrix} \text{Note book} \\ \text{Pen} \\ \text{Pencil} \end{matrix}$

$$\therefore XY = \begin{bmatrix} 144 & 60 & 72 \\ 120 & 72 & 84 \\ 132 & 156 & 96 \end{bmatrix} \begin{bmatrix} 40 \\ 12 \\ 3 \end{bmatrix}$$

$$= \begin{bmatrix} 5760+720+216 \\ 4800+864+252 \\ 5280+1872+288 \end{bmatrix} = \begin{bmatrix} 6696 \\ 5916 \\ 7440 \end{bmatrix}$$

(iii) (d) : Bill of A is ₹ 6696.

(iv) (c) :  $(A + I)^2 = A^2 + 2A + I = 3A + I$

$$\Rightarrow (A + I)^3 = (3A + I)(A + I)$$

$$= 3A^2 + 4A + I = 7A + I$$

$$\therefore (A + I)^3 - 7A = I$$

(v) (d) :  $A^2 - B^2 = (A - B)(A + B) = A^2 + AB - BA - B^2$

$$\therefore AB = BA.$$