# CBSE Class IX Science

## Time: 3 hrs.

#### **General Instructions:**

- 1. The question paper comprises of two **Sections**, **A** and **B**. You are to attempt both the sections.
- 2. All questions are compulsory.
- 3. All questions of **Section A** and **Section B** are to be attempted separately.
- 4. There is an internal choice in **three** questions of **three** marks each, **two** questions of **five** marks each in Section A and in **one** question of **two** marks in Section B.
- 5. Question numbers1and2 in **Section A** are **one mark** questions. These are to be answered in one word or in **one** sentence.
- 6. Question numbers **3** to **5** in **Section A** are **two marks** questions. These are to be answered in about **30 words each**.
- **7.** Question numbers **6** to **15** in **Section A** are **three marks** questions. These are to be answered in about **50 words each**.
- **8.** Question numbers **16** to **21** in **Section A** are **five marks** questions. These are to be answered in about **70 words each**.
- **9.** Question numbers **22** to **27** in **Section B** are based on practical skills. Each question is a **two** marks question. These are to be answered in brief.

### Section A

1.	What is the objective of mixed cropping?	(1)
2.	Name two processes which play an important role in the oxygen cycle.	(1)
3.	What is the significance of the ozone layer?	(2)
4.	A racing car moving with a velocity of 20 m/s is stopped by applying brakes producing a uniform acceleration of 1 m/s <sup>2</sup> . How much is the distance travelled by car before it comes to rest?	and the (2)
5.	State and explain Newton's second law of motion.	(2)

- **6.** State the limitations of J.J. Thomson's model of an atom. (3)
- **7.** Mention any three advantages of irrigation.(3)

- **8.** Give reasons:
  - (a) Naphthalene balls disappear with time without leaving any solid residue.
  - (b) We can get the smell of perfume even while sitting several metres away.
  - (c) After a hot sunny day, people sprinkle water on the roof or open ground. (3)

(3)

**9.** Define uniform velocity. Give two ways by which the change of velocity can be achieved.

**10.** Define balanced and unbalanced force.

An object weighing 20 N is kept on the floor. A child tries to push the object by applying a force of 20 N. Does the object move along the direction of force applied by the child? Which force was applied to the object? (3)

- **11.** A wooden block has a mass of 5 kg. The length, breadth and height of this wooden block are 75 cm, 50cm and 25 cm, respectively. Find the pressure on the floor on which it is kept when
  - i) Sides measuring 50cm and 25cm are in contact with the floor.
  - ii) Sides measuring 75 cm and 50 cm are in contact with the floor. (3)

#### OR

Calculate the force of gravitation between two boxes of mass 15 kg and 25 kg separated by a distance of 20 cm from one another when placed on the floor. (G =  $6.7 \times 10^{-11} \text{ Nm}^2/\text{kg}^2$ ). (3)

12. Which of the following has more number of atoms?

(i) 10 g Nitrogen (N<sub>2</sub>) gas

(ii) 10 g Ammonia (NH<sub>3</sub>) gas (3)

#### OR

What is atomicity? State the atomicity of the following elements:

- (i) Neon(ii) Nitrogen(iii) Phosphorus(iv)Sulphur(3)
- 13. The number of dengue cases increased in Seema's village in the last one year. She had read in her textbook that diseases like dengue spread through mosquitoes which breed in stagnant water. She immediately discussed this with her friends and decided to get rid of the mosquitoes in the water bodies in their locality. They also took help of the nearest municipal office. Answer the following questions based on the above information: (3)

(a) Suggest any two measures for the prevention of diseases caused by mosquitoes.

- (b) Which values are displayed by Seema in taking the initiative?
- (c) Suggest one school activity to promote such values in school students.
- **14.** How does the cell wall help the cell to survive in a hypotonic solution? (3)

#### OR

What would happen if all the cells of our body were of the same shape and size?

- **15.**Near the coastal areas, wind blows from the sea towards the land during the day and from the land towards the sea during the night. Explain giving reason. (3)
- **16.** Name the five classes of vertebrates. Compare any two classes on the basis of (5)
  - (a) Habitat
  - (b) Covering of skin
  - (c) Respiratory organs
  - (d) Chambers of heart
  - (e) Reproduction
- 17. (a) A car weighing 900 kg and travelling with a velocity of 25 m/s stops at a distance of 100 m while decelerating uniformly. What is the force exerted on the car when the brakes are applied? (3)
  - (b) What is the work done by the brakes?
- 18. (a)Differentiate between three states of matter on the basis of the following properties:(i) Intermolecular forces (ii) Arrangement of molecules
  - (b) Liquids generally have lower density compared to solids, but ice floats on water. Give reason. (5)

#### OR

What is electrovalency? Explain the formation of an electrovalent bond with the help of an example.

- **19.** (a) What are the effects of force?
  - (b) Give the full form of SONAR.

What are the other applications of ultrasonic sound? (Any two)

#### **20.** Give reasons:

a. Majority of children in many parts of India are already immune to Hepatitis A.

- b. Chronic diseases cause more harm to the body than acute diseases.
- c. Balanced diet is necessary for maintaining healthy body.
- d. Social harmony and good economic conditions are necessary for good health.
- e. Infectious diseases are called communicable diseases.

(5)

(5)

(2)

- (a) Give reasons for the following:
  - (i) Bryophytes are called amphibians of plant kingdom.
  - (ii)From Phylum Platyhelminthes onwards, animals are categorized as 'triploblastic'.
  - (iii) The presence of 'coelom' in an animal's body is considered as advantageous.
- (b) What are oviparous animals?
- (c) Name the phylum in which pharyngeal gill slits are present.

- (a) Differentiate between evaporation and boiling.
  - (b)How does evaporation cause cooling?

(5)

# Section **B**

22.A teacher studied the slide given below under a compound microscope. Which of the following students identified it correctly? Why? (2)



- A. Sheela -Cheek cells
- B. Madhu Squamous epithelium
- C. Balaji Parenchyma
- D. Shanti Onion peel

**23.** Aditi observed the following while looking at a permanent slide.

(2)

- Cells are long and cylindrical.
- Light and dark bands are present.
- (a) Which cell/tissue did Aditi observe on the slide?
- (b) What are the functions of this cell/tissue?

# OR

You can bite fruits like guava, grapes, banana etc, but not a piece of wood. Why?

**24.** How will you separate the following:

- (i) Oxygen gas from air
- (ii) Iron filings from sugar

- (iii) Crystals of alum from impure samples
- (iv) Common salt from ammonium chloride
- **25.** Why is digestion classified as a chemical change? (2)
- **26.** Why is it easier to swim in seawater rather than in fresh water of the swimming pool?(2)
- 27. How can two whales which are hundred kilometres away communicate with each other? (2)

# CBSE Class IX Science Solution

# **Section** A

- **1.** The main objective of mixed cropping is to reduce the risk of crop failure due to adverse weather conditions.
- 2. <u>Processes which play an important role in the oxygen cycle:</u>(a) Photosynthesis
  - (b) Respiration
- **3.** The ozone layer absorbs harmful ultraviolet radiations emittedby the Sun and prevents them from reaching the surface of the Earth as these radiations cause harmful effects to human beings, plants and animals.
- **4.** A car is moving with a velocity of 20 m/s.

$$\therefore$$
 u = 20 m/s

The body comes to rest after applying the brakes

$$\therefore$$
 v = 0  
acceleration =  $-1$ m/s<sup>2</sup>

Distance covered (s)=?

by using the  $3^{rd}$  kinematical equation we get,

$$v^{2} = u^{2} + 2as$$
  
→ 0 = 20<sup>2</sup> + 2×(-1)×s  
→ 0 = 400 - 2s  
→ 2s = 400  
∴ s =  $\frac{400}{2}$  = 200 metres.

**5.** Newton's second law of motion states that the rate of change of momentum of a body is directly proportional to applied force and occurs in the direction in which the force acts. Explanation: The rate of change of momentum can be obtained by dividing the change in momentum by time. So ,he second law of motion can be expressed as

force(F) 
$$\propto \frac{change in momentum}{time}$$
  
change in momentum is given by mv-mu  
 $\therefore$  force(F)  $\propto \frac{mv-mu}{t} \propto \frac{m(v-u)}{t}$   
 $\because$  rate of change of velocity is acceleration  
 $\frac{(v-u)}{t} = a$   
 $\therefore$  F  $\propto$  m×a  
 $\therefore$  F=k×m×a  
In S.I. unit vlue of k=1

- $\therefore$  F=m×a
- **6.** Limitations of Thomson's atomic model:
  - Although Thomson's atomic model explained why an atom is electrically neutral, it could not explain the distribution of electrons in the atom.
  - If we accept that electrons are embedded in the positive charge, then the opposite electric charges should cancel each other out and the charged sphere would become chargeless.
  - Thomson's model could not explain why different elements have different chemical properties.
- 7. <u>Advantages of irrigation:</u>
  - (a) Fresh water supplies hydrogen and oxygen to plants.
  - (b) It provides enough moisture to the soil for the germination of seeds.
  - (c) Irrigated soil is soft and new roots can penetrate and growvery well.
  - (d) It causes an increase in the number of tillers in crop plants, as they cannot grow in dry soil.
  - (e) It helps in the absorption of minerals and salts by roots which are necessary for the growth and development of plants.

# 8.

(a) Naphthalene easilyundergoes sublimation, i.e.change of state of naphthalene from solid to gas without the interveningliquid state. Thus, naphthalene balls form naphthalene vapour which disappears into the air with time without leaving any solid residue.

- (b) Gaseous particles possess high speed and move very rapidly in all directions. When perfume is sprayed, its particles diffuse into the particles of air at a very fast rate and reach our nostrils. This enables us to smell the perfume from a distance.
- (c) After a hot sunny day, people sprinkle water on the roof or open ground because the large latent heat of vaporisation of water helps to cool the hot surface.
- **9.** The body experiences uniform velocity if it travels in a specified direction in a straight line and moves over equal distances in equal intervals of time. Two ways to change the velocity of a body:
  - i) Change the speed of the body
    - ii) Keep the speed constant and change the direction
- **10.Balanced force** is a force where the resultant of all the forces acting on a body is zero. **Unbalanced force** is a force where the resultant of all the forces acting on a body is not zero.

A child applies a force of 20 N and the force applied by the object on the ground is 20 N; thus, the net force applied on the body will be zero.

As the total net force on the object is zero. The force applied on it was a balanced force.

**11.**Pressure is the ratio of force (F) exerted by a body to the area (A) upon which the body is exerting the force. Also, weight (W) is the force exerted by a body due to the Earth's gravitational pull, i.e. F=W.



W = mg

Acceleration due to gravity  $(g) = 10 \text{ m}/\text{s}^2$ 

$$\therefore$$
 W = 5×10 = 50 N  
Force (F)

Pressure (P) = 
$$\frac{10100}{\text{Area}(A)}$$

i) for the surface of  $50 \times 25$  cm to be in contact with the floor.

Area of the surface that is in contact with the floor (A)=  $\ell \times b = 50 \times 25$ 

$$A = 50 \times 25 = 1250 \text{ cm}^2 = 0.125 \text{ m}^2$$

$$\therefore P = \frac{50}{0.125} = 400 Pa$$

Pressure exerted by the block on the floor is 400 Pascal.



ii) for the surface of  $75 \times 50$  cm to be in contact with the floor. Area of the surface that is in contact with the floor (A)= $\ell \times b = 75 \times 50$ A =  $75 \times 50 = 3750$  cm<sup>2</sup> = 0.375 m<sup>2</sup>  $\therefore P = \frac{50}{0.375} = 133.3$  Pa

Pressure exerted by the block on the floor is 133.3 Pascal.

#### OR

The force of gravitation is calculated by using the equation

 $\mathbf{F} = \mathbf{G} \times \frac{\mathbf{m}_1 \mathbf{m}_2}{\mathbf{r}^2}$ 

Gravitation constant G =  $6.7 \times 10^{-11}$  Nm<sup>2</sup> / kg<sup>2</sup>

Mass of 1st box  $(m_1) = 15$  kg

Mass of 2nd box $(m_2)$  = 25 kg

the boxes are lying on the floor at the distance of 20cm

from one another.

 $\therefore$  r = 20 cm

Substituting all the relevant values in the above equation

F = 6.7×10<sup>-11</sup>×
$$\frac{15\times25}{(20)^2}$$
  
∴ F = 6.28×10<sup>-11</sup> N

- (i) Number of molecules in 10 g of N<sub>2</sub> gas, N = n x N<sub>0</sub>
- $= \frac{m}{M} \times N_0$   $= \frac{10}{14} \times 6.022 \times 10^{23}$   $= 4.30 \times 10^{23} \text{ molecules}$ (ii) Number of molecules in 10 g of NH<sub>3</sub> gas, N =  $\frac{m}{M} \times N_0$   $= \frac{10}{17} \times 6.022 \times 10^{23}$   $= 3.542 \times 10^{23} \text{ molecules}$ So, 10 g of ammonia has more molecules.

#### OR

Atomicity: Number of atoms in a single molecule of an element is called atomicity.

Name of element	Atomicity		
Neon	Monoatomic		
Nitrogen	Diatomic		
Phosphorus	Tetra-atomic		
Sulphur	Poly-atomic		

13.

(a) <u>Measures for the prevention of diseases caused by mosquitoes:</u>

- Avoid water logging
- Ensure proper and regular disinfection
- Promote the use of mosquito nets and repellents
- (b) <u>Values displayed by Seema in taking the initiative:</u> (any two)
  - Community service
  - Social responsibility
  - Environmental protection
  - Awareness about healthy living conditions

(c) <u>School activities to promote values in school students:</u>

- Organising campaigns for creating awareness among the masses
- Organising debates
- Arranging similar community services
- Group discussion

- (a) When surrounded by a hypotonic solution, the cell takes up water by osmosis.
- (b) The cell swells, building up pressure against the cell wall.
- (c) The cell wall exerts an equal pressure against the swollen cell.
- (d) Because of the cell wall, such cells can withstand hypotonic solutions to a great extent.

### OR

Different cells of our body assume different sizes and shapes to perform certain specific functions. Our complex body needs a huge range of functions to be carried out. If all the cells of our body were of the same size, shape and volume, then they would all perform the same function and the multitude of other important functions cannot be carried out, without which human life would not be possible.

15.

- (a) During the day, air above the land gets heated up faster and starts rising.
- (b) As this air rises, a region of low pressure is created and the air above the sea moves into this area of low pressure. The direction of the wind would be from the sea to the land.
- (c) During night, both land and sea begin to cool. Since water cools down slower than the land, the air above the sea would be warmer than the air above the land. As a result, the wind current is from the land to the sea.
- **16.** Pisces, Amphibia, Reptilia, Aves and Mammalia are the five classes of vertebrates. (You can pick up any two of the five classes of vertebrates for comparison)

Sr.no.	Characteristics	Pisces	Amphibia	Reptilia	Aves	Mammalia
(a)	Habitat	Aquatic	Aquatic	Aquatic	Terrestrial	Mainly
			and	and	and aerial	terrestrial
			terrestrial	terrestrial		
(b)	Skin cover	Scales	Mucous	Scales	Feathers	Hair
			glands in			
			skin			
(c)	Respiratory	Gills	Gills and	Lungs	Lungs	Lungs
	organs		lungs			
(d)	Chambers of	Two	Three	Three	Four	Four
	heart					
(e)	Reproduction	Lay eggs	Lay eggs in	Lay eggs	Lay eggs	Give birth
		in water	water			to young
						ones

(a)

We have to find the deceleration in order to calculate force

initial speed (u)=25 m/s

final speed (v)= 0

displacement (s)= 100 m

by substituting the above values in equation

 $v^2 = u^2 + 2as$ 

### we get

 $0 = 25^2 + 2 \times a \times 100$ 

$$200a = -625$$

$$a = \frac{-623}{200} = -3.12 \text{ m/s}^2$$

The force exerted by the brakes can be calculated by using formula:

F= m×a m=900 kg a=-3.12 m/s<sup>2</sup> F = 900 × (-3.12) ∴ F = -2808 N The negative sign indicates that it is retarding force.

(b) Work (W) = Force (F)×Displacement (s) ...(1) Force (F)= 2808 N  $\therefore$  Displacement (s) = 100 m Substituting the above value of displacement and force in equation (1) Work done, W= 2808×100  $\therefore$  W = 2.8×10<sup>5</sup> Joule

Therefore, work done by the car to reach the river side is  $2.8 \times 10^5$  Joule .

# 18.

(a)

Solids: (i) Have maximum intermolecular forces of attraction

(ii) Have closely packed molecules

Liquids: (i) Have lesser intermolecular forces of attraction

(ii) Have less closely packedmolecules

Gases: (i) Have least intermolecular forces of attraction

(ii) Have molecules which are far away from each other

(b)When water freezes to form ice, its volume increases, and hence, its density decreases. As ice has lower density than water, it floats on water.

#### OR

Electrovalency

- When one atom transfers one or more electrons to another atom, the bond formed between them is known as an electrovalent bond or electrovalency.
- The compounds thus formed are known as electrovalent compounds.

### Formation of Electrovalent Bond

- When one atom loses electrons, it acquires a positive charge. Conversely, when an atom accepts electrons, it acquires a negative charge.
- An atom possessing an electrical charge is known as an ion.
- A positively charged ion is known as a cation, while a negatively charged ion is known as an anion.
- Being oppositely charged, the cation and anion are attracted towards each other and form a bond held together by electrostatic attraction.

Consider the example of formation of the compound sodium chloride to understand this better.

- When a sodium atom and a chlorine atom combine, the sodium atom loses an electron and forms a sodium ion.
- The sodium ion is a cation, i.e. it carries a positive charge.
- The chlorine atom which already has 7 electrons in its outermost orbit accepts the electron lost by the sodium atom and gets converted to a chloride ion.
- The chloride ion is an anion, i.e. it carries a negative charge.
- The sodium ion and chloride ion being oppositely charged are attracted towards each other. The linkage or bond formed between these ions will be the electrovalent or ionic bond.
- The compound thus formed is NaCl or sodium chloride.



Formation of sodium chloride molecule

- Formation of electrovalent bonds is mainly observed between metals and non-metals.
- Metals generally have upto 3 electrons in their valence orbit, while non-metals generally have 5 to 7 electrons in their valence shell.

**19.** (a)Effects of force:A force can

- i) Movea stationary body
- ii) Stopa moving body
- iii) Changethe speed of a body
- iv) Change the direction of motion
- v) Change the size and shape of a body

(b) SONAR: Sound Navigation and Ranging

# Applications:

i) For detecting flaws in metal blocks

ii) For investigating the internal organs of the human body such as liver, gall bladder etc.

# 20.

- a. Majority of children in India are exposed to Hepatitis A virus through water and thereby the body develops immunity against the virus.
- b. Chronic diseases last for a long time, even as much as a life and hence cause more harm to the body.
- c. Balanced diet provides energy in appropriate amount which is needed for the substances such as carbohydrates, protein, fats which are essential for proper growth and functioning of the healthy body.
- d. Human beings live in societies and different localities like villages or cities which determines the social and physical environment. Hence, both are to be kept in harmony. Public cleanliness is important for individual health. We need good food for healthy body for better living conditions and for the treatment of diseases.
- e. Infectious diseases are caused by microbes. Microbes can spread in the community and thereby spread the disease. Infectious diseases are hence called communicable diseases.

### OR

(a)

- (i) Just like amphibians, bryophytes require water for fertilization as their gametes require aqueous medium for movement.
- (ii) There are three layers of cells from which differentiated tissues can be made. This allows inside and outside body linings as well as some organs to be made. There is thus some degree of tissue formation.

- (iii)Coelom is a true internal body cavity in which well-developed organs can be accommodated.
- (b) The animals which lay eggs are known as oviparous animals.
- (c) Chordata.

(a) Differences between Evaporation and Boiling:

Evaporation	Boiling
It is a surface phenomenon.	It is a bulk phenomenon.
It is a slow process.	It is a rapid process.
It takes place at all	It takes place at a definite and
temperatures but below the	constant temperature.
boiling point.	

## (b)

When evaporation occurs, the particles of the liquid absorb heat from the surroundings to regain the energy lost during evaporation. This absorption of energy from the surroundings makes it cool.

# Section B

**22.**Sheela identified the cells correctly as human cheek cells. The human cheek cell is an animal cell. When mounted on a slide, it clearly shows the presence of a plasma membrane, cytoplasm and nucleus.

### 23.

- (a) Based on the observations, the slide describes striated muscle fibres which have long and cylindrical cells with striations, i.e. light and dark bands.
- (b) Striated muscles provide the force for locomotion and all other voluntary movements of the body.

#### OR

Wood is hard due to thickenings present in the cells, mainly made up of dead cells. It comprises of thickened secondary xylem.

### 24.

- (i) Oxygen gas from air: Fractional distillation of liquid air
- (ii) Iron filings from sugar: Magnetic separation
- (ii) Crystals of alum from impure samples: Crystallisation
- (iii) Common salt from ammonium chloride: Sublimation
- **25.**Digestion is a process where food nutrients such as carbohydrates, proteins, fats, vitamins and other materials are broken down into simpler substances with the release of energy.

New substances are formed during the process of digestion. Thus, digestion is a chemical change.

- **26.**It is easier to swim in seawater than in fresh water because the density of seawater is higher than that of fresh water. As density increases, the buoyant force exerted by it also increases.
- **27.**Speed of sound is 5 times faster in water than in air. Hence, whales even a hundred kilometres away can communicate. The speed of sound in water is 1500 m/s.