# **Chapter 9. Nervous System**

#### **PAGE NO 115**

#### **Solution 1:**

- 1. Central Nervous System
- 2. Autonomic Nervous System
- 3. Conus medullaris / Medullary cone
- 4. Mixed neurons
- 5. Neuroscience
- 6. Sensory neurons
- 7. Motor neurons
- 8. White matter
- 9. White matter
- 10. Dura mater
- 11. Neuron
- 12. Meninges
- 13. Cranium
- 14. Neocortex / Neopallium
- 15. Limbic system
- 16. Corpora quadrigemina
- 17. Olfactory Lobes
- 18. Median fissure
- 19. Agraphia
- 20. Brain
- 21. Aphasia
- 22. Trigeminal nerve
- 23. Sympathetic nervous system
- 24. Dendrites
- 25. Bipolar neuron
- 26. Sclera
- 27. Myopia
- 28. Semicircular canal
- 29. Rhodopsin

#### **PAGE NO: 116**

#### **Solution 2:**

- 1. Ear pinna The pinna or the external ear collects the sound waves from different directions and send them to the middle ear.
- 2. External auditory meatus It forms a passage from the pinna to the eardrum.
- 3. Cochlea It converts vibrations into nerve impulses and thus helps in hearing.
- 4. Semicircular canals It responds to change in position and maintains balance.
- 5. Lachrymal gland It secretes a watery fluid which washes the surface of eyes.
- 6. Eyelids It blinks to clean the dust and grit from the cornea.
- 7. Retina It is a photosensitive layer to receive the image.
- 8. Eye lens It focuses the image on the retina.

- 9. Pupil It regulates the amount of light that enters the eye.
- 10. Olfactory lobe These are concerned with the sense of smell.
- 11. Optic lobe These are concerned with vision.
- 12. Medulla oblongata It controls involuntary functions of the body like coughing, swallowing, breathing, heartbeat, etc.

#### **Solution 3:**

- 1. Nephron
- 2. Blind spot
- 3. Myelin
- 4. Olfactory lobe
- 5. Cranial nerve

#### **Solution 4:**

(i) Lens	→ (a) Adjustment of light rays
(ii) Lachrymal gland	→ (c) Secretion of tear
(iii) Olfactory epithelium (iv) Cochlea (v) Semicircular canal (vi) Eyes	<ul> <li>→ (f) Smell</li> <li>→ (e) Hearing</li> <li>→ (d) Balance of the body</li> <li>→ (b) Vision</li> </ul>

#### **Solution 5:**

- 1. Nerve impulse It is an electrochemical change occurring in the membrane of a nerve fibre produced by a stimulus.
- 2. Axon It is a fibre like process of the neuron which carries impulses away from the cell body.
- 3. Cyton It is an oval, angular, polygonal or stellate body which contains a large central nucleus.
- 4. Action potential A momentary change in electrical potential on the surface of a cell, or a nerve or muscle cell, that occurs when it is stimulated, resulting in the transmission of an electrical impulse.
- 5. Reflex action It is an immediate and involuntary response to a stimulus.
- 6. Yellow spot It is the region of best vision where more cone cells are present.
- 7. Blind spot It is the region of no image formation because of lack of cone cells.
- 8. Power of accommodation It is the ability of the lens to focus on far and distant objects.

## **Solution 6:**

(i) Nerve cell and neuroglia cell -

Nerve cell	Neuroglia cell
	These are not the conducting cells but are helper cells to the nerve cells or neurons.

(ii) Nervous system and hormonal system -

Nervous system	Hormonal system
(i) It co-ordinates the body through	(i) It secretes hormones.
electrical impulses.	
(ii) The nervous system controls muscle movement, senses, heartbeat, breathing, digestion, memory and speech	(ii) The endocrine system controls levels of glucose in the blood, hydration levels, heat productivity, sexual maturity, sperm and egg production and growth of cells and tissues.

(iii) Cranial nerve and spinal nerve -

Cranial nerve	Spinal nerve
(i) They arise from brain.	(i) They arise from spinal cord.
(ii) There are 12 pairs of cranial nerves.	(ii) There are 31 pairs of spinal nerves.

(iv) Cerebrum and cerebellum -

Cerebrum	Cerebellum
It is concerned with intelligence, memory	It is concerned with body equilibrium.
and voluntary activities.	

(v) Adrenalin and acetylcholine -

Adrenalin	Acetylcholine
It is a neurotransmitter which increases	It is a neurotransmitter which slows
the heart beat to meet any emergency.	down the heart beat.

## (vi) Motor and sensory nerve -

Motor nerve	Sensory nerve
	A sensory nerve contains sensory fibres
which bring impulses from the brain or	which bring impulses from the sense
spinal cord to the effector organs.	organs to the brain or spinal cord.


## (vii) Grey matter and white matter -

Grey matter	White matter
(i) It is composed of cell bodies of a	(i) It is composed of axons from the
nerve cell.	nerve cells.
(ii) It lies outside the brain but inside the	(ii) It lies inside the brain but outside the
spinal cord.	spinal cord.

## (viii) Myopia and Hypermetropia -


Myopia	Hypermetropia
(i) The image of distant object is	(i) The image is produced beyond the
produced in the front and not on the	retina as the light rays are unable to
retina.	converge on the retina.
(ii) It results from abnormally long	(ii) It results from abnormally short
eyeball.	eyeball.
(iii) The defect can be produced by high	(iii) The defect can be produced by low
convexity of the lens.	convexity of the lens.
(iv) It can be corrected by the use of	(iv) It can be corrected by the use of
spectacles having concave lens.	spectacles having convex lens.

#### **Solution 7:**




### **PAGE NO: 117**

## **Solution 8:**



#### **Solution 9:**



#### **Solution 10:**


- 1. A Cerebrum; B Cerebellum; C Medulla oblongata
- 2. (A) Cerebrum It is concerned with intelligence, memory and voluntary activities.
- 3. Cerebellum It is concerned with body equilibrium.
- 4. Medulla oblongata It controls all involuntary activities like heart beat, respiration, etc. The three protective membranes covering the brain are :
  - o Dura mater
  - Arachnoid mater
  - Pia mater.
- 5. Neuron is the basic unit of the brain.

#### **PAGE NO: 118**

#### **Solution 11:**

- 1. Meninges It is located around the brain and spinal cord.
- 2. Ganglia It is located outside the brain and spinal cord.
- 3. Cerebellum It is located behind cerebrum and above medulla oblongata in the brain.
- 4. Nodes of Ranvier It is located on the unmyelinated areas on the axon.
- 5. Effector organs It is located in muscle, gland or any organ of the body.

#### **Solution 12:**



### **Solution 13:**

Difference between nerve and neuron:

Nerve	Neuron
It is a collection of axons leading to or	A nerve cell with its processes is called a
from the central nervous system.	neuron.

#### **Solution 14:**

- 1. Iris: It is located in the eye. Its function is to protect the eyeball and controls the size of the pupil.
- 2. Semicircular canals: It is located in the inner ear. These are concerned with the body equilibrium.

#### **Solution 15:**

Following are the two examples of reflex actions in our daily life:

- 1. Removing hand suddenly when pricked by a thorn.
- 2. Blinking of eyelids on exposure to light.

#### **Solution 16:**

- 1. Reflex action It is an immediate and involuntary response to a stimulus.
- 2. Example of a conditioned reflex: Tying one's shoe lace.

#### **Solution 17:**

- 1. (a) Bone of skull
- 2. (b) Inner ear
- 3. (c) Eardrum
- 4. (d) Bone of skull
- 5. (e) Bone of middle ear
- 6. (f) Middle ear
- 7. (g) Air filled
- 8. (ii) (b) Inner ear It transmits the impulse to brain.
- 9. (d) Bone of skull It helps in fixing the position of the ears to help the brain use auditory cues to judge direction and distance of sounds.
- 10. (g) Air filled It keeps the pressure in the middle ear equalized with pressure in the outside.
- 11. (iii) The main division of the ear are: outer ear, middle ear and inner ear.
- 12. (iv) Stirrup
- 13. (v) The labyrinth is the inner ear which consists of utriculus, sacculus, cochlea and three semicircular canals.

#### **Solution 18:**

- 1. A Semi-circular canal
  - B Utriculus
  - C Sacculus
  - D Cochlea
  - (ii) Auditory nerve.
  - (iii) 1. Utriculus and sacculus
- 2. Semi-circular canal
- 3. Cochlea
- 4. Sensory cells of organ of Corti
- 5. Perilymph

#### **Solution 19:**

1. Cochlea – It helps in hearing by transmitting impulses to the brain through auditory nerves.

- 2. Fovea centralis It is a point at retina where more cone cells are concentrated and thus produces sharpest vision.
- 3. Three semicircular canals It maintains the dynamic equilibrium.
- 4. Retina It prevents the reflection of light.
- 5. Lachrymal glands It produces tear to lubricate the eyeball.

#### **Solution 20:**

The arrangement of neurons in

Cerebrum: cytons are present outside and axons are inside Spinal cord: cytons are present inside and axons are outside.

#### **Solution 211:**

Functions of medulla oblongata -

- 1. It controls the involuntary activities like respiration, circulation, digestion, etc.
- 2. It controls the dilation and constriction of blood vessels.

#### **Solution 22:**

Reflex action – It is an immediate and involuntary response to a stimulus.


Example - 1. Blinking of eyelids on exposure to light.

2. Knee jerk.

#### **PAGE NO: 119**

#### **Solution 23:**

- (i) Hypermetropia.
- (ii) There are two main conditions in the eye which is responsible for this defect:
  - 1. Shortening of the eyeball from front to back.
  - 2. The lens is less concave.
- (iii) Correction of Hypermetropia:



(iv) Both the eyes facing forward helps in judging the depth or relative distance. This is due to overlapping images formed in brain from both eyes which focus on an object together at one time.


#### **Solution 24:**

Cone cells.

## **Solution 25:**


- (i) 1-Retina
- 2 Yellow spot
- 3 Blind spot
- 4 Optic nerve
- 5 Lens
- (ii) Optic nerves It transmits the impulses to the brain.

  Lens It focuses the image on the retina.
- (iii) Short sightedness:



#### **Solution 26:**

- (i) Myopia.
- (ii) 1. Vitreous humor
  - 2. Fovea
  - 3. Optic nerve
- (iii) 1. Lengthening of the eyeball from front to back.
  - 2. Lens is too curved.
- (iv) Correction of Myopia:



#### **Solution 27:**

- 1. Cochlea: It helps in hearing by transmitting impulses to the brain through auditory nerves.
- 2. Meninges: It provides protection to brain and spinal cord.

#### **Solution 28:**

One feels blinded for a short while on coming out of a dark room. This is called light adaptation of the eye. It is due to the constriction of the pupil to prevent the entry of light into the eye and pigment rhodopsin is bleached to reduce the sensitivity of the rods.

## **Solution 29:**

- 1. Iris
- 2. Cerebrospinal fluid

#### **Solution 30:**

- 1. True
- 2. True
- 3. True
- 4. True
- 5. False
- 6. True
- 7. False
- 8. False

#### **PAGE NO: 120**

## **Solution 31:**

- 1. (d) nerve cell
- 2. (b) cerebrum
- 3. (a) 31
- 4. (b) 12
- 5. (a) dura mater
- 6. (a) ear
- 7. (c) rhodopsin
- 8. (a) twilight vision
- 9. (d) macula
- 10. (d) two nerves
- 11. (c) hearing
- 12. (b) 31
- 13. (a) eustachian
- 14. (c) iris
- 15. (b) cones
- 16. (b) Ear
- 17. (d) corpus callosum
- 18. (d) eye
- 19. (d) filter light
- 20. (b) the two cerebral hemispheres