# **CBSE Test Paper 02**

# **CH-06 Linear Inequalities**

- 1. What is the solution set for  $\left|\frac{2x-1}{x-1}\right|>2$  ?
  - a. none of these

b. 
$$\left(\frac{3}{4},1\right)\cup^{(}1,\infty)$$

c. 
$$\left(\frac{1}{4},1\right)\cup^{\left(1,\infty\right)}$$

d. 
$$\left(-\frac{3}{4},1\right)\cup^{\left(1,\infty\right)}$$

2. The solution set for :  $\left|\frac{2(3-x)}{5}\right| < \frac{3}{5}$ 

a. 
$$(\frac{1}{2}, \frac{3}{2})$$

b. none of these

d. 
$$(\frac{1}{4}, \frac{3}{4})$$

3. If a , b , c are real numbers such that  $a \ > \ b \ , \ c \ < \ 0$ 

a. 
$$ac > bc$$

c. 
$$ac \ge bc$$

- d. none of these
- 4. Identify the solution set for  $\frac{7x-5}{8x+3} > 4$

a. 
$$\left(-\frac{5}{7}, -\frac{3}{8}\right)$$

b. 
$$\left(-\frac{31}{28}, -\frac{3}{8}\right)$$

c. 
$$\left(-\frac{17}{25}, -\frac{3}{8}\right)$$

- d. none of these.
- 5. Solve the system of inequalities

$$(x \, + \, 5\,) \, - \, 7 \, (\, x \, - \, 2\,) \, \geq \, 4x \, + \, 9 \, , \, 2 \, (\, x \, - \, 3\,) \, - \, 7 \, (\, x \, + \, 5\,) \, \leq \, 3x \, - \, 9$$

a. 
$$-9/4 \le x \le 1$$

b. 
$$-4 \le x \le 1$$

c. 
$$-1 \le x \le 1$$

d. 
$$-4 < x < 4$$

6. Fill in the blanks:

A \_\_\_\_\_ line will divide the xy-plane in two parts, left half plane and right half plane.

7. Fill in the blanks:


The solution set for the linear inequality  $4x + 2 \ge 14$  is \_\_\_\_\_.

- 8. Solve the inequalities:  $-12 < 4 \frac{3x}{-5} \leqslant 2$
- 9. Solve: 3x 7 > x + 1
- 10. Check that the plane  $5x + 2y \le 5$  contains origin or not.
- 11. Find all pairs of consecutive odd natural number, both of which are larger than 10, such that their sum is less than 40.
- 12. In the first four examinations, each of 100 marks, Mohan got 94, 73, 72 and 84 marks. If a final average greater than or equal to 80 and less than 90 is needed to obtain a final grade B in a course, then what range of marks in the fifth (last) examination will result if Mohan receiving B in the course?
- 13. Solve the inequalities and show the graph of the solution in case on number line.

$$\frac{x}{2} \geqslant \frac{(5x-2)}{3} - \frac{(7x-3)}{5}$$

- 14. Find all pairs of consecutive odd positive integers both of which are smaller than 10 such that their sum is more than 11.
- 15. Find the linear inequations for which the shaded area in the figure is the solution set.

  Draw the diagram of the solution set of the linear inequations:



CBSE Test Paper 02 CH-06 Linear Inequalities

#### **Solution**

1. (b) 
$$\left(\frac{3}{4},1\right)\cup^{\left(1,\infty\right)}$$

## **Explanation:**

$$\left|\frac{2x-1}{x-1}\right|>2$$
 
$$\Rightarrow \frac{2x-1}{x-1}>2 \quad or \quad \frac{2x-1}{x-1}<-2 \qquad \qquad [\because |x|>a\Rightarrow x<-a \quad or \quad x>a]$$
 First consider  $\frac{2x-1}{x-1}>2$ 

$$egin{array}{l} rac{2x-1}{x-1} - 2 > 0 \ \Rightarrow rac{2x-1-2(x-1)}{x-1} > 0 \ \Rightarrow rac{2x-1-2x+2}{x-1} > 0 \end{array}$$

$$\begin{array}{l} \Rightarrow x-1>0 \\ \Rightarrow x>1 \\ \Rightarrow x\epsilon(1,\infty) \\ \text{Now } \frac{2x-1}{x-1}<-2 \\ \Rightarrow \frac{2x-1}{x-1}+2<0 \\ \Rightarrow \frac{2x-1+2(x-1)}{x-1}<0 \\ \Rightarrow \frac{4x-3}{x-1}<0 \\ \Rightarrow (4x-3>0 \text{ and } x-1<0) \text{ or } (4x-3<0 \text{ and } x-1>0) \\ \left[\because \frac{a}{b}<0\Rightarrow (a>0 \text{ and } b<0)\right] \\ \Rightarrow \left(x>\frac{3}{4} \quad \text{and} \quad x<1\right) \text{ or } \left(x<\frac{3}{4} \quad \text{and} \quad x>1\right) \\ \left[\text{Since } x<\frac{3}{4} \quad \text{and} \quad x>1 \text{ is not possible}\right] \\ \Rightarrow x\in\left(\frac{3}{4},1\right) \end{array}$$

Hence the solution set of  $rac{2x-1}{x-1}>2$  or  $rac{2x-1}{x-1}<-2$  will be  $(1,\infty)\cup\left(rac{3}{4},1
ight)$ 

2. (c) (3/2, 9/2)

 $\Rightarrow \frac{1}{x-1} > 0$ 

### **Explanation:**

$$\begin{split} \left| \frac{2(3-x)}{5} \right| &< \frac{3}{5} \\ \Rightarrow -\frac{3}{5} < \frac{2(3-x)}{5} < \frac{3}{5} \\ \Rightarrow -\frac{3}{5} \cdot \frac{5}{2} < \frac{2(3-x)}{5} \cdot \frac{5}{2} < \frac{3}{5} \cdot \frac{5}{2} \\ \Rightarrow -\frac{3}{2} < 3 - x < \frac{3}{2} \\ \Rightarrow -\frac{3}{2} - 3 < 3 - x - 3 < \frac{3}{2} - 3 \\ \Rightarrow -\frac{9}{2} < -x < \frac{-3}{2} \\ \Rightarrow \frac{9}{2} > x > \frac{3}{2} \\ \Rightarrow x \in \left(\frac{3}{2}, \frac{9}{2}\right) \left[\because |x| < a \Leftrightarrow -a < x < a\right] \end{split}$$

3. (b) ac < bc

#### **Explanation:**

The sign of the inequality is to be reversed (< to > or > to <) if

both sides of an inequality are multiplied by the same negative real number.

4. (c) 
$$\left(-\frac{17}{25}, -\frac{3}{8}\right)$$

### **Explanation:**

$$\begin{array}{l} \frac{7x-5}{8x+3} > 4 \\ \Rightarrow \frac{7x-5}{8x+3} - 4 > 0 \\ \Rightarrow \frac{7x-5-4(8x+3)}{8x+3} > 0 \\ \Rightarrow \frac{7x-5-32x-12}{8x+3} > 0 \\ \Rightarrow \frac{-(25x+17)}{8x+3} > 0 \\ \Rightarrow \frac{(25x+17)}{8x+3} < 0 \\ \Rightarrow (25x+17>0 \text{ and } 8x+3<0) \text{ or } (25x+17<0 \text{ and } 8x+3>0) \\ \left[\because \frac{a}{b} < 0 \Rightarrow (a>0 \text{ and } b<0) \text{ or } (a<0 \text{ and } b>0)\right] \\ \Rightarrow \left(x>\frac{-17}{25} \text{ and } x<\frac{-3}{8}\right) \text{ or } \left(x<\frac{-17}{25} \text{ and } x>\frac{-3}{8}\right) \\ \Rightarrow \frac{-17}{25} < x<\frac{-3}{8} \left[\text{Since } x<\frac{-17}{25} \text{ and } x>\frac{-3}{8}is \text{ not possible}\right] \\ \Rightarrow x\epsilon\left(-\frac{17}{25},-\frac{3}{8}\right) \end{array}$$

5. (b) 
$$-4 \le x \le 1$$

## **Explanation:**

$$(x + 5) - 7(x - 2) \ge 4x + 9$$
  
 $\Rightarrow x + 5 - 7x + 14 \ge 4x + 9$   
 $\Rightarrow -6x + 19 \ge 4x + 9$   
 $\Rightarrow -6x - 4x \ge 9 - 19$   
 $\Rightarrow -10x \ge -10$   
 $\Rightarrow x \le 1$   
 $\Rightarrow x \in (-\infty, 1]$   
 $(x - 3) - 7(x + 5) \le 3x - 9$   
 $\Rightarrow 2x - 6 - 7x - 35 \le 3x - 9$   
 $\Rightarrow -5x - 41 \le 3x - 9$   
 $\Rightarrow -5x - 3x \le 41 - 9$ 

$$\Rightarrow -8x < 32$$

$$\Rightarrow -x \leq \frac{32}{8} = 4$$

$$\Rightarrow x \ge -4$$

$$\Rightarrow x\epsilon[-4,\infty)$$

Hence the solution set is  $[-4,\infty)\bigcap(-\infty,1]=[-4,1]$ 

Which means  $-4 \le x \le 1$ 

- 6. vertical
- 7.  $x \in [3, \infty)$

8. We have 
$$-12 < 4 - \frac{3x}{-5} \leqslant 2$$

$$\Rightarrow -16 < \frac{-3x}{-5} \leqslant -2 \Rightarrow -16 < \frac{3x}{5} \leqslant -2 \Rightarrow -80 < 3x \leqslant -10$$

$$\Rightarrow \frac{-80}{3} < x \leqslant \frac{-10}{3}$$

9. 
$$\Rightarrow$$
 3x - x > 1 + 7

$$\Rightarrow$$
 2x > 8

$$\Rightarrow$$
 x >  $\frac{8}{2}$ 

$$\Rightarrow$$
 x > 4

 $\therefore$  (4,  $\infty$ ) is the solution set.

10. We have, 
$$5x + 2y \le 5$$

On putting x = y = 0, we get 
$$5(0) + 2(0) \le 5$$

$$\Rightarrow$$
 0  $\leq$  5, which is true.

... The Given plane contains the origin.

11. Let x be the smaller of the two consecutive odd natural numbers. Then the other odd integer is x+2.

It is given that both the natural number are greater than 10 and their sum is less than 40.

$$\therefore$$
 x > 10 and, x + x + 2 < 40

$$\Rightarrow$$
 x > 10 and 2x < 38

$$\Rightarrow$$
 x > 10 and x < 19

$$\Rightarrow$$
 10 < x < 19

$$\Rightarrow$$
 x = 11,13,15,17 [: x is an odd number]

Hence, the required pairs of odd natural number are (11,13), (13,15), (15,17) and (17,19).

12. Let x be the score obtained by Mohan in the last examination.

Then, 
$$\frac{94+73+72+84+x}{5} \ge 80$$

$$\Rightarrow \frac{323+x}{5} \geq 80$$

$$\Rightarrow$$
 323 +  $x \ge 400$ 

$$\Rightarrow 323+x-323 \geq 400-323$$
 [subtracting 323 from both sides]

$$\Rightarrow x > 77$$

Therefore, Mohan should obtain more than or equal to 77 marks in the last examination. The upper limit being 90.Hence, the required range is  $77 \le x < 90$ .

13. Here  $\frac{x}{2} \geqslant \frac{(5x-2)}{3} - \frac{(7x-3)}{5}$   $\Rightarrow \frac{x}{2} \geqslant \frac{5x}{3} - \frac{2}{3} - \frac{7x}{5} + \frac{3}{5}$   $\Rightarrow \frac{15x - 50x + 42x}{30} \geqslant \frac{-10 + 9}{15}$   $\Rightarrow \frac{7x}{30} \geqslant \frac{-1}{15}$ 

$$\Rightarrow \frac{x}{2} \geqslant \frac{5x}{3} - \frac{2}{3} - \frac{7x}{5} + \frac{3}{5}$$

$$\Rightarrow \frac{15x - 50x + 42x}{30} \geqslant \frac{-10 + 9}{15}$$

$$\Rightarrow \frac{7x}{30} \geqslant \frac{-1}{15}$$

Multiplying both sides by 30, we have

$$7x\geqslant -2$$

Dividing both sides by 7, we have

The solution set is 
$$\left[\frac{-2}{7},\infty\right)$$

The representation of the solution set on the number line is

14. Let x and x + 2 be two consecutive odd positive integers

Then 
$$x + 2 < 10$$
 and  $x + x + 2 > 11$ .

$$\Rightarrow$$
 x < 8 and 2x + 2 > 11

$$\Rightarrow$$
 x < 8 and 2x > 9


$$\Rightarrow$$
 x <8 and 2x > 9

$$\Rightarrow x < 8 \text{ and } x > \frac{9}{2}$$

$$\Rightarrow \frac{9}{2} < x < 8$$

$$\Rightarrow$$
 x = 5 and 7

Thus required pairs of odd positive integers are 5,7



Consider the line, 2x + 3y = 6, we observe that the shaded region and the origin are on the opposite sides of the line 2x + 3y = 6 and (0,0) does not satisfy the inequation,  $2x + 3y \ge 6$ . So, the first inequation is  $2x + 3y \ge 6$ .

Consider the line, 4x + 6y = 24, we observe that the shaded region and the origin are on the same side of the line 4x + 6y = 24 and (0,0) satisfies the linear inequation  $4x + 6y \le 24$ . So, the second inequation is  $4x + 6y \le 24$ .

Consider the line, -3x + 2y = 3, we observe that the shaded region and the origin are on the same side of the line -3x + 2y = 3 and (0,0) satisfies the linear equation  $-3x + 2y \le 3$ . So, the third inequation is  $-3x + 2y \le 3$ .

Finally, consider the line, x - 2y = 2, we observe that the shaded region and the origin are on the same side of the line x - 2y = 2 and (0,0) satisfies the linear inequation, x -2y  $\leq 2$ . So, the fourth inequation is x - 2y  $\leq 2$ .

We also notice that the shaded region is above the x-axis and is on the right side of the y-axis. So, we must have  $x \ge 0$  and  $y \ge 0$ .

Thus, the linear inequations corresponding to the given solution set are:

$$2x+3y\geq 6, 4x+6y\leq 24, -3x+2y\leq 3, x-2y\leq 2, x\geq 0, y\geq 0$$