The Jammu and Kashmir State Board of School Education Academic Division New Campus, Bemina, Srinagar

Model Paper

CHEMISTRY(12th)

Max Marks: 70 Time: 3Hrs

SECTION A

Long Answer Type Questions:

1. What is solubility? Explain the effect of temperature and pressure on the solubility of gases in liquids.

OR

What is colligative property? How is the molecular mass of a solute calculated from elevation in boiling point? 1 gms of a non-electrolyte solute dissolved in 50g of benzene lowered the freezing point of benzene by 0.40 K. The K_b value of benzene 5.12 KKgmol⁻¹. Find the molar mass of the solute. **5 marks**

2. Why molar conductivity of weak electrolytes cannot be calculated from extrapolation method? Explain how the molar conductivity of weak electrolytes is calculated from Kohlrauch's law?

OR

Depict a galvanic cell in which the reaction is

$$Zn(s) + Cu^{2+}(aq)$$
 $Zn^{2+}(aq) + Cu(s)$

- (i) Which of the electrodes is negatively charged?
- (ii) What are the carriers of current in the cell?
- (iii) What is the individual reaction at each electrode?
- (iv) What are the functions of salt bridge?

5 marks

3. Name the oxoacids of Phosphorus. Predict their basicity form their structure. Which of the two H₃PO₃ and H₃PO₄ is stronger?

OR

What are interhalogens? How are they produced? Give the structure of IF₇. **5marks**

- **4.** How will you distinguish between?
 - (i) Ethanol and acetone
 - (ii) acetaldehyde and benzaldehyde
 - (iii) Tollen's and Fehling's test?

OR

Describe the following.

- (i) Cannizaro's reaction
- (ii) Aldol condensation
- (iii) Cross Aldol condensation

5marks

SECTION B

Short A

process known as?

Short Answer Type Questions:	
 5. In a solid, there is defect due to missing of equal number of opposit normal lattice site. (i) Which type of point defect is it? (ii) What are the effects of this defect on the density and stabil solids? (iii) Name a solid which can have such defect. 6. What is meant by reaction rate? Give symbolic expression an 	3 marks ity of such d units for the
reaction	3 marks
$CO(g) + NO_2(g)$ $CO_2(g) + 1$	NO(g)
7. Write the hybridization and also draw the molecular structure of fo	llowing. 3 marks
XeF_2 , XeF_4 , XeF_6	
8. Briefly describe Freundlich adsorption isotherm.	3 marks
9. How pure alumina is prepared form bauxite in Baeyer's proceed reaction of each step.	cess? Give the 3 marks
10. Atomic radius of Cu is greater than Cr but ionic radius of Cr ²⁺ Cu ²⁺ . Why?	is greater than 3 marks
11. How will you distinguish between 1 ⁰ , 2 ⁰ and 3 ⁰ alcohols by method?	Victor Meyer's 3 marks
12. Amines are basic in nature. Justify.	3 marks
SECTION C	
Very Short Answer Type questions:	
13. Freons cause destruction of ozone layer. Explain.	2 marks
14. Why CN ⁻ and SCN ⁻ are known as Ambidient ligands? What type caused by such ligands?	of isomerism is 2 marks
15. Give cyclisation of Glucose.	2 marks
16. What are fat soluble and water soluble vitamins?	2 marks
17. Explain SN2 mechanism in alkyl halides.	2 marks
18. What happens to natural rubber when it is heated with sulphu	r? What is the

2 marks

2 marks **19.** What are antibiotics and antipyretics? Give Example? **20.** What is lanthanide contraction? How it is caused? 2 marks **SECTION A Very Short Answer Type Questions** 21. What is the effect of mechanical pressure on a piezoelectric crystal? 1 mark 1 mark **22.** Give the units of zero order reaction. 1 mark **23.** What is CMC? **24.** What is the coordination number of central metal atom in [Fe $(C_2O_4)_3$]³⁻? 1 mark 25. RX + NaOR ■ + ____ 1 mark **26.** Give the reaction for converting acid chlorides to corresponding aldehydes. Name the reaction. 1 mark 1 mark **27.** Name one biodegradable polymer. 1 mark **28.** The correct structure of drug paracetamol is (i) (ii) NHCOCH₃ (iii) (iv) **29.** A first order reaction is 75% complete after 32 minutes. When 50% of the 1 mark reaction was complete? 4 minutes (i) 8 minutes (ii) 16 minutes (iii) (iv) 32 minutes 1 mark **30.** Which of the following is the most basic compound. Benzalamine (i) Aniline (ii) Acidamide (iii)

Para nitro aniline

(iv)