
Locomotion and Movement

1 MOVEMENT AND LOCOMOTION

- Movement
 Significant feature of living beings
- o Locomotion Voluntary movements resulting in change in place/location.
- Locomotion is performed by organisms for variable reasons, e.a.,
 - Their habitats
 - Demand of situation like search of food, mate, breeding ground, escape from enemies/predators

(2) TYPES OF MOVEMENT / LOCOMOTION

Туре	Structure	Examples and functions
Amoeboid	Pseudopodia involve microfilaments and streaming of protoplasm	o Leucocytes, macrophages, Amoeba
Ciliary	Cilia	Removing dust particles from trachea Passage of ova through female reproductive tract
Flagellar	Flagella	Maintenance of water current in canal system of sponges Locomotion in <i>Euglena</i> Swimming of spermatozoa
Muscular	Muscles	Movement of limbs, jaws, tongueRunning, walking, climbing, flying



- o In *Paramoecium* Cilia helps in movement of food through cytopharynx and in locomotion as well.
- o In Hydra - Tentacles are used for capturing of prey & also for locomotion.
- o Locomotion requires a perfect coordinated activity of muscular, skeletal and neural systems

(3) MUSCLES

- o Muscle tissue: Mesodermal in origin
- o 40-50% of body weight of a human adult is contributed by muscles.
- Properties Excitability Contractility Extensibility Elasticity Classification
- o Many cardiac muscle cells assemble in **branching** pattern to form a cardiac muscle

(4) SKELETAL MUSCLE FIBRES & ITS TYPES

 Skeletal muscles are closely associated with the skeletal components of the body Skeletal muscle


Fascicles


Fascia

(collagenous

Many

Held by





	Types			
	Red	White		
Myoglobin	^	\		
Mitochondria	↑	\		
SR	V	^		
Respiration	Mainly	Mainly		
	aerobic	anaerobic		

- Each muscle fibre have many parallelly arranged myofibrils / myofilaments.
 - Muscle fibre: Anatomical unit of muscle.
 - o Skeletal muscles are primarily involved in locomotion and change in body posture.

(5) MYOFILAMENTS AND STRUCTURE OF CONTRACTILE PROTEINS

Each myofibril has dark and light bands due to actin and myosin distribution that establish striated appearance.

	Filament	Held by	Protein	Monomer	Polymer	Typical
ρι	∘ Thin/actin	Z-line (bisect	Actin (contractile)	Globular 'G' - actin	Filamentous 'F'-actin	F-actin helically arranged
ight/l-band	Troponin Tropomyosin (2 strands)	l-band)	Tropomyosin	_	_	 Tropomyosin run close to F-actin throughout its length
Ligh	(2 strains)		Troponin	3		 Troponin distributed at regular intervals on tropomyosin
	F-actin (2 strands)					 Mask active binding sites for myosin on actin filaments
۱-band	o Thick Head Actin binding sites	M-line (thin fibrous membrane)	(contractile) (MM) (Heavy)- Short arm	nort arm regular distance and angle from each other		
Dark/A	Cross arm				(Light)	polymerised myosin filament and is known as <u>cross arm</u> .
	-					40 <u>51093 41111</u> .

Basis Location → 1. Skeletal of muscles 2. Visceral → 3. Cardiac

Appearance Striated Non-striated/smooth Striated

Regulation Voluntary Involuntary Involuntary

Example

- Muscles of limbs
- Inner walls of visceral organs
- Muscles of heart



 Contraction of muscle fibre takes place by the sliding of the thin filaments over the thick filaments.

A motor neuron alongwith the muscle fibres connected to it constitute a motor unit.

CNS via Motor neuron Neurotransmitter Acetylcholine

At Neuromuscular Junction / Motor end plate, action potential is generated in sarcolemma that causes release of Ca⁺² in sarcoplasm from SR leading to <u>Ca+2</u> increase in sarcoplasm

Ca⁺² binds to troponin subunit, change in its confirmation, unmask active site for myosin binding on actin filament

Energised myosin (Myosin - ADP + Pi) binds to actin

Cross bridge = Actin-myosin-ADP + Pi

Result Shortening/ contraction

- o Pull thin filaments toward centre
- Pull Z-line
- Length of I-band reduced
- of sarcomere o Length of A-band retained

ADP+Pi released from myosin head

New ATP binds to myosin head

Cross bridge broken

ATP hydrolysis on myosin head

Cycle repeats

Process will continue till Ca2+ pumped back to sarcoplasmic cisternae

Z-line return to original position

- Reaction time of fibres vary in different muscles.
- Repeated activity of muscle leads to accumulation of lactic acid due to anaerobic breakdown of glycogen in them, causing fatique.

- o Globular head is active ATPase enzyme and has binding sites for ATP and active sites for actin.
- Arranged alternately throughout the length of myofibrils o Thin filaments make I/Isotropic band – actin Thick filaments make A/Anisotropic band – actin + myosin parallel to each other and to longitudinal axis of myofibrils
- o Sarcomere: Functional unit of contraction between 2 'Z' lines (elastic fibres) = 1 A-band + 2 half I-band
- o H-zone is non overlapped part of thick filament by thin filaments.


(7) SKELETAL SYSTEM

- o This system has significant role in movement shown by the body.
- Framework of 206 bones & few cartilages
- Principle division Appendicular skeleton Axial skeleton

Axial skeleton (Bones-80)

Z line	AI	oand	I band
\$2000 and		200000000	92555555 92555555
** 600 *** 600 ***		000000000000000000000000000000000000000	1250as 1480311111111111111111111111111111111111
#K 90%	200000000000000000000000000000000000000	200000000000000000000000000000000000000	And the second s
	H 2	zone	
	Sarc	omere	

Bones distributed along main axis				
Structure	Bones included	No.	Name of bones	Typical feature or basic function
Skull Frontal bone Parietal bone Sphenoid bone	Cranium	8	1- Frontal 1- Occipital 2- Parietal 1- Ethmoid 2- Temporal 1- Sphenoid	- Protect brain - Articulates with superior region of vertebral column by 2 occipital condyles (Dicondylic skull)
Ethmoid bone Lacrimal bone Nasal bone	Facial	14	2- Nasal 1- Mandible 2- Lacrimal 2- Maxilla 2- Zygomatic 5- others	- Form front part of skull
Zygomatic bone	Hyoid	1	1- U-shaped	- Present at the base of buccal cavity
Maxilla Mandible Hyoid bone Occipital Temporal Occipital bone bone condyle	Ear ossicles	6	2-Malleus 2-Incus 2-Stapes	- Present in the middle ear
Vertebral Column Cervical vertebra (serially arranged units) Intervertebral disc Sacrum Coccyx Cocyx Cervical Vertebrae (serially arranged units) 7- Cervical 12- Thoracic 5- Lumbar 1- Sacral-Fused 1- Coccygeal-Fused		- Main framework of trunk - Protects spinal cord - Supports head - Point of attachment of ribs and muscles of back 1st vertebra is atlas that articulates with occipital condyles. Seven cervical vertebrae exist in almost all mammals. Neural canal of vertebrae - site from where spinal cord passes		
Sternum Chest bone		1	1-Flat bone	- On ventral, midline of thorax
Ribs True ribs 5 6 7 Ribs False 9 ribs 10 Floating ribs 1,12	True ribs False ribs Floating ribs	24	14-Vertebrosternal 6- Vertebrochondral 4- Vertebral	- Attach dorsally to vertebrae and ventrally to sternum with hyaline cartilage - Not directly attached to sternum but to 7th rib with hyaline cartilage (8th to 10th pair) - Not connected ventrally (11th and 12th pair) O All ribs are bice , they have 2 articulating ends on dorsal side O Vertebral column + Sternum + Ribs = Rib Cage



- Girdles helps in the articulation of limbs with axial skeleton
- Scapula, a dorsal triangular flat bone, have elevated ridge/spine, expanded to form <u>acromion process</u> that articulates with clavicle
- o <u>Glenoid cavity</u> in scapula articulates with humerus head to form shoulder joint
- Acetabulum, formed by fusion of ilium, ischium and pubis, articulates with femur to form hip joint
- 2 halves of pelvic girdle meet ventrally to form <u>pubic</u> <u>symphysis</u> containing <u>fibrous cartilage</u>

(9) JOINTS

- o They are essential for all types of movements involving bony parts of the body.
- Point of contact between bones or bones and cartilages.
- o Force generated by muscle is used to carry out movement through joint, where joint acts as fulcrum.
- Types of joints (Basis Major structural forms)

Types	Bones joined by	Movement	Examples
Fibrous	Dense fibrous connective tissue	Do not allow any movement	Flat skull bones fused end to end via <u>sutures</u> to form <u>cranium</u>
Cartilaginous	Fibrous cartilage	Limited movement	Adjacent vertebrae
Synovial	Fluid filled synovial cavity between 2 bones	Considerable movement, helps in locomotion and many other movements	Humerus & pectoral girdle (Ball and socket joint) Knee joint (Hinge joint) Atlas & axis (Pivot joint) Between carpals (Gliding joint) Carpal & metacarpal of thumb (Saddle joint)

10 DISORDERS

Disease	Causes	Impact
Myasthenia gravis	Autoimmunity	Affect neuromuscular junctionFatigue, weakening and paralysis of skeletal muscles
Muscular dystrophy	Genetic	o Progressive degeneration of skeletal muscles
Tetany	Low Ca ⁺² in body fluid	o Rapid spasms in muscle (wild contractions)
Arthritis		o Inflammation of joints
Gout	Accumulation of uric acid crystals	o Inflammation of joints
Osteoporosis	Age related Decreased levels of estrogen	o Decreased bone mass, increased chances of fracture