METALS AND NONMETALS

METALS AND NONMETALS

Lavoiser classified all elements into metals, nonmetals and metalloids on the basis of their properties. Some commonly used metals, nonmetals and metalloids are given below.

- Metals: Iron, Copper, Gold, Silver, Aluminium, Zinc Lead are some commonly used meats.
- Nonmetals: Hydrogen, Oxygen, Nitrogen, Carbon, Sulphur, Phosphorus, Chlorine, Bromine, Iodine are commonly used nonmetals.
- Metalloids: Boron, Silicon, Arsenic and Germanium are some metalloids.


Characteristics of Metals

Some important characteristics of metals are:

- Metals are good conductors of heat and electricity.
- All metals except mercury are solid at room temperature. Mercury is the only metal which is liquid at room temperature.
- Metals are malleable and ductile that is metals can be beaten into thin leaves and drawn into thin wires.
- Metals have lustre and can be polished.
- Metals have tensile strength.
- Metals are electropositive elements. That is, metals have a tendency to lose electrons and form positively charged ions, (called cations).

Occurrence of Metals

Metals occur in nature in the free as well as in the combined states.



- All metals which are not affected by water and by the gases present in the air occur in free state in nature.
- The naturally-occurring compounds of metals mixed with earthly materials are called minerals.
- A mineral from which a metal can be extracted on the commercial scale, economically and easily, is called an ore.

Physical Properties of Metals

All metals show similar physical properties. There are however a few exceptions.

- Physical State: Under normal pressure, all metals except mercury are solids at room temperature.
 Mercury is liquid at room temperature.
- Colour: Most metals except gold and copper are silver-grey in colour. Copper is reddish-brown and gold is golden yellow.


- Appearance: All metals are shiny. The characteristic shine of metals is called metallic lustre. Thus
 all metals have metallic lustre. Metals can be easily polished.
- Hardness: Most metals are hard except sodium and potassium. Sodium and potassium metals
 can be easily cut with a knife. Osmium is hard enough to scratch glass.
- Tensile strength: Metals have high tensile strength. Metals are very strong. For example, iron can bear a lot of stress. That is why it is widely used in construction of buildings, bridges, railway lines etc.
- Malleability: Metals are malleable. This means that metals can be hammered into very thin sheets. Silver can be beaten to very thin leaves. You must have seen silver varak on burfee. Aluminium foil is used in the packaging of food materials.
- Ductility: Metals are ductile. This means that metals can be drawn into thin wires. Silver and gold can be drawn into very thin wires.
- Conductivity: Metals are good conductor of heat and electricity. Silver is the best conductor of electricity. Copper is the next best conductor of electricity.
- Density: Metals, except sodium and potassium have high densities. Sodium and potassium have much lower densities.
- Sound: Metals are sonorous. Metals when hit by a hammer produce a ringing sound. That is why metal are used for making bells and wires for musical instruments.

Chemical Properties of Metals

All metals give similar chemical reactions. However, the reactivity of a metal depends upon its nature and reaction conditions.

Some typical reactions of metals are described below:

Reaction with oxygen: All metals combine with oxygen to form metal oxides. Different metals
react with oxygen under different conditions.



From the reaction conditions of the reactions given above, the order of reactivity of metals with oxygen is,

Sodium (Na) > Magnesium (Mg) > Zinc (Zn) > Iron (Fe) > Copper (Cu)

Reaction with Water: Different metals react with water under different conditions. Reactions of some common metals with water are given below: Sodium (Na) Sodium Sodium hydroxide + Hydrogen Water

(cold)

Magnesium (Mg) : Magnesium oxide Magnesium + Water Hydrogen (boiling)

Iron Iron (Fe) Steam Ferroso-ferric oxide+ Hydrogen (red hot)

Copper (Cu) Water No reaction even at high temperature Copper From the reaction conditions of the above reactions, the order of reactivity of metals with water is

Sodium (Na) > Magnesium (Mg) > Iron (Fe) > Copper (Cu)

Reactions with Acids: Most metals react with dilute acids produce salt and hydrogen gas. Reaction of some common metals with dilute hydrochloric acid are given below:

Sodium (Na) : Sodium + Hydrogen Vigorous Hydrochloric -Sodium chloride acid(dil)

Magnesium (Mg): Magnesium + Hydrochloric Magnesium + Hydrogen Rapid acid(dil)

Zinc (Zn) : Zinc + Hydrogen Hydrochloric _ Zinc acid(dil) chloride

Moderate

+ Hydrogen Iron (Fe) : Iron heating Iron Hydrochloric chloride acid(dil)

Moderate

Copper (Cu) + No reaction even on heating : Copper Hydrochloric acid(dil)

From the reaction conditions of the reaction given above, the order of reactivity of these metals with dilute acid is

Sodium (Na) > Magnesium (Mg) > Zinc (Zn) > Iron (Fe) > Copper (Cu)

Uses of some Common Metals

Main uses of some common metals are listed below:

Metal	Main Uses			
Iron	For making bridges, engine parts, iron sheets and bars used in construction, steels etc			
Copper	For making electrical wires and cables, utensils, kettles, coins etc; for making alloys			
Silver	For making jewellery, in electroplating, in photography, silvering of mirrors			
Gold	For making jewellery, for decorative purposes, in photography for toning			
Mercury	Used in thermometers and barometers			
Aluminium	For making electrical wires and cables, domestic utensils, alloys, metallic paints, aluminium foil for packaging			
Lead	For making automobile batteries, lead pipes, alloys such as solder, protective screen for X-ray machines, for manufacturing many chemical compounds and paints.			

Characteristics of Non Metals

Some important characteristics of metals are:

- Nonmetals are soft solids, liquids or gases.
- Nonmetals (except graphite) are nonconductors of heat and electricity.
- Solid nonmetals are brittle.
- Nonmetals (except graphite and diamond) are low melting and low boiling.
- Nonmetals are electronegative elements. That is, nonmetals have a tendency to gain electrons and form negatively charged ions (called anions).

Occurrence of Nonmetals

Many nonmetals occur free in nature, whereas many more occur only in the form on their compounds as minerals.

The modes of occurrence of some typical nonmetal are described below:

Nonmetal	Free native form	Combined form
Nitrogen	Air contains about 78% (by volume) of nitrogen	In all living organisms as proteins, in the soil as nitrogen compounds
Oxygen	Air contains about 21% (by volume) of oxygen	As water, oxides in the soil/rocks
Nobal gases	Air contains these gases in smaller amounts	
Hydrogen	Free hydrogen is present in stars	As water
Sulphur	Native sulphur occurs inside the earth.	As sulphide, sulphate ores, as H ₂ S in certain spring water
Phosphorus	l ====	As phosphate rocks, in bones of our body as calcium phosphate
Silicon	_	As oxide (SiO2, Silica, Sand), As silicate rocks
Carbon	As diamonds, graphite	As carbonate rocks, minerals As hydrocarbons – petroleum, natural gas etc. As carbon dioxide in the air.

Most nonmetals are either mined directly from their mines or obtained as by-products in some industrial processes.

- Nitrogen and Oxygen are obtained from the air by fractional distillation of liquid air.
- Chlorine is obtained from common salt by electrolytic method.
- Sulphur is mined in its elemental form
- Nonmetals such as phosphorus and silica are obtained from their ores by chemical methods.

Physical Properties of Nonmetals

Some common general physical properties of nonmetals are given below:

- Physical state: Nonmetals may occur as solids, liquids or gases at room temperature.
 For example, under normal conditions, sulphur, phosphorus are solids, bromine is a liquid, whereas hydrogen, oxygen and nitrogen are gases.
- Colour : Nonmetals come in many colours.
 - For example, sulphur is yellow, phosphorus is white, or red, chlorine is greenish-yellow, bromine is redish-brown. Hydrogen, oxygen and nitrogen are colourless.
- Appearance: Nonmetals have dull appearance i.e., they do not shine. However, graphite and iodine are the only nonmetals which have metallic lustre.
- Malleability and ductility: Nonmetals are neither ductile nor malleable. Nonmetals cannot be drawn into wires, and beaten into leaves/sheets.
- Conductivity: Nonmetals do not conduct heat and electricity, i.e., nonmetals are insulators.
 Graphite however, is a good conductor of heat and electricity.
- Density: Nonmetals usually have low densities and are soft. Diamond however is an exception.
 Diamond is the hardest natural substance known.
- ◆ Tensile strength: Nonmetals have low tensile strength, i.e., Nonmetals can be easily broken.
- Melting and boiling points: Nonmetals except graphite have low melting and boiling points.

Sound: Nonmetals do not produce sound when hit with an object, i.e., nonmetals are non-sonorous.

Chemical properties of Nonmetals

Some general chemical properties of nonmetals are described below:

♦ Electronegative Character

Nonmetals are electronegative elements. Nonmetals have a tendency to accept electrons and form negatively charged ions (anions).

For examples.

Chlorine
$$+ 2e^- \longrightarrow Chloride ion (an anion)$$
Oxygen $+ 2e^- \longrightarrow Oxide ion (an anion)$

Thus, nonmetals are able to remove electrons from electropositive elements and act as oxidising agents.

Hydrogen is the only nonmetal which can lose as well as gain an electron.


Thus, hydrogen can act both as an oxidising as well as reducing agent.

Reaction with Oxygen

Nonmetals react with oxygen to give covalent oxides. Such oxides are either neutral or acidic in nature. Acids oxides of nonmetals dissolve in water to form corresponding acids. Reaction of some common nonmetals with oxygen are described below:

Nitrogen: Nitrogen reacts with oxygen under different conditions to form five different oxides.
 Some of these are neutral, while others are acidic in nature.

For example,



Dinitrogen pentoxide reacts with water to give nitric acid.

Dinitrogen pentoxide + Water → Nitric acid.

• Carbon: Carbon reacts with oxygen to form two oxides – carbon monoxide (CO) and carbon dioxide (CO₂). Carbon monoxide is neutral, whereas carbon dioxide (CO₂) is acidic in nature. Carbon dioxide dissolves in water to give carbonic acid.

					Page 7
	Carbon	+	Oxygen (lim ited supply)	\longrightarrow	Carbon monoxide (neutral)
	Carbon	+	Oxygen (excess)	\longrightarrow	Carbon dioxide (acidic)
	Carbon dioxide	+	Water	\longrightarrow	Carbonic acid
♦ Pl	nosphorus : Phosp	ohorus r	eacts with oxyg	gen to give two	oxides - phosphorus trioxide (P2O3)
an	d phosphorus pent	toxide (P ₂ O ₅). Both are	e acidic oxides.	U 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	Phosphorus		+ Oxygen (limited)	\rightarrow	Phosphorus trioxide (acidic)
	Phosphorus		+ Oxygen (excess)	\longrightarrow	Phosphorus pentoxide (acidic)
♦ Su	ılphur : Sulphur oı	burnin	g in air forms tw	o oxides – sulpl	nur dioxide (SO ₂) and sulphur trioxide
(S	O ₃). Both these or	kides ar	e acidic.		
	Sulphur	+	Oxygen	\rightarrow	Sulphur dioxide (acidic)
	Sulphur	+	Oxygen	\longrightarrow	Sulphur trioxide (acidie)
	Sulphur trioxide		+ Water		→ Sulphuric acid
♦ H	ydrogen : Hydrog	gen reac	ts with oxygen	to form an oxid	de H ₂ O. H ₂ O is called water. Water
(H	(20) is a neutral or	cide			y
	Hydrogen	+	water	\rightarrow	Water (neutral)
React	ion with Haloger	ıs			
		logen to	give covalent l	nalides. In pure	state, the halides of nonmetals do not
	ct electricity.				
Fo	or example with ch	lorine,			
	Phosphorus		+ Chlorine	Heat →	Phosphorus trichloride
			The second second	ww.7770	

Phosphorus + Chlorine Heat Phosphorus trichloride

Phosphorus + Chlorine Heat Phosphorus pentoxide

Hydrogen + Chlorine sunlight Hydrogen chloride

Sulphur reacts with fluorine at higher temperature to give sulphur hexafluoride.

Sulphur + Fluorine high temp. Sulphur hexafluoride

Reaction with Hydrogen

•

Nonmetals react with hydrogen to form covalent hydrides. Thus in the hydrides of nonmetals, hydrogen is bonded to the nonmetal atom by covalent bonds. The hydrides of nonmetals atom by covalent bonds. The hydrides of nonmetals do not conduct electricity. The hydrides of nonmetals may be acidic, basic or neutral depending upon the nature of the nonmetal.

For example,

٠	Sulphur with hydr	rogen gives	hydrogen sulphide	e (H ₂ S). H ₂ S is	weakly acidic in nature.
	Hydrogen	+	Sulphure	\longrightarrow	Hydrogen sulphide

(weakly acidic)

Nitrogen reacts with hydrogen to give ammonia (NH₃). Ammonia is basic in nature.

Oxygen reacts with hydrogen to given water (H₂O). Water is neutral in nature.

Reaction with Acids

Nonmetals do not displace hydrogen from dilute acids. This is because nonmetals are able to give electron(s) for the reduction of H⁺. Some nonmetals however react with concentrated oxidising acids to form the corresponding oxyacids.

For example, sulphur reacts with conc. nitric acid to give sulphuric acid.

Displacement Reactions

Certain more reactive nonmetals displace less reactive nonmetals from their salt solutions.

For example, Chlorine displaces bromine from bromides and iodine from iodies.

Uses of Some Common Nonmetals

Main uses of some common nonmetals are listed below:

Nonmetal	Main Uses			
Carbon	In the form of diamond, it is used for making jewellery, cutting and grinding equipments. In the form of graphite it is used for making black lead pecils, and high temperature crucibles			
Sulphur	For the manufacture of gun powder, Sulphuric acid and in the vulcanization of rubber			
Phosphorus	For the manufacture of matchsticks, rat poison, phosphoric acid and fertilizers.			
Oxygen	Supporter of combustion, for respiration by living organisms.			
Nitrogen	For manufacturing ammonia, nitric acid etc.			
Chlorine	For bleaching, sterilizing water, manufacturing chlorine compounds			
Hydrogen	As a fuel, in oxygen-hydrogen flame used in welding For manufacturing ammonia, hydrogen chloride, vegetable ghee by hydrogenation of oils, and as a reducing agent.			
Iodine	For preparing iodised common salt, tincture iodine is used as an antiseptic.			

Oxides of Metals and Nonmetals

Both metals and nonmetals react with oxygen (present in the air) to form oxides. The oxides of metals and nonmetals differ in their properties.

Oxides of Metals

The oxides of metals are basic in nature. When dissolved in water, metal oxides give alkaline (or basic) solution which turn red litmus blue.


For example, magnesium (Mg) burns in air to give magnesium oxide (MgO), which is basic in nature.

Magnesium	+	Oxygen (from air)	\longrightarrow	Magnesium oxide (basic oxide)
Magnesium oxide	+	Water	\longrightarrow	Magnesium hydroxide (basic in nature) turns red litmus blue

Oxides of Nonmetals

The oxides of nonmetals are acidic in nature. When dissolved in water nonmetal oxides give acidic give solutions which turn blue litmus red.

For example, sulphur on burning in air, gives sulphur dioxide (SO₂) which is acidic in nature.



EXERCISE - 1

VERY SHORT ANSWER TYPE QUESTIONS.

- Q.1 Give one example of each: metals and non-metals.
- Q.2 Name the metal, which is the best conductor of heat and electricity.
- Q.3 Name the property by which metals can be drawn into thin wires.
- Q.4 Name the gas produced, when metals react with acids.
- Q.5 What is the color of the copper sulphate solution?
- Q.6 State the nature of oxides of non-metals.
- Q.7 Which metal is stored in kerosene?
- Q.8 Name the property of the metal by which it can be drawn into thin sheets.
- Q.9 What happens when sulphur reacts with oxygen?
- Q.10 Which non-metal catches fire, if exposed to air?
- Q.11 Name the gas that burns with a POP sound.
- Q.12 What are Displacement reactions?
- Q.13 Give one use of non-metal in our daily life.
- Q.14 What are metalloids?
- Q.15 Which metal is use to wrap food items?

Short answer type questions

- Q.16 What happens when sulphur di-oxide reacts with water? Give the chemical reaction involved.
- Q.17 Why lemon pickle cannot be stored in an aluminium foil?
- **Q.18** Write two important properties of metals.
- Q.19 Why copper cannot displace zinc from zinc sulphate solution?
- Q.20 Why immersion rods for heating are made up of metallic substances?
- Q.21 What happens when iron nails are dipped in water in a test tube for a week?
- Q.22 What happens when iron reacts with oxygen and water? Give the chemical reaction involved.
- Q.23 What happens when copper vessel is exposed to moist air for a long time? Give the chemical reaction that takes place.
- Q.24 Why gold is preferred in making jewellery?
- Q.25 What happens when dilute sulphuric acid is poured on a zinc plate? Write the chemical reaction takes

- Q.26 What happens when magnesium ribbon is burnt in air?
- Q.27 Why metals are used in making aeroplanes, bridges, satellites etc.
- Q.28 Complete the following chemical reactions.

$$Zn + H_2SO_4 \rightarrow$$

 $2Cu + H_2O + CO_2$
 $2Fe + O_2 + H_2O \rightarrow$
 $SO_2 + H_2O \rightarrow$
 $Cu + HCl \rightarrow$

Long answer type questions

- Q.29 what will happen when ash of magnesium is dissolved in water? Is the solution acidic or basic?
 What effect does litmus show in case of oxides of metals?
- Q.30 Explain the following terms: (i) Malleability (ii) Ductility (iii) Sonorous (iv) Lustrous (v) Metalloids.

Q.1

(A) gold

EXERCISE - 2

SINGLE CORRECT ANSWER TYPE QUESTIONS

(B) copper

The best electrical conductor is,

	(C) silver	(D) aluminium
Q.2	"is malleable and	" This statement best describes,
	(A) a metal	(B) a nonmetal
	(C) a metalloid	(D) a compound
Q.3	The most reactive n	netal of the following is,
े	(A) zinc	(B) iron
	(C) magnesium	(D) sodium
Q.4	The reaction, Zinc +	Copper sulphate solution — Zinc sulphate solution + Copper, idicates that
		pear lower in the reactivity series is,
	(A) Zn	(B) Cu
	(C) Zn ²⁺	(D) Cu ²⁺
Q.5	Where do the metal reactivity series?	s which can displace hydrogen from water at room temperature appear in the
	(A) near the top	(B) at the bottom
	(C) in the middle	(D) next to hydrogen
Q.6	Iron is galvonized b	by coating it with,
	(A) nickel	(B) chromium
	(C) manganese	(D) zinc
Q.7	Metalloids share th	e properties of
	(A) Metals	(B) Non-metals
	(C) None	(D) Both
Q.8	Which one of the fo	ollowing is used for making pencil lead?
Q.o	(A) Graphite	(B) Diamond
	(C) Sulphur	(D) None
Q.9	The metal that make	ts even when kept on the palm is
Q.5	(A) Cobalt	(B) Gallium
	(C) Nickel	(D) Mercury
O 10	Which and a few	in a model connect displaced budge on 0
Q.10		ving metal cannot displaced hydrogen ?
	(A) Copper	(B) Silver
	(C) Gold	(D) All of these

Q.11	The essential condition required for rusting of iron is the pressure of						
	(A) Oxygenated	air					
	(B) Moisture						
	(C) Nitrogen						
	(D) Moist oxyger	nated air					
Q.12	Which of the follo	Which of the following element is a metalloid?					
	(A) Carbon	(B) Nitrogen					
	(C) Calcium	(D) Silicon					
Q.13	Which of the foll	owing is the best conductor of electricity?					
	(A) Copper	(B) Aluminum					
	(C) Gold	(D) Mercury					
Q.14	The metal liquid	at room temperature is					
	(A) Copper	(B) Aluminum					
	(C) Sodium	(D) Mercury					
Q.15	The element use	d as the index of the wealth of a country is -					
	(A) Platinum	(B) Aluminum					
	(C) Gold	(D) Mercury					
Q.16	The soldering wire is an alloy of						
	(A) Copper and	tin					
	(B) Lead and tin						
	(C) Aluminium ar	nd lead					
	(D) Copper and a	luminium					
Q.17	The stainless stee	el is an alloy of –					
	(A) Iron and nick						
	(B) Iron and chro						
	(C) Nickel and cl						
	(D) Iron, nickel a						
	(-),						