

## UNIT 9

# SYMMETRY AND PRACTICAL GEOMETRY

### (A) Main Concepts and Results

- A figure is said to have **line symmetry**, if by folding the figure along a line, the left and right parts of it coincide exactly. The line is called the **line (or axis) of symmetry** of the figure.
- A figure may have no line of symmetry, one line of symmetry, two lines of symmetry, three lines of symmetry and so on.
- Line symmetry is closely related to mirror reflection. The distance of the image of a point (or object) from the line of symmetry (mirror) is the same as that of the point from that line of symmetry.
- Many constructions can be made using different instruments of a geometry box.

### (B) Solved Examples

**In examples 1 and 2, out of four given options, only one is correct. Write the correct answer.**

**Example 1:** Which of the following letters does not have any line of symmetry?

- (A) E                      (B) T                      (C) N                      (D) X

**Solution:** Correct answer is (C)

**Example 2:** Which of the following angles cannot be constructed using ruler and compasses?

- (A)  $75^\circ$  (B)  $15^\circ$  (C)  $135^\circ$  (D)  $85^\circ$


**Solution:** Correct answer is (D)

**In examples 3 to 5, fill in the blanks so that the statements are true:**

**Example 3:** If B is the image of A in line  $l$  and D is the image of C in line  $l$ , then  $AC =$  \_\_\_\_\_.

**Solution:** BD

**Example 4:** In Fig. 9.1, the line segments PQ and RQ have been marked on a line  $l$  such that  $PQ = AB$  and  $RQ = CD$ .



Then  $AB - CD =$  \_\_\_\_\_.

Fig. 9.1

**Solution:** PR

**Example 5:** The number of scales in a protractor for measuring the angles is \_\_\_\_\_.

**Solution:** Two

**In examples 6 and 7, state whether the statements are true or false:**

**Example 6:** Using the set squares  $30^\circ - 60^\circ - 90^\circ$  and  $45^\circ - 45^\circ - 90^\circ$ , we can draw an angle of  $75^\circ$ .


**Solution:** True. (Since  $75^\circ = 45^\circ + 30^\circ$ )

**Example 7:** A circle has only 8 lines of symmetry.

**Solution:** False (A circle has infinitely many lines of symmetry).

**Example 8.** Write the letters of the word ALGEBRA which have no line of symmetry.

**Solution:** The letters L, G and R have no line of symmetry. (Do you see why the dotted line is not the line of symmetry



**Example 9:** Draw a line segment equal to the sum of two line segments given in Fig. 9.2




Fig. 9.2

**Solution:** 1. Draw a line  $l$  and on it, cut a line segment

$PQ = AB$ , using compasses.  
( Fig. 9.3 )



Fig. 9.3

2. With  $Q$  as centre and  $CD$  as radius, draw an arc to cut a line segment  $QS = CD$  on  $l$  as shown in



Fig. 9.4

Fig. 9.4. Then, line segment  $PS$  is equal to the sum of  $AB$  and  $CD$ , i.e.,  $PS = AB + CD$

**Example 10.** Draw an angle equal to the difference of two angles given in Fig. 9.5.




Fig. 9.5

**Solution:** 1. Draw an angle  $ABC$  equal to  $\angle DEF$  (as  $\angle DEF > \angle PQR$ ), using ruler and compasses.

2. With  $BC$  as one of the arms, draw an angle  $SBC$  equal to  $\angle PQR$  such that  $BS$  is in the interior of  $\angle ABC$  as shown in Fig. 9.6. Then,  $\angle ABS$  is the required angle which is equal to  $\angle DEF - \angle PQR$ .

[Note: For making  $\angle ABS = \angle DEF - \angle PQR$ , how will you draw ray  $BS$ ?]




Fig. 9.6

**Example 11.** Complete Fig. 9.7 so that  $l$  is the line of symmetry of the completed figure.




Fig. 9.7

**Solution:** The figure can be completed as shown in Fig. 9.8, by drawing the points symmetric to different corners(points) with respect to line  $l$ .




Fig. 9.8


### (C) Exercise

In questions 1 to 17, out of the given four options, only one is correct. Write the correct answer.

- In the following figures, the figure that is not symmetric with respect to any line is:




(i)



(ii)



(iii)



(iv)

- (A) (i)                      (B) (ii)                      (C) (iii)                      (D) (iv)

- The number of lines of symmetry in a scalene triangle is

- (A) 0                      (B) 1                      (C) 2                      (D) 3

3. The number of lines of symmetry in a circle is  
(A) 0 (B) 2 (C) 4 (D) more than 4
4. Which of the following letters does not have the vertical line of symmetry?  
(A) M (B) H (C) E (D) V
5. Which of the following letters have both horizontal and vertical lines of symmetry?  
(A) X (B) E (C) M (D) K
6. Which of the following letters does not have any line of symmetry?  
(A) M (B) S (C) K (D) H
7. Which of the following letters has only one line of symmetry?  
(A) H (B) X (C) Z (D) T
8. The instrument to measure an angle is a  
(A) Ruler (B) Protractor (C) Divider (D) Compasses
9. The instrument to draw a circle is  
(A) Ruler (B) Protractor (C) Divider (D) Compasses
10. Number of set squares in the geometry box is  
(A) 0 (B) 1 (C) 2 (D) 3
11. The number of lines of symmetry in a ruler is  
(A) 0 (B) 1 (C) 2 (D) 4
12. The number of lines of symmetry in a divider is  
(A) 0 (B) 1 (C) 2 (D) 3
13. The number of lines of symmetry in compasses is  
(A) 0 (B) 1 (C) 2 (D) 3
14. The number of lines of symmetry in a protractor is  
(A) 0 (B) 1 (C) 2 (D) more than 2

15. The number of lines of symmetry in a  $45^\circ - 45^\circ - 90^\circ$  set-square is  
(A) 0 (B) 1 (C) 2 (D) 3
16. The number of lines of symmetry in a  $30^\circ - 60^\circ - 90^\circ$  set square is  
(A) 0 (B) 1 (C) 2 (D) 3
17. The instrument in the geometry box having the shape of a triangle is called a  
(A) Protractor  
(B) Compasses  
(C) Divider  
(D) Set-square

**In questions 18 to 42, fill in the blanks to make the statements true.**

18. The distance of the image of a point (or an object) from the line of symmetry (mirror) is \_\_\_\_\_ as that of the point (object) from the line (mirror).
19. The number of lines of symmetry in a picture of Taj Mahal is \_\_\_\_\_.
20. The number of lines of symmetry in a rectangle and a rhombus are \_\_\_\_\_ (equal/unequal).
21. The number of lines of symmetry in a rectangle and a square are \_\_\_\_\_ (equal/unequal).
22. If a line segment of length 5cm is reflected in a line of symmetry (mirror), then its reflection (image) is a \_\_\_\_\_ of length \_\_\_\_\_.
23. If an angle of measure  $80^\circ$  is reflected in a line of symmetry, then the reflection is an \_\_\_\_\_ of measure \_\_\_\_\_.
24. The image of a point lying on a line  $l$  with respect to the line of symmetry  $l$  lies on \_\_\_\_\_.
25. In Fig. 9.10, if B is the image of the point A with respect to the line  $l$  and P is any point lying on  $l$ , then the lengths of line segments PA and PB are \_\_\_\_\_.




Fig. 9.10

26. The number of lines of symmetry in Fig. 9.11 is\_\_\_\_\_.




Fig. 9.11

27. The common properties in the two set-squares of a geometry box are that they have a \_\_\_\_\_ angle and they are of the shape of a \_\_\_\_\_.
28. The digits having only two lines of symmetry are\_\_\_\_\_ and \_\_\_\_\_.
29. The digit having only one line of symmetry is \_\_\_\_\_.
30. The number of digits having no line of symmetry is\_\_\_\_\_.
31. The number of capital letters of the English alphabets having only vertical line of symmetry is\_\_\_\_\_.
32. The number of capital letters of the English alphabets having only horizontal line of symmetry is\_\_\_\_\_.
33. The number of capital letters of the English alphabets having both horizontal and vertical lines of symmetry is\_\_\_\_\_.
34. The number of capital letters of the English alphabets having no line of symmetry is\_\_\_\_\_.
35. The line of symmetry of a line segment is the \_\_\_\_\_ bisector of the line segment.
36. The number of lines of symmetry in a regular hexagon is \_\_\_\_\_.
37. The number of lines of symmetry in a regular polygon of  $n$  sides is\_\_\_\_\_.
38. A protractor has \_\_\_\_\_ line/lines of symmetry.

- 39. A  $30^\circ - 60^\circ - 90^\circ$  set-square has \_\_\_\_\_ line/lines of symmetry.
- 40. A  $45^\circ - 45^\circ - 90^\circ$  set-square has \_\_\_\_\_ line/lines of symmetry.
- 41. A rhombus is symmetrical about \_\_\_\_\_.
- 42. A rectangle is symmetrical about the lines joining the \_\_\_\_\_ of the opposite sides.

**In questions 43 - 61, state whether the statements are true (T) or false (F).**

- 43. A right triangle can have at most one line of symmetry.
- 44. A kite has two lines of symmetry.
- 45. A parallelogram has no line of symmetry.
- 46. If an isosceles triangle has more than one line of symmetry, then it need not be an equilateral triangle.
- 47. If a rectangle has more than two lines of symmetry, then it must be a square.
- 48. With ruler and compasses, we can bisect any given line segment.
- 49. Only one perpendicular bisector can be drawn to a given line segment.
- 50. Two perpendiculars can be drawn to a given line from a point not lying on it.
- 51. With a given centre and a given radius, only one circle can be drawn.
- 52. Using only the two set-squares of the geometry box, an angle of  $40^\circ$  can be drawn.
- 53. Using only the two set-squares of the geometry box, an angle of  $15^\circ$  can be drawn.
- 54. If an isosceles triangle has more than one line of symmetry, then it must be an equilateral triangle.
- 55. A square and a rectangle have the same number of lines of symmetry.
- 56. A circle has only 16 lines of symmetry.
- 57. A  $45^\circ - 45^\circ - 90^\circ$  set-square and a protractor have the same number of lines of symmetry.



58. It is possible to draw two bisectors of a given angle.
59. A regular octagon has 10 lines of symmetry.
60. Infinitely many perpendiculars can be drawn to a given ray.
61. Infinitely many perpendicular bisectors can be drawn to a given ray.
62. Is there any line of symmetry in the Fig. 9.12? If yes, draw all the lines of symmetry.




Fig. 9.12

63. In Fig. 9.13, PQRS is a rectangle. State the lines of symmetry of the rectangle.




Fig. 9.13

- 64.** Write all the capital letters of the English alphabets which have more than one lines of symmetry.
- 65.** Write the letters of the word 'MATHEMATICS' which have no line of symmetry.
- 66.** Write the number of lines of symmetry in each letter of the word 'SYMMETRY'.
- 67.** Match the following:

Shape	Number of lines of symmetry
(i) Isosceles triangle	(a) 6
(ii) Square	(b) 5
(iii) Kite	(c) 4
(iv) Equilateral triangle	(d) 3
(v) Rectangle	(e) 2
(vi) Regular hexagon	(f) 1
(vii) Scalene triangle	(g) 0

- 68.** Open your geometry box. There are some drawing tools. Observe them and complete the following table:

Name of the tool	Number of lines of symmetry
(i) The Ruler	_____
(ii) The Divider	_____
(iii) The Compasses	_____
(iv) The Protactor	_____
(v) Triangular piece with two equal sides	_____
(vi) Triangular piece with unequal sides	_____

69. Draw the images of points A and B in line  $l$  of Fig. 9.14 and name them as  $A'$  and  $B'$  respectively. Measure  $AB$  and  $A'B'$ . Are they equal?




Fig. 9.14

70. In Fig. 9.15, the point C is the image of point A in line  $l$  and line segment BC intersects the line  $l$  at P.

- Is the image of P in line  $l$  the point P itself?
- Is  $PA = PC$ ?
- Is  $PA + PB = PC + PB$ ?
- Is P that point on line  $l$  from which the sum of the distances of points A and B is minimum?




Fig. 9.15

71. Complete the figure so that line  $l$  becomes the line of symmetry of the whole figure (Fig. 9.16).




Fig. 9.16

72. Draw the images of the points A, B and C in the line  $m$  (Fig. 9.17). Name them as  $A'$ ,  $B'$  and  $C'$ , respectively and join them in pairs. Measure  $AB$ ,  $BC$ ,  $CA$ ,  $A'B'$ ,  $B'C'$  and  $C'A'$ . Is  $AB = A'B'$ ,  $BC = B'C'$  and  $CA = C'A'$ ?




Fig. 9.17

- 73.** Draw the images  $P'$ ,  $Q'$  and  $R'$  of the points  $P$ ,  $Q$  and  $R$ , respectively in the line  $n$  (Fig. 9.18). Join  $P'Q'$  and  $Q'R'$  to form an angle  $P'Q'R'$ . Measure  $\angle PQR$  and  $\angle P'Q'R'$ . Are the two angles equal?




Fig. 9.18

- 74.** Complete Fig. 9.19 by taking  $l$  as the line of symmetry of the whole figure.




Fig. 9.19

- 75.** Draw a line segment of length 7cm. Draw its perpendicular bisector, using ruler and compasses.
- 76.** Draw a line segment of length 6.5cm and divide it into four equal parts, using ruler and compasses.
- 77.** Draw an angle of  $140^\circ$  with the help of a protractor and bisect it using ruler and compasses.
- 78.** Draw an angle of  $65^\circ$  and draw an angle equal to this angle, using ruler and compasses.
- 79.** Draw an angle of  $80^\circ$  using a protractor and divide it into four equal parts, using ruler and compasses. Check your construction by measurement.
- 80.** Copy Fig. 9.20 on your notebook and draw a perpendicular to  $l$  through  $P$ , using (i) set squares (ii) Protractor (iii) ruler and compasses. How many such perpendiculars are you able to draw?



Fig. 9.20

- 81.** Copy Fig. 9.21 on your notebook and draw a perpendicular from P to line  $m$ , using (i) set squares (ii) Protractor (iii) ruler and compasses. How many such perpendiculars are you able to draw?



Fig. 9.21

- 82.** Draw a circle of radius 6cm using ruler and compasses. Draw one of its diameters. Draw the perpendicular bisector of this diameter. Does this perpendicular bisector contain another diameter of the circle?
- 83.** Bisect  $\angle XYZ$  of Fig. 9.22




Fig. 9.22

- 84.** Draw an angle of  $60^\circ$  using ruler and compasses and divide it into four equal parts. Measure each part.
- 85.** Bisect a straight angle, using ruler and compasses. Measure each part.
- 86.** Bisect a right angle, using ruler and compasses. Measure each part. Bisect each of these parts. What will be the measure of each of these parts?
- 87.** Draw an angle ABC of measure  $45^\circ$ , using ruler and compasses. Now draw an angle DBA of measure  $30^\circ$ , using ruler and compasses as shown in Fig. 9.23. What is the measure of  $\angle DBC$ ?




Fig. 9.23

- 88.** Draw a line segment of length 6cm. Construct its perpendicular bisector. Measure the two parts of the line segment.
- 89.** Draw a line segment of length 10cm. Divide it into four equal parts. Measure each of these parts.

**(D) Activities**

**Activity 1:** Make three different ink blot devils in your notebook and mark their line of symmetry.

**Activity 2:** Draw all the lines of symmetry of Fig. 9.24 by paper folding.




Fig. 9.24

**Activity 3:** Draw an angle of  $15^\circ$  by first drawing an angle of  $60^\circ$  and then an angle of  $45^\circ$ , using ruler and compasses.

**Activity 4:** Using ruler and compasses draw an angle of  $90^\circ$  and in its interior, draw two rays with the initial point of each as the vertex of the angle so that each of the three angles so formed is of  $30^\circ$  (See Fig. 9.25).




Fig. 9.25

**Activity 5:** Draw an angle of  $45^\circ$  and in its interior, draw two rays to form three angles each of measure  $15^\circ$ , using ruler and compasses.

**Activity 6:** Draw an angle of  $135^\circ$  and in its interior, draw two rays to form three angles each of equal measure, using ruler and compasses.

**Activity 7:** Draw the perpendicular bisectors of BC, CA and AB (Fig. 9.26). What do you observe?



Fig. 9.26

**Activity 8:** Bisect AE and CE by drawing up their perpendicular bisectors in (Fig. 9.27).

Let P be the point of intersection of these perpendicular bisectors check whether

$PA = PE$ ,  $PE = PC$




Fig. 9.27

**Activity 9:** Bisect BC and AB by drawing their perpendicular bisectors (Fig. 9.28). Make the point of intersection as P. Check whether  $PA = PB = PC$




Fig. 9.28

**Activity 10:** Draw two line segments of lengths 8cm and 6cm. Using these line segments, construct a line segment of length  $(8 + 6)$ cm.

**Activity 11:** Draw two line segments of lengths 3cm and 5cm. Construct line segments of the following lengths using these line segments:

- |                |                  |                  |
|----------------|------------------|------------------|
| (a) 6cm        | (b) 15cm         | (c) $(3+5)$ cm   |
| (d) $(6+5)$ cm | (e) $(9 - 5)$ cm | (f) $(5 - 3)$ cm |

**Activity 12:** Draw two line segments of lengths 3cm and 6cm. Construct line segments, equal to the following lengths, using these line segments.

- |                        |                      |                           |
|------------------------|----------------------|---------------------------|
| (a) $\frac{3+6}{2}$ cm | (b) $\frac{6}{2}$ cm | (c) $\frac{2(3)+6}{2}$ cm |
|------------------------|----------------------|---------------------------|

**Activity 13:** Drop perpendiculars from D to AB and from D to AC (Fig. 9.29).




Fig. 9.29

**Activity 14:** O is the centre of the circle (Fig. 9.30). Drop perpendicular from B on CA. Where does it meet CA?




Fig. 9.30

**Activity 15:** Copy the figure and bisect  $\angle A$  and  $\angle B$  (Fig. 9.31). Let the bisectors meet at some point P. Measure angle  $\angle APB$ .




Fig. 9.31


**Activity 16:**

Fig. 9.32

- Bisect angle 1 and angle 2 (Fig. 9.32).
- Measure the angle between these bisectors.
- Now bisect angle 3 and angle 4.
- Measure the angle formed between these bisectors.
- What do you observe from (b) and (d)? Can you conclude something?

**Activity 17:** Construct an angle equal to  $1\frac{1}{2}$  times the  $\angle PQR$  of Fig. 9.33, using ruler and compasses.




Fig. 9.33

**Activity 18:** Bisect angle A, angle B and angle C (Fig. 9.34). What do you observe?




Fig. 9.34