Atoms and Molecules

Solution 01

International Union of Pure and Applied Chemistry

Solution 02

(a) Law of conservation of mass - Antonie Lavoisier

(b) Law of constant proportions – Joseph Proust

Solution 03

- (a) Law of conservation of mass.
- (b) Law of constant proportions.

Lakhmir Singh Class 9 CBSE Chemistry Text Book PAGE No 129

Solution 04 John Dalton Solution 05 Atoms can neither be created nor destroyed. Solution 06 The elements consist of atoms having fixed mass, and that the number and kind of atoms of each element in a given compound is fixed. Solution 07 Kanad ; 'parmanu'. Solution 08 Law of Conservation of mass and law of constant proportions. Solution 09

Law of constant proportions.

Solution 10

Law of Conservation of mass.

Solution 11

Atoms are the building blocks of matter.

Solution 12

The size of an atom indicated by its radius which is called 'atomic radius'.

Solution 13

The radius of an atom is usually expressed in 'nanometers'.

Solution 14

1 nanometer = 10-9 m

Solution 15

'nm' represents nanometer.

Solution 16

Because they are very very small.

Solution 17

False ; it is Co

Solution 18

The molecular mass of a substance is the relative mass of its molecule as compared with the mass of a Carbon-12 atom taken as 12 units.

Solution 19

This means that a molecule of oxygen is 32 times heavier than 1/12 of a Carbon-12 atom.

Solution 20

(a) 1:8

(b) Conservation of mass

Solution 21

(a) Carbon is used as a standard for atomic mass scale.

(b) Atom with 6 neutrons and 6 protons in its nucleus so that its mass number is 12.

(c) Mass = 12 u

Solution 22

The major drawback of Dalton's atomic theory is that atoms were thought to be indivisible. But, it is not true since atoms are divisible.

Solution 23

No, the statement is not valid because atoms can be divided into subatomic particles called electrons, protons and neutrons.

Solution 24

Yes, 'THE SCANNING TUNNELLING MICROSCOPE' enables people to see atoms. This microscope can produce computer generated images of the surface of elements which show the individual atoms. The atoms show up as blurred images.

Solution 25

The symbol of element is the "first letter" or "first letter and another letter" of the English name or Latin name of the element.

For example, symbol of Hydrogen is "H" and symbol of Calcium is "Ca".

Solution 26 (a)Ca, Mg (b)Cu, Hg Solution 27 Hydrogen- H, Helium-He, Lithium-Li , Beryllium-Be, Boron-B Solution 28 Sodium – Na Potassium – K

Iron – Fe Copper – Cu

Mercury – Hg

Silver – Ag

Solution 29

- Hg Mercury Pb – Lead
- Au Gold
- Ag Silver
- Ay Silve
- Sn Tin

Solution 30

The number of atoms present in one molecule of an element is called atomicity of that element.

For example, atomicity of sodium is 1 and that of nitrogen is 2.

Solution 31

- (a) Oxygen = 2
- (b) Ozone = 3
- (c) Neon = 1
- (d) Sulphur = 8
- (e) Phosphorus = 4
- (f) Sodium = 1

Solution 32

A chemical formula represents the composition of a molecule of the substance in terms of the symbols of the elements present in the molecule. It is also known as molecular formula.

Chemical formula of element – H2 for hydrogen

Chemical formula of compound – H2O for water

Solution 33

(a). Water- H2O; Elements present are Hydrogen and Oxygen.

(b).Ammonia- NH3; Elements present are Nitrogen and Hydrogen.

(c).Methane-CH4; Elements present are Carbon and Hydrogen.

- (d).Sulphur dioxide-SO2; Elements present are Sulphur and Oxygen.
- (e).Ethanol-C2H5OH; Elements present are carbon, hydrogen and oxygen.

Solution 34

2N represents two separate atoms of nitrogen and N2 represents one molecule of nitrogen.

Lakhmir Singh Class 9 CBSE Chemistry Text Book PAGE No: 130

Solution 35

(a) O- one atom of oxygen

(b) 20- two separate atoms of oxygen

(c) 02-one molecule of oxygen

(d)302-three molecules of oxygen

Solution 36

H2 represents two atoms of hydrogen, one atom of sulphur and four atoms of oxygen.

Solution 37

(a) Oxygen gas occurs as a diatomic molecule in nature.

(b) Noble gases occur as monoatomic gases in nature.

Solution 38

2H represents two separate atoms of hydrogen and H2 represents one molecule of hydrogen.

- (a) N one atom of nitrogen
- (b) 2N two separate atoms of nitrogen
- (c) N2 one molecule of nitrogen

(d) 2N2 – two molecules of nitrogen

Solution 40

Significance of formula of a substance-

1. Formula represents the name of the substance.

2. Formula represents one molecule of a substance.

3. Formula gives the number of atoms of each element present in one molecule.

4. Formula also represents one mole of molecules of the substance.

Solution 41

Significance of the formula H2O-

1. H20 represents water.

2. It represents one molecule of water.

3. H2O also represents 6.022 x 1023 molecules of water.

4. It represents 18gm of water.

Solution 42

Molecular formula of glucose = C6H12O6

Molecular mass of glucose = (6xC)+(12xH)+(6xO) = 72 + 12 + 96 = 180u.

Solution 43

(a).Molecular mass of Hydrogen (H2) = $2 \times H = 2 \times 1 u = 2 u$ (b).Molecular mass of oxygen (O2) = $2 \times 0 = 2 \times 16 \text{ u} = 32 \text{ u}$ (c).Molecular mass of chlorine (Cl2) = 2 x Cl = 2 x 35.5 = 71 u (d).Molecular mass of Ammonia (NH3) = 1 x N + 3 x H = 14 + 3 = 17 u (e).Molecular mass of carbon dioxide (CO2) = 1 x C + 2 x O = 12 + 32 = 44 u Solution 44 (a). Molecular mass of methane (CH4) = 12 + 4 = 16 u (b). Molecular mass of ethane (C2H6) = $2 \times 12 + 6 \times 1 = 30 \text{ u}$ (c). Molecular mass of ethane $(C2H4) = 2 \times 12 + 4 \times 1 = 28 \text{ u}$ (d). Molecular mass of ethyne (C2H2) = $2 \times 12 + 2 \times 1 = 26 \text{ u}$ Solution 45 (a) Molecular mass of Methanol(CH3OH) = 1xC + 3xH + 1xO + 1xH = (12+3+16+1)u = 32u(b) Molecular mass of Ethanol (C2H5OH) = 2xC + 5xH + 1xO +1xH = (24 + 5 + 16 + 1) = 46uSolution 46 Molecular mass of ethanoic acid (CH3COOH) = 1xC + 3xH + 1xC + 2xO + 1xH = 12 + 3 + 12 + 32 + 1 = 60uSolution 47 Molecular mass of Nitric acid (HNO3) = 1xH + 1xN + 3xO = (1 + 14 +48) u = 63 u Solution 48 Molecular mass of chloroform (CHCl3) = 1 x C + 1 x H + 3 x Cl = (12 + 1 + 106.5)u = 119.5 u Solution 49 Molecular mass of hydrogen bromide (HBr) = $1 \times H + 1 \times Br$ = (1 + 80) u = 81u Solution 50 (a). Molecular mass of hydrogen sulphide (H2S) = 2xH + 1xS= (2+32) u = 34u (b). Molecular mass of Carbon disulphide (CS2) = 1xC + 2xS = (12+2 x 32) u = 76 u Solution 51 Law of conservation of mass by LAVOISIER states that: "Mass can neither be created nor be

destroyed in a chemical reaction". So, in a chemical reaction, the total mass of reactants must be equal to the total mass of products.

For example: When calcium carbonate is heated, a chemical reaction takes place to form calcium oxide and calcium carbonate. If 100 gms of calcium carbonate is decomposed completely, then 56 gms of calcium oxide and 44 gms of carbon dioxide are formed. In the above example: the total mass of products = 56 gms (CaO) + 44gms (CO2) = 100 gms. As total mass of products is equal to the total mass of reactant so, the law of conservation of mass is satisfied.

Solution 52

Law of constant proportion given by PROUST states that "A chemical compound always consists of the same elements combined together in the same proportion by mass." For example: If we decompose 100 gms of pure water by passing electricity through it, then 11 gms of hydrogen and 89 gms of oxygen are obtained. Now, if we repeat this experiment by taking pure water from different sources (like river, sea, well, etc.), the same masses of hydrogen and oxygen elements are obtained in each case. They are always combined together in the same constant proportion of 11:89 or 1:8 by mass. And this is the law of constant proportions.

Solution 53

[a]. Postulates of Dalton's atomic theory:

a) All the matter is made up of very small particles called 'atoms'.

b) Atoms cannot be divided.

c) Atoms can neither be created nor be destroyed.

d) Atoms are of various kinds. There are as many kinds of atoms as are elements.

e) All the atoms of a given element are identical in every respect, having the same mass, size and chemical properties.

f) Atoms of different elements differ in mass, size and chemical properties.

g) The 'number' and 'kind' of atoms in a given compound is fixed.

h) During chemical combination, atoms of different elements combine in small whole numbers to form compounds.

i) Atoms of the same elements can combine in more than one ratio to form more than one compound.

[b]. The postulate "The elements consists of atoms and that atoms can neither be created nor destroyed" can be used to explain the law of conservation of mass.

[c]. The postulate "The elements consist of atoms having fixed mass, and that the number and kind of atoms of each element in a given compound is fixed" can be used to explain the law of constant proportions.

Solution 54

(a).Significance of symbol of element -

i. It represents name of the element.

ii. It represents one atom of the element.

iii. It represents a definite mass of the element.

iv. It represents one mole of atoms of the element.

For example – C represents one atom of the element Carbon. It also represents 12 gms of Carbon.

(b). Significance of symbol H -

i. It represents Hydrogen element.

ii. It represents one atom of Hydrogen element.

iii. It represents one mole of Hydrogen atoms.

iv. It represents 2 gms of Hydrogen.

Solution 55

a) An atom is the smallest particle of an element that can take part in a chemical reaction.

They usually exist in combination with the atoms of same element or another element.

b) A molecule is an electrically neutral group of two or more atoms chemically bonded together.

For example- Ozone gas has three oxygen atoms combined together, so ozone exists in the form of O3 molecule.

c) The molecule of an element contains two or more similar atoms chemically bonded together.

For example- A molecule of hydrogen element consists of 2 hydrogen atoms combined together.

Whereas the molecule of compound contains two or more different type of atoms chemically bonded together.

For example- The molecule of hydrogen chloride(HCl) contains two different type of atoms, i.e. H and Cl.

Solution 56

(a) One atomic mass unit is defined as exactly one-twelfth the mass of an atom of carbon-12. Its symbol is 'u'.

(b) The atomic mass of an element is the relative mass of its atom as compared with the mass of a carbon-12 atom taken as 12 units.

(c) It means that one atom of oxygen is 16 times heavier than 1/12 of a C-12 atom.

Lakhmir Singh Class 9 CBSE Chemistry Text Book PAGE NO 131

Solution 75

According to question-

Clearly, in this case

total mass of reactants = (15.95 gm + 8 gm) = 23.95 gmtotal mass of products = (9.75 gm + 14.2 gm) = 23.95 gm

Hence, Law of conservation of mass is valid here.

Solution 76

According to question-

Let, x gm of oxygen is formed

Then, according to law of conservation of mass-

24.5 gm = 14.9 gm + x gm

So, x = (24.5 � 14.9) gm = 9.6 gm.

Thus, 9.6 gm of oxygen is formed in the reaction

Solution 77

According to question-

Reaction 1-

2 Cu	+ 0 ₂	→ 2CuO
(3.92 gm)	(4.90-3.92 = 0.98gm)	(4.90 gm)

 $\frac{3.92}{3.92} = 1, \frac{0.98}{3.92} = 0.25, \frac{4.90}{3.92} = 1.25$

So, 1 equivalent of Cu reacts with 0.25 equivalent of O_2 to form 1.25 equivalent of copper oxide.

Reaction 2-

and 0.25 equivalent of oxygen. Hence, law of constant proportion is verified. Solution 78

According to question-

Magnesium + Oxygen → Magnesium oxide 3x 2x x

i.e. three equivalents of Mg reacts with 2 equivalents of O2 to form 1 equivalent of MgO. When mass of Mg = 3x = 24 gm So, x = 8 gm Then, mass of oxygen required = 2x = 16 gm

Lakhmir Singh Class 9 CBSE Chemistry Text Book PAGE NO: 132

Solution 79

When 5 gm of calcium is burnt in 2 gm of oxygen, then 7 gm of calcium oxide is formed. So, calcium and oxygen combine in the fixed proportion of 5:2 by mass.

Now, when 5 gm of calcium is burnt in 20 gm of oxygen, then also 7gm of calcium oxide will be formed because chemical reactions follows law of constant proportion.

As a result, 18 gm of oxygen will be left unreacted.

Solution 80

According to question-

X (liquid) $\rightarrow Y$ (gas) + Z (gas) 200gm 178gm 22gm

(a) Liquid X - Water

Gas Y – Oxygen

Gas Z - Hydrogen

(b) mass of Z / mass of Y = 22gm / 178 gm = 1:8

(c) Law of constant proportion is illustrated by this example.

(d) Two sources of liquid X - Sea, Well

(e) Gas Y (oxygen) is necessary for breathing.

Solution 81

According to question-

 $\begin{array}{ll} {\sf P} \mbox{ (solid)} \rightarrow {\sf Q} \mbox{ (gas)} + {\sf R} \mbox{ (solid)} \\ {\sf 50} \mbox{ gm} & 22 \mbox{ gm} & 28 \mbox{ gm} \end{array}$

```
(a) Solid P – Calcium Carbonate (CaCO3)
```

Gas Q - Carbon dioxide (CO2)

Solid R - Calcium oxide (CaO)

(b) Total mass of Q and R = 22gm + 28gm = 50gm

(c) Total mass of Q and R (50gm) is equal to mass of reactant (50gm).

(d) The law of conservation of mass is followed, i.e. total mass of product is equal to mass of reactant.

(e) Law of conservation of mass is illustrated by the example.

Lakhmir Singh Class 9 CBSE Chemistry Text Book PAGE No 150

Solution 01 lons Solution 02 (a). Anions ; (b). Cations Solution 03 The formula mass of an ionic compound is the relative mass of its 'formula unit' as compared with the mass of a Carbon-12 atom taken as 12 units

Lakhmir Singh Class 9 CBSE Chemistry Text Book PAGE NO 151

Solution 04

(a) Anions are formed by the gain of electrons by atoms

(b) Cations are formed by the loss of electrons by atoms

Solution 05

(a) False

(b) True

Solution 06

(a). Calcium oxide – CaO

(b). Magnesium hydroxide – Mg(OH)2

Solution 07

Valency of element Z = 3 Valency of oxygen = 2 So, formula of oxide of element = Z2O3 Solution 08

Its Na+ , the sodium ion.

Solution 09

Its Cl-, the chloride ion.

Solution 10

(a) Anion

(b) Cation

(c) Ion

(d) Electrons ; protons

(e) Protons; electrons

Solution 11

Water is made up of Hydrogen and oxygen. Valency of hydrogen is +1 ; Valency of oxygen is -2. Chemical formula of water is H2O.

Solution 12

Symbols : H N Valencies : +1 -3

So, chemical formula of ammonia is NH3.

Solution 13

Symbols : S O Valencies : +4 -2

Chemical formula of sulphur dioxide is SO2.

Solution 14

According to question-

Symbols : C S Valencies : +4 -2

Name and formula of the resulting compound is Carbon disulphide; CS2.

Solution 15

As the valency of element X is 4 and that of Y is 1, so the resulting formula is XY4. Solution 16

When the valency shown by B is 4, then-

Symbols : B O Valencies : +4 -2 The resulting compound is BO₂.

When the valency shown by B is 6, then-

Symbols : B O Valencies : +6 -2 The resulting compound is BO₃

Solution 17

Symbols : X Y Valencies : 3 2 Thus, the resulting compound is $X_2Y_{3,\rm c}$

Solution 18

Symbols : Mg HCO3 Valencies : +2 -1 Thus, the resulting compound is Mg(HCO₃)₂

Solution 19

(a). Bromide of element-

As valency of bromine is -1 and that of element X is +2 so, the resulting compound is XBr2.

(b). Oxide of element-

As valency of oxygen is -2 and that of element is +2 so, the resulting compound is XO.

Solution 20

(a). Sodium oxide-

Symbols : Na O Valencies : +1 -2 Thus, the formula of sodium oxide is Na₂O.

(b). Calcium carbonate-

Symbols : Ca CO3 Valencies : +2 -2 Thus, the resulting compound is CaCO₃.

Solution 21

(a).Molecular mass of Na2O = (2 x Na) + (1 x O) = (2 x 23) + (1 x 16) = 62u
(b). Molecular Mass of Al2O3 = (2 x Al) + (3 x O) = (2 x 27) + (3 x 16) = 102u
Solution 22

- (a). CuSO4 : Copper sulphate; Cu+2 and SO4-2
- (b). (NH4)2SO4 : Ammonium sulphate; NH4+ and SO4-2.
- (c). Na2O : Sodium oxide; Na+ and O-2
- (d). Na2CO�3 : Sodium carbonate; Na+ and CO4-2.
- (e). CaCl2 : Calcium chloride; Ca+2 and Cl-.

Solution 23

- (a). CH3COONa : Na+ (cation) and CH3COO- (anion)
- (b). NaCl: Na+ (cation) and Cl- (anion)
- (c). H2 : It is a covalent molecule. So, cation and anion are not present.
- (d). NH4NO3 : NH4+ (cation) and NO3- (anion)

```
(a). Element : Ca
                    F
   Valencies : +2
                   -1
Thus, the resulting compound is CaF2,
                 s
(b), Element : H
   Valencies : +1 -2
Thus, the resulting compound is H2S.
(c). Element : N
                    н
  Valencies : -3
                   +1
Thus, the resulting compound is NH3.
(d). Element : C
                   CI
  Valencies : +4
                 -1
Thus, the resulting compound is CCl4.
(e). Element : Na
                  0
  Valencies : +1
                 -2
Thus, the resulting compound is Na2O.
(f). Element : C
                 0
  Valencies : +4 -2
```

Thus, the resulting compound is CO2.

Solution 25

i. Ionic compounds- The compounds which are formed by combination of metals and nonmetals are called ionic compounds. For ex: CaCl2 and CaCO3.

ii. Molecular compounds- These compounds are formed by the combination between two nonmetal elements. For ex. HCl and H2S.

Lakhmir Singh Class 9 CBSE Chemistry Text Book PAGE No 152

Solution 26

(a). An ion is a positively or negatively charged atom (or group of atoms). An ion is formed by the loss or gain of an electrons by an atom, so it contains an unequal number of protons and electrons.

 $\mathsf{EXAMPLE}\xspace$ (1). Sodium ion, $\mathsf{Na}^+\!,$ formed by loss of one electron.

(2). Chloride ion, Cl⁻, formed by gain of one electron.

(b).

- i. Sodium phosphate Na₃PO₄
- ii. Ammonium sulphate (NH₄)₂SO₄

iii. Calcium Hydroxide - Ca(OH)₂

iv. Lead bromide - PbBr₂

Solution 27

(a)A cation is formed by the loss of one or more electrons by an atom. For ex. Magnesium loses 2 electron to form Mg+2.

An anion is formed by the gain of one or more electrons by an atom. For Ex. Chlorine loses one electron to form Cl-.

(b) (i). Na2S

(ii). Cu (NO3)2

Solution 28

(i).

The reason for positive charge on sodium is the loss of electron.

(ii).

Cl (17 protons, 17 electrons) → Cl⁻ (17 protons, 18 electrons)

The reason for negative charge on chlorine is the gain of electron.

(a). Simple ions: Br- and Na+ ; Compound ions: NH4+ and Al+3
(b). (i). YCl4 (ii). YO2 (iii). Y (SO4)2 (iv). Y (CO3)2 (v). Y (NO3)4
Solution 30
(a). The simplest combination of ions that produces an electrically neutral unit, is called 'formula unit' of the ionic compound.
Formula unit of sodium chloride - NaCl
Formula unit of magnesium chloride - MgCl2
(b).

(i). Formula Mass of Calcium chloride (CaCl2) = 1xCa + 2xCl = (40+71) u = 111 u

(ii). Formula Mass of Sodium carbonate (Na2CO3) = 2xNa + 1xC + 3xO= (2x23 + 1x12 + 3x16)u = 106 u

Lakhmir Singh Class 9 CBSE Chemistry Text Book PAGE NO 153

Solution 46

(a). Let the valency of element A be y, then 2y + 5(-2) = 0So, y = valency of element A = 5(b). As valency of element A is 5 and valency of chlorine is -1, So, the formula of chloride of A is ACI5. Solution 47 Valency of X -(i). In H2X : -2 (ii).In CX2 : -2 (iii).ln XO2 : +4 (iv).In XO3:+6 Solution 48 Let the valency of X be y, then 2 x (+3) + 3 x y = 0So, valency of X = y = -2As valency of Mg is +2 and that of X is -2 so the formula of Magnesium salt of X will be MgX. Solution 49 According to formula M2CO3, valency of M is +1. (a). formula of iodide = MI (as valency of iodine is -1) (b). formula of nitride = M3N (as valency of nitrogen is -3) (c). formula of phosphate = M3PO4 Solution 50 (a). Anion will be formed by element X ; Symbol : X-(b). (i). No. of protons in X = 17 (ii). No. of electrons in X = 18 (iii). No. of neutrons in X = 18 (c). Cation will be formed by element Y ; Symbol : Y+ (d). (i). No. of protons in Y = 11(ii). No. of electrons in Y = 10 (iii). No. of neutrons in Y = 12(e). Atomic mass of X = No. of protons(17) + No. of neutrons(18) = 35 u Atomic mass of Y = No. of protons (11) + No. of neutrons (12) = 23 u (f). Element X is Chlorine (Cl). Element Y is Sodium (Na).

Lakhmir Singh Class 9 CBSE Chemistry Text Book PAGE NO: 172 Solution 1 A mole

Solution 2 1 mole Solution 3 6.022 x 10²³

Solution 4

One mole of atoms (6.022 x 10²³ atoms)

Solution 5

 6.022×10^{23}

Solution 6

Avogadro number Solution 7 Given mass of oxygen = 12g Molar mass of oxygen = 32g No. of moles = Given mass / Molar mass = 12g/32g = 0.375Solution 8 No. of moles = 3.6g / 18g = 0.2 mole Solution 9 Mass of 0.2 moles of oxygen atoms = 0.2 x 16 = 3.2g Solution 10 Mass of 2 moles of nitrogen atoms = $2 \times 14 = 28g$ Solution 11 Given mass of CaCO3 = 10g Molar mass of CaCO3 = 1xCa + 1xC + 3xO = (40+12+48)gm = 100gm So, no. of moles of CaCO3 = Given mass/Molar mass = 10/100 = 0.1 moles Solution 12

(a). 6.022 x 10²³ atoms

(b). One Mole

(c). Avogadro's number

Solution 13

One mole of $O_2 = 32 \text{ gm}$

 6.022×10^{23} molecules of O₂ have mass = 32 gm

So, 12.044 x 10 25 molecules of O₂ will have mass = 6400 gm = 6.4 Kg

Solution 14

One mole of ammonia contains = 6.022×10^{23} molecules of ammonia.

So, 1.5 moles of ammonia contains = $1.5 \times 6.022 \times 10^{23}$ molecules

= 9.033 x 10²³ molecules of ammonia.

Solution 15

Given mass of CaCO₃ = 10g

Molar mass of CaCO₃ = 1xCa + 1xC + 3xO = (40+12+48)gm = 100gm

So, no. of moles of CaCO3 = Given mass/Molar mass = 10/100 = 0.1 moles

One mole of O_2 contains = 6.022×10^{23} molecules of oxygen

So, 1 molecule of O_2 has = 1/6.022 x 10^{23} moles of O_2

Therefore, 1.2×10^{22} molecules of O₂ will have = $1.2 \times 10^{22} / 6.022 \times 10^{23}$ moles of O₂

= 0.0199 moles of O₂

Solution 17

 6.022×10^{23} molecules of N₂ weigh = 28 gm

So, 1 molecule of N₂ will weigh = $28 / 6.022 \times 10^{23}$ grams of N₂

= 4.648×10^{-23} grams of N₂

Solution 18

1 mole of sodium weighs = 23 gm So, 1 gm of sodium will have = 1/23 moles of sodium Therefore, 34.5 gm of sodium will have = 34.5/23 = 1.5 moles of sodium.

Solution 19

1 mole of Zn = 65gm of zinc = 6.022×10^{23} atoms of zinc

Given mass of zinc = 10gm

No. of moles of zinc = 10/65 = 0.15 moles of zinc

Total no. of atoms in 0.15 moles = $0.15 \times 6.022 \times 10^{23}$ atoms of Zn

= 9.264×10^{22} atoms of Zn

Solution 20

Mass of 6.022 x 10²³ atoms of Carbon = 12 g

So, Mass of 1 Carbon atom = 12/6.022 x 10²³ g

Hence, mass of 3.011×10^{24} atoms of Carbon = $3.011 \times 10^{24} \times 12 / 6.022 \times 10^{23}$ = 60 g

Solution 21

 6.022×10^{23} atoms of Oxygen weigh = 16 g

So, mass of 1 atom of Oxygen = 16/6.022 x 10²³ = 2.656 x 10⁻²³ g.

Lakhmir Singh Class 9 Chemistry Text Book Page No 173

Solution 22

1 mole of hydrogen has = 6.022×10^{23} atoms of hydrogen So, 0.25 moles of hydrogen will have = $6.022 \times 10^{23} \times 0.25 = 1.50 \times 10^{23}$ atoms of hydrogen.

Solution 23

 6.022×10^{23} atoms of phosphorus has = 1 mole of phosphorus So, 12.044 x 10²⁵ atoms of phosphorus will have = 12.044 x 10²⁵/6.022 x 10²³ = 200 moles

Given mass of CHCl₃ = 0.0239 g

Molar mass of $CHCl_3 = 1 \times C + 1 \times H + 3 \times Cl = 119.5 \text{ g}$

No. of moles = Given mass/ Molar mass

No. of moles = 0.0239/119.5 = 0.0002

So, no. of molecules present in 0.0239 g of chloroform = $0.0002 \times 6.022 \times 10^{23}$

= 12.044 x 10¹⁹ molecules

Solution 25

1 mole of Na₂CO₃ = 106g

So, 5 x mole of Na₂CO₃ = 5 x 106g = 530g

Solution 26

32 g of oxygen (1 mole of oxygen) has = 6.022×10^{23} molecules of oxygen

So, 4 g of oxygen will have = $6.022 \times 10^{23} \times 4/32 = 7.528 \times 10^{22}$ molecules of oxygen.

Solution 27

Molar mass of glucose = 180 g

180 g of glucose has = 1 mol

So, 100 g of glucose will have = $1 \times 100/180 = 0.55$ moles

Solution 28

1 mole of H_2S weighs = 34 g

So, 0.17 mole of H_2S will weigh = 34×0.17 g = 5.78 g

Solution 29

Molar mass of CO₂ = 44g

Molar mass of $H_2O = 18g$

Mass of 5 mole of $H_2O = 5 \times 18g = 90 g$

Mass of 5 mole of $CO_2 = 5 \times 44g = 220 g$

So, 5 mole of H₂O and 5 mole of CO₂ do not have same mass.

And the difference in their masses = 220 g - 90 g = 130 g

Solution 30

240g of calcium has = 240/40 = 6 moles

240g of magnesium has = 240/24 = 10 moles

So, required mole ratio = 6:10 = 3:5

Solution 31

(a). A group of 6.022×10^{23} particles (atoms, molecules or ions) of a substance is called a mole of that substance. One mole represents the amount of a substance equal to its 'GRAM ATOMIC MASS' or 'GRAM MOLECULAR MASS' and 6.022×10^{23} no. of particles of the substance.

(b). 1.5 moles of ${\sf Na}_2{\sf SO}_3$ has 3 moles of Na, 1.5 mole of S and 4.5 moles of O.

Thus, mass of sodium = 3 x 23 g = 69g

Mass of sulphur = 1.5 x 32 = 48g

Mass of oxygen = $4.5 \times 16 \text{ g} = 72 \text{ g}$

(a) A mole of carbon atoms means a carbon sample weighing 12 g and containing 6.022×10^{23} carbon atoms.

(b) 1 mole of aluminium weighing 27g has = 6.022×10^{23} atoms of Al

So, 1g of Al has = 0.22×10^{23} atoms of Al

Hence, 50g of Al will have = $50 \times 0.22 \times 10^{23}$ atoms of Al

= 11×10^{23} atoms of AI

1 mole of iron weighing 56g has = 6.022×10^{23} atoms of Fe

So, 1g of Fe has = 0.10×10^{23} atoms of Fe

Hence, 50g of Fe will have = $50 \times 0.10 \times 10^{23}$ atoms of Fe = 5×10^{23} atoms of Fe

Thus, 50g of AI has more no. of atoms as compared to 50g of Fe.

Solution 33

(a). The amount of substance whose mass in grams is numerically equal to its atomic mass, is called gram atomic mass of that substance.

Gram atomic mass of oxygen is 16g.

(b). Moles of oxygen atom are -

(i). Al_2O_3 : 3 mole

(ii). CO₂ : 2 mole

(iii).Cl₂O₇: 7 mole

(iv). H₂SO₄: 4 mole

(v). Al₂(SO₄)₃: 12 mole

Solution 34

(a). The amount of substance whose mass in grams is numerically equal to its molecular mass is called gram molecular mass of that substance. Gram molecular mass of the oxygen is 32g. (b). Given mass of sulphur = 100gMolar mass of S₈ = $32 \times 8g = 226g$

No. of moles = Given mass / Molar mass = 100/ 256 = 0.39 moles.

Solution 35

(a). The molar mass of the substance is the mass of 1 mole of that substance. Molar mass is generally expressed in grams or 'g'.

(b).

(i). Molar mass of ozone (O₃) = $3 \times \text{gram}$ atomic mass of O = $3 \times 16 \text{ g}$ = 48 g/mole

(ii). Molar mass of Ethanoic acid (CH₃COOH) = 2xC + 4xH + 2xO

= (24 + 4 + 32)u = 60 g/ mole

Lakhmir Singh Class 9 Chemistry Text Book Page No 174

Solution 43

1 mole of SO₂ = Mass of S + 2 × Mass of O = 64 grams 64 g of SO₂ = 1 mole So, 1 g of SO₂ = 1/64 mole Now since equal moles of all the substances contain equal number of molecules so, 1/64 mole of O₂ will also contain x molecules like SO₂. 32 g of oxygen = 1 mole So, 1 g of oxygen = 1/32 mole Now, 1/64 mole of oxygen contains = x molecules So, 1/32 mole of oxygen will contain = x x 64/32 = 2x molecules

Mass of one molecule of substance = $4.65 \times 10^{-23} u$

So, mass of 1 mole of substance = Mass of 6.022 x 10²³ molecules of the substance

= 4.65 x 10⁻²³ x 6.022 x 10²³ u = 28 u

The substance is Nitrogen with molecular mass 28 u.

Solution 45

Molar mass of $SO_2 = (32 + 2x16) g = 64g$

Molar mass of oxygen (O₂) = 32g

Given mass of SO₂ = 10g = Given mass of oxygen (O₂)

1 mole of substance = 6.023×10^{23} particles of the substance

(a). No. of moles of SO₂ = 10g/64g = 0.15

Total no. of molecules of $SO_2 = 0.15 \times 6.022 \times 10^{23} = 0.90 \times 10^{23}$ molecules of SO_2

(b). No. of moles of $O_2 = 10g/32g = 0.31$

Total no. of molecules of $O_2 = 0.31 \times 6.022 \times 10^{23} = 1.88 \times 10^{23}$ molecules of O_2

Thus, 10g of O₂ contains more no. of molecules.

Solution 46

Given mass of nitrogen = 56g

Molar mass of nitrogen = 14g

No. of moles of nitrogen = 56g/14g = 4 moles

Equal number of moles of all the susbtances contain equal number of molecules.

So, 4 moles of nitrogen and 4 moles of oxygen contains same no. of molecules.

Hence, mass of 4 mole of oxygen = 4 x 16g = 64 g

Solution 47

Given mass of water = 1.8g Molar mass of water = 18g No. of moles of water = 1.8g/18g = 0.1 moles Equal number of moles of all the susbtances contain equal number of molecules. So, 0.1 moles of water and 0.1 moles of nitrogen contains same no. of molecules. Hence, mass of 0.1 mole of nitrogen = 0.1 x 28 g = 2.8 g

Solution 48

32 g of S = 1 mole So, 1 g of S = 1/32 mole Now since equal moles of all the substances contain equal number of atoms so, 1/32 mole of oxygen will also contain x atoms like S. 16 g of oxygen = 1 mole So, 1 g of oxygen = 1/16 mole Now, 1/32 mole of oxygen contains = x atoms So, 1/16 mole of oxygen will contain = x x 32/16 = 2x atoms

Given mass of carbon = 6g

Molar mass of carbon = 12g

No. of moles of carbon = 6g/12g = 0.5 moles

Equal number of moles of all the susbtances contain equal number of molecules.

So, 0.5 moles of carbon and 0.5 moles of magnesium contains same no. of molecules.

Hence, mass of 0.5 mole of magnesium = $0.5 \times 24g = 12g$

Solution 50

(i). Mass of 1 g of element X = 2×10^{-23} g

Mass of 1 mole of element X = $2 \times 10^{-23} \times 6.022 \times 10^{23}$ = 12.044 g

Molar mass of the element X = mass of 1 mole of element = 12 u

(ii). Element X is CARBON.