# Data Handling III (Bar Graphs)

## Exercise 23.1

# Question: 1

The following table shows the daily production of T.V sets in an industry for 7 days of a week:

Days	Number of TV sets	
Mon	300	
Tue	400	
Wed	150	
Thurs	250	
Fri	100	
Sat	350	
Sun	200	

Represent the above information by a pictograph.

## Solution:

Let an icon of a T.V represent 50 T.Vs.

Then, the number of icons produced by the industry on different days of a week is as follows:

Days	Number of icons
Mon	300 / 50 = 6
Tue	400 / 50 = 8
Wed	150 / 50 = 3
Thurs	250 / 50 = 5
Fri	100 / 50 = 5
Sat	350 / 50 = 7
Sun	200 / 50 = 4

The pictograph representing the above data is as follows:

Day	Number of icons
Mon	
Tue	
Wed	
Thurs	
Fri	
Sat	
Sun	

The following table shows the number of Maruti cars sold by five dealers in a particular month:

Dealer	Cars sold
Saya	60
Bagga links	40
D.D Motors	20
Bhasin Motor	15
Competent motor	10

## Solution:

Let one car icon represent 5 Maruti cars.

Then, the numbers of icons sold by the five dealers in a particular month are as follows:

Dealer	Number of icons
Saya	60 / 5 = 12
Bagga links	40 / 5 = 8
D.D Motors	20 / 5 = 4
Bhasin Motor	15 / 5 = 3
Competent motor	10 / 5 = 3

The pictograph representing the above data is as follows:

Dealer	Number of icons
Saya	منده منده منده منده منده منده
Bagga Links	
D.D Motors	
Bhasin Motor	
Competent Motor	

# **Question: 3**

The population of Delhi state in different census years is as given below:

Census year	1961	1971	1981	1991	2001
Population in lakhs	30	55	70	110	150

Represents the above information by a pictograph.

## Solution:

To represent the given data on a bar graph, we should first draw a horizontal and a vertical line. Here, the horizontal line will show the census year and the vertical line will show represent the population.

Since 5 values or data are given, we mark 5 points on the horizontal axis at equal distances and will erect rectangles of the same width with their heights proportional to the given data.

Also, on the vertical axis, each difference of 10 will represent a population of 10 lakhs.



Read the bar graph shown in Fig. and answer the following question:



- (i) What is the information given by the bar graph?
- (ii) How many tickets of Assam States Lottery were sold by the agent?
- (iii) Of which state, where the maximum number of tickets sold?
- (iv) State whether true or false

The maximum number of tickets sold is three times the minimum number of tickets sold

(v) of which states were the minimum number of tickets sold.

# Solution:

(i) The bar graph represents the number of tickets of different states lotteries sold by an agent on a single day.

(ii) The agent sold 40 tickets of Assam state lottery.

Explanation: The vertical height of the rectangle against Assam, on the bar graph, has ended on the 40<sup>th</sup> mark against the vertical axis.

(iii) Haryana

Explanation: The vertical height of the rectangle against Haryana I the maximum compared to those against the other states.

(iv) False

Explanation: Maximum vertical length (against the state of Haryana) = 100 units

Minimum vertical length (against the state of Rajasthan) = 20 units

Therefore, Maximum number of lottery sold for one state = 100 tickets

Minimum number of lottery tickets sold for one state = 20 tickets

(v) Rajasthan

Explanation: From the bar graph we can say that the Rajasthan State Lottery tickets were sold the minimum i.e. only 20 tickets.

# Question: 5

Study the bar graph representing the number of persons in various age groups in a town shown in Fig. observe the bar graph and answer the following questions:



(i) What is the percentage of the youngest age – group persons over those in the oldest age group?

(ii) What is the total population of the town?

(iii) What is the number of persons in the age group 60 – 65?

(iv) How many persons are more in the age – group 10 -15 than in the age group 30 - 35?

(v) What is the age – group of exactly 1200 persons living in the town?

(vi) What is the total number of persons living in the town in the age – group 50 – 65?

(vii) What is the total number of persons living in the town in the age – group 10 – 15 and 60 – 65?

(viii) Whether the population in general increases decreases or remains constants with the increase in the age – group.

## Solution:

(i) The youngest age group is 10 – 15 years.

Number of persons in the youngest age group = 1400

The oldest age group is 70 – 75 years.

Number of persons in the oldest age group = 300

Difference in the number of people in the youngest age oldest age group = 1400 - 300 = 1100

Therefore, The youngest group has 1100 more people than the oldest group.

Therefore, % of the youngest group over oldest group

 $\frac{1100}{300} \times 100\% = \frac{1100}{3}\% = 366\frac{2}{3}\%$ 

(ii) Total population of the town

= Total number of people from all age groups

= 1400 + 1200 + 1100 + 1000 + 900 + 800 + 300 = 6700.

(iii) There are 800 persons in the age group 60 – 65 years.

Explanation: The vertical length of the rectangle against the age group 60 - 65 is up to 800 units.

(iv) Number of persons in the age group 10 - 15 = 1400

Number of persons in the age group 30 - 35 = 1100

Therefore, number of more persons in the age group 10 - 15 as compared to that in the age group 30 - 35 = 1400 - 1100 = 300.

(v) the age – group of exactly 1200 people living in the town is 20 - 25 years.

Explanation: Looking at the bar graph we can say that the vertical length of the rectangle against the age group 20 - 25 is up to 1200 units.

(vi) The number of people of the age group 50 – 55 years is 900.

Explanation: The vertical length of the rectangle against the age group 50 - 55 years is up to 900 units.

(vii) The number of persons in the age group 10 - 15 years is 1400, and that in the age group 60 - 65 years is 800.

Therefore, Total number of persons in the age group 10 - 15 years and 60 - 65 years = 1400 + 800 = 2200

(viii) With the increase in the age group, the population decreases.

Explanation: As the age group increases, the heights of the rectangle start falling.

Read the bar graph shown in fig 23.10 and answer the following questions:

(i) What is the information given by the bar graph?

(ii) What was the number of commercial banks in 1977?

(iii) What is the ratio of the number of commercial banks in 1969 to that in 1980?

(iv) State whether true or false:

The number of commercial banks in 1983 is less than double the number of commercial banks in 1969.



# Solution:

(i) The bar graph represents the number of commercial banks in India during the respective years.

(ii) In 1977, there were 130 commercial banks.

Explanation: The height of the rectangle against the year 1977 is up to 130 units.

(iii) Number of commercial banks in 1969 = 90

Number of commercial banks in 1980 = 150

Therefore, Ratio of the number of commercial banks in 1969 to that in 1980 = 90/150 = 3/5 = 3:5

(iv) False

Explanation: Number of commercial banks in 1983 = 230

Number of commercial banks in 1969 = 90

Therefore,  $2 \times 90 = 180$ 

As 230 is greater than 180, the number of commercial banks in 1983 is not less than double the number of commercial banks in 1969.

# **Question: 7**

Given below is the bar graph indicating the marks obtained out of 50 in mathematics paper by 100 students. Read the bar graph and answer the following questions:



(i) It is decided to distribute workbooks on mathematics to the students obtaining less than 20 marks, giving one workbook to each of such students. If a workbook costs Rs. 5, what sure is required to buy the workbooks?

(ii) Every student belonging to the highest mark group is entitled to get a prize of Rs. 10. How much amount of money is required for distributing the prize money?

(iii) Every student belonging to the lowest mark-group has to solve 5 problems per day. How many problems, in all, will be solved by the students of this group per day?

(iv) State whether true or false.

- (a) 17% students have obtained marks ranging from 40 to 49.
- (b) 59 students have obtained marks ranging from 10 to 29.
- (v) What is the number of students getting less than 20 marks?
- (vi) What is the number of students getting more than 29 marks?
- (vii) What is the number of students getting marks between 9 and 40?
- (Viii) What is the number, of students belonging to the highest mark group?
- (ix) What is the number of students obtaining more than 19 marks?

## Solution:

Let us prepare a chart of the 100 students using the data from the bar graph.

Marks	Number of students	
0 – 9	27	
10 - 19	12	
20 – 29	20	
30 - 39	24	
40 - 49	17	

(i) Number of students with less than 20 marks = 27 + 12 = 39

Therefore, Required sum to buy the workbooks = Rs  $5 \times 39$  = Rs 195.

(ii) Highest marks group = 40 - 49

Number of students in this marks group = 17

Therefore, Required money to distribute the prize = Rs  $10 \times 17$  = Rs 170.

(iii) Lowest marks group = 0 - 9

Number of students in this marks group = 27

Therefore, Number of problems that will be solved by the students per day =  $5 \times 27 = 135$ .

(iv) (a) True, (b) False

(v) Number of students scoring less than 20 marks.

= Number of students in the marks group 0 - 9 + Number of students in the marks group 10 - 19 = 27 + 12 = 39

(vi) Number of students scoring more than 29 marks

= Number of students in the marks group 30 - 39 + number of students in the marks group 40 - 49 = 24 + 17 = 41

(vii) Number of students scoring between 9 and 40

= Number of students in the marks group 10 - 19 + Number of students in the marks group 20 - 29 + Number of students in the marks group 30 - 39

= 12 + 30 + 24 = 56

(viii) The highest marks group is 40 - 49.

Number of students in this marks group = 17

(ix) Number of students scoring more than 19 marks

= Number of students in the marks group 20 - 29 + Number of students in the marks group 30 - 39 + Number of students in the marks group 40 - 49

= 20 + 24 + 17 = 61

## **Question: 8**

Read the following bar graph and answer the following questions:



- (i) What is the information given by the bar graph?
- (ii) State each of the following whether true or false.
- (a) The number of government companies in 1957 is that of 1982 is 1: 9.

(b) The number of government companies has decreased over the year 1957 to 1983.

## Solution:

(i) The bar graph represents the number of government companies in India from 1957 to 1987.

(ii) (a) False

Explanation: Number of government companies in 1957 = 50

Number of government companies in 1982 = 375

The ratio of the number of government companies in 1957 to that in 1982 = 50/375 = 2/15 = 2:15

(b) False

Explanation: As no data is given for the year 1983, we cannot tell anything about this. Hence, the given statement is false.

# **Question: 9**

Read the following bar graph and answer the following questions:



- (i) What information is given by the bar graph?
- (ii) Which state is the largest producer of rice?
- (iii) Which state is the largest producer of wheat?
- (iv) Which state has total production of rice and wheat as its maximum?
- (v) Which state has the total production of wheat and rice minimum?

## Solution:

Let's draw a chart using the data from the above bar graph:

States	Rice Production	Wheat Production	Total Production
U.P	8	16	24
W.B	10	2	12
M.P	5	5	10
Maharashtra	4	2	6
Haryana	3	6	9

(i) The above bar graph provides information on the production of rice and wheat in various states of India.

(ii) W.B. is the largest producer of rice.

Explanation: The height of the rectangle representing rice production in W.B. is up to 10 units, i.e., the highest compared to those in the other states.

(iii) U.P. is the largest producer of wheat.

Explanation: The height of the rectangle representing wheat production in U.P. is up to 16 units, i.e., the highest compared to those in the other states.

(iv) U.P. has the total production of rice and wheat as its maximum.

Explanation: From the bar graph we can say that U.P. exceeds the other states in the total production of rice and wheat, i.e., 16 units wheat + 8 units of rice = 24 units.

(v) Maharashtra has the total production of rice and wheat as its minimum.

Explanation: From the bar graph we can say that the total production of rice and wheat in Maharashtra is the minimum, i.e., 4 units rice + 2 units of wheat = 6 units.

# Question: 10

The following bar graph represents the heights (in cm) of 50 students of class XI of a particular school. Study the graph and answer the questions:



(i) What percentage of the total number of students have their heights more than 149 cm?

(ii) How many students in the class are in the range of maximum height of the class?

(iii) The school wants to provide a particular type of tonic to each student below the height of 150 cm to improve his height. If the cost of the tonic for each student comes out to be Rs 55, how much amount of money is required?

(iv) How many students are in the range of shortest height of the class?

(v) State whether true or false:

(a) There are 9 students in the class whose heights are in the range of 155-159 cm.

(b) Maximum height (in cm) of a student in the class is 17.

(c) There are 29 students in the class whose heights are in the range of 145-154 cm.

(d) Minimum height (in cm) of a student is the class is in the range of 140-144 cms.

(e) The number of students in the class having their heights less than 150 cm is 12.

(f) There are 14 students each of whom has height more than 154 cm.

#### Solution:

Let's draw a chart based on the above bar graph:

Heights (in cm)	Number of students
140 - 144	7

145 - 149	12
150 - 154	17
155 – 159	9
160 - 164	5

(i) Number of students whose height is more than 149 cm = 17 + 9 + 5 = 31

Total number of students = 50

Percentage of students whose height is more than 149 cm =  $31/50\% = 31 \times 2\%$  = 62%

(ii) The maximum height-range of the class is 160 - 164. Number of students in this range = 5

(iii) Number of students measuring less than 150 cm = 7 + 12 = 19 Required amount of money to be spent for the tonic =  $19 \times \text{Rs}$ . 55 = Rs. 1045

(iv) The minimum height-range of the class is 140 - 144 Number of students in this range = 7

(v) (a) True

Explanation: From the above chart we can say that the number of students in the height-range 155 - 159 is 9.

(b) False

Explanation: 17 is the number of students found in the maximum height-range, i.e., 160 - 164.

(c) True

Explanation: Number of students in the class whose heights are in the range of 145 - 154 cm = Number of students in the class whose heights are in the range of 145 - 149 + Number of students in the class whose heights are in the range of 150 - 154 = 12 + 17 = 29

(d) True

Explanation: The minimum height-range of the students in the class is 140 - 144 cm.

(e) False

Explanation: Number of students measuring less than 150 cm = 7 + 12 = 19

(f) True

Explanation: Number of students measuring more than 154 cm = 9 + 5 = 14

Read the following bar graph (Fig. 23.15) and answer the following questions:



(i) What is the information given by the bar graph?

(ii) What was the production of cement in the year 1980 – 81?

(iii) What are the minimum and maximum productions of cement and corresponding years?

# Solution:

(i) The bar graph informs us about the industrial production of cement in India in different financial years.

(ii) 186 lakh tones of cement were produced in the year 1980 – 81.

Explanation: The height of the bar against the year 1980 - 81 is up to 186 units, and production of cement is shown in lakh tones.

(iii) Minimum height of a bar is 30 units against the year 1950 - 51.

Therefore, Minimum production of cement is 30 lakh tonnes in the year 1950 - 51.

The maximum height of a bar is 232 units against the year 1982 - 83.

Maximum production of cement is 232 lakh tonnes in the year 1982 - 83.

# **Question: 12**

The bar graph shown in fig 23.16 represents the circulation of newspapers in 10 languages. Study the graph and answer the following questions:



(i) What is the total number of newspapers published in Hindi, English, Urdu, Punjabi, and Bengali?

(ii) What percent is the number of newspapers published in Hindi of the total number of newspapers?

(iii) Find the excess of the number of newspapers published in English over those published in Urdu.

(iv) Name two pairs of languages which publish the same number of newspapers.

(v) State the language, in which the smallest number of newspapers is published,

(vi) State the language in which the largest number of newspapers is published.

(vii) State the language in which the number of newspapers published is between 2500 and 3500.

(viii) State whether true or false:

(a) The number of newspapers published in Malayalam and Marathi together is less than those published in English.

(b) The number of newspapers published in Telugu is more than those published in Tamil.

#### Solution:

Language	Number of newspapers published	
Urdu	700	
Telugu	400	
Tamil	1000	
Punjabi	200	
Marathi	1400	
Malayalam	1400	
Hindi	3700	
Gujarati	1100	
English	3400	
Bengali	1100	

Let's draw a chart using the information from the above bar graph:

(i) Total number of newspapers published in Hindi, English, Urdu, Punjabi and Bengali = 3700 + 3400 + 700 + 200 + 1100 = 9100

(ii) Number of newspaper published in Hindi = 3700

Total number of newspapers published = 700 + 400 + 1000 + 200 + 1400 + 1400 + 3700 + 1100 + 3400 + 1100 = 14400

Therefore, Percentage of Hindi newspaper published =  $3700/14400 \times 100\%$ 

= 25.69%

= 25.7%

(iii) Number of newspapers published in English = 3400

Number of newspapers published in Urdu = 700

Therefore, Excess number of the newspapers published in English over Urdu = 3400 - 700 = 2700

(iv) "Marathi" & Malayalam" and "Gujarati & Bengali' are the two pairs of languages in which same number of newspapers are published.

Explanation: Newspapers published in Marathi = Newspapers published in Malayalam = 1400

Newspapers published in Gujarati = Newspapers published in Bengali = 1100

(v) Punjabi is the language in which the least number of newspapers are published.

Explanation: In Punjabi, only 200 newspapers are published.

(vi) Hindi is the language in which the maximum numbers of newspapers are published.

Explanation: In Hindi, 3700 newspapers are published.

(vii) The number of English newspapers published is between 2500 and 3500.

Explanation: In English, 3400 newspapers are published.

(viii)

(a) True

Explanation: Total number of newspapers published in Malayalam and Marathi = 1400 + 1400 = 2800

The number of newspapers published in English are 3400, which is more than the total numbers of Malayalam and Marathi newspapers.

(b) False Explanation: Number of newspapers published in Telugu = 400

Number of newspapers published in Tamil = 1000

Explain the reading and interpretation of bar graphs.

## Solution:

A bar graph is a graph with its length proportional to the value it represents. The bars in a bar graph can be plotted vertically or horizontally. A bar graph is a visual display used to compare the amount or frequency of occurrence of different characteristics of data.

Bar graph allows us to

- Compare groups of data
- Make generalizations about the data quickly

# Question: 2

Read the following bar graph and answer the following questions:



- (i) What information is given by the bar graph?
- (ii) in which year the export is minimum?
- (iii) In which year the import is maximum?
- (iv) In which year the difference of the values of export and import is maximum?

## Solution:

Let's draw a chart using the information from the above bar graph:

Years	Export (in 100 crores of Rs)	Imports (in 100 crores of Rs)	Difference of import and export (in 100 crores of Rs)
1982 - 83	8	14	6
1983 - 84	10	18	8
1984 - 85	12	19	7
1985 - 86	11	20	9
1986 - 87	12	22	10

(i) It provides us the information on the total amount of imports and exports in different years between 1982 and 1987.

(ii) In the year 1982 - 83, the export is at its lowest.

Explanation: In the year 1982 - 83, exports amounted to 800 crores rupees, i.e., the lowest from all other years.

(iii) In the year 1986 - 87, the import is at its maximum.

Explanation: In the year 1986 - 87, imports amounted to 22,000 crores rupees, i.e., the highest from all other years.

(iv) In the year 1986 - 87, the difference in the amount of exports and imports is the maximum.

Explanation: In the year 1986 - 87, the difference in the values of export and import is 1000 crores rupees.

# **Question: 3**

The following bar graph shows the results of an annual examination in a secondary school. Read the bar graph (Fig. 23.22) and choose the correct alternative in each of the following:

(i) The pair of classes in which the results of boys and girls are inversely proportional are:

(a) VI, VIII (b) VI, IX (c) VIII, IX (d) VIII, X

(ii) The class having the lowest failure rate of girls is

(a) VII (b) X (c) IX (d) VIII



(iii) The class having the lowest pass rate of students is:

(a) VI (b) VII (c) VIII (d) IX

#### Solution:

Let's draw a chart using the information from the above bar graph.

Class	Percentage of boys	Percentage of girls	
VI	80	70	
VII	40	100	
VIII	90	50	

IX	70	80
Х	70	90

(i) (b) VI, IX

Explanation: In Class VI, the percentage of boys = 80

In Class IX, the percentage of girls = 80

In Class VI, the percentage of girls = 70

In class IX, the percentage of boys = 70

(ii) (a) VII

Explanation: In class VII, the passing percentage of girls is at its peak i.e. 100%.

In this class, 0% of girls failed.

(iii) (b) VII and (c) VIII

Explanation: In class VII and VIII, the sum of vertical heights of the percentage of boys and girls in the given bar graph is same and that is 140 units. And this sum of heights is the least compared to all other

classes.

## Question: 4

The following bar graph shows the number of persons killed in industrial accidents in a country for some years (Fig 23.23)



Read the bar graph and choose the correct alternative in each of the following: (i) The year which shows the maximum percentage increase in the number of persons killed in coal mines over the preceding year is:

(a) 1996 (b) 1997 (c) 1999 (d) 2000

(ii) The year which shows the maximum decrease in the number of persons killed in industrial accidents over the preceding year is:

(a) 1996 (b) 1997 (c) 1998 (d) 1999

(iii) The year in which the maximum number of persons was killed in industrial accidents other than those killed in coal mines are:

(a) 1995 (b) 1997 (c) 1998 (d) 1999

# Solution:

Let's draw a chart using the information from the above bar graph.

Year	Persons killed in industries accidents	Persons killed in coal mines
1995	1600	300
1996	900	200
1997	1200	300
1998	1300	100
1999	900	100
2000	1300	200

#### (i) (d) 2000

Explanation: In 1997, the death increased to 300 from 200, and in 2000, the death increased to 200 from 100.

Therefore, percentage increase in the amount of death in coal mines in the year 1997  $\Rightarrow$  from 200 to 300  $\Rightarrow$  50% increase

Therefore, percentage increase in the amount of death in coal mines in the year  $2000 \Rightarrow$  from 100 to  $200 \Rightarrow 100\%$  increase

(ii) (a) 1996

Explanation: Both the years, 1996 and in 1999, show a decrease in the amount of persons killed by industrial accidents.

(iii) (a) 1995

Explanation: In the year 1995, 1600 persons were killed by industrial accidents, which is the highest compared to the other years.

# **Question: 5**

The production of saleable steel in some of the steel plants of our country during 1999 is given below:

Plant	Bhilai	Durgapur	Rourkela	Bokaro
Production	160	80	200	150

Construct a bar graph to represent the above data on a graph paper by using the scale 1 big divisions = 20 thousand tonnes.

#### Solution:

Let's draw two mutually perpendicular lines OX and OY.

Along the horizontal line OX, let's mark plants; and along the vertical line OY, let's mark the production.

Along the axis OX, let's measure an equal width for each bar, the gap between the bars being the same.

We will now choose a suitable scale to determine the heights of the bar.

Here, let's choose 1 big division = 20 thousand tons

Therefore, the heights of the bars as follows:

Height of the bar against Bhilai = 160/20 = 8 units.

Height of the bar against Durgapur = 80/20 = 4 units.

Height of the bar against Rourkela = 200/20 = 10 units.

Height of the bar against Bokaro = 150/20 = 7.5 units.

Now, based on the above calculation the graph is as follows:



The following data gives the number (in thousands) of applicants registered with a divisions = 20 thousand tonnes.

Year	1995	1996	1997	1998	1999	2000
Number of applicants registered	18	20	24	28	30	34

Construct a bar graph to represent the above data.

## Solution:

Let's draw two mutually perpendicular lines OX and OY.

Along the horizontal line OX, let's mark years; and along the vertical line OY, let's mark the number of applicants registered.

Along the axis OX, let's choose a suitable width for each bar, the gap between the bars is the same.

We will now choose a suitable scale to determine the heights of the bars.

Here, let's choose 1 big division = 4 thousand, applicants Therefore, the heights of the bars are as follow: Height of the bar against the year 1995 = 18/4 = 4.5 units. Height of the bar against the year 1996 = 20/4 = 5 units. Height of the bar against the year 1997 = 24/4 = 6 units. Height of the bar against the year 1998 = 28/4 = 7 units. Height of the bar against the year 1999 = 30/4 = 7.5 units. Height of the bar against the year 2000 = 34/4 = 8.5 units. Based on the above calculation, the bar graph is as follows:



## **Question: 7**

The following table gives the route length (in thousand kilometers) of the Indian Railways in some of the years:

Year	1960 – 61	1970 – 71	1980 - 81	1990 – 91	2000 - 01
Route length	56	60	61	74	98

Represent the above data with the help of a bar graph.

#### Solution:

Let's draw two mutually perpendicular lines OX and OY.

Along the horizontal line OX, let's mark years; and along the vertical line OY, let's mark the route length.

Along the axis OX, let's choose a suitable width for each bar, the gap between the bars is the same.

We will now choose a suitable scale to determine the heights of the bars.

Here, let's take 1 big division = 10 thousand kilometres

Therefore, heights of the various bar are as follows:

Height of the bar against 1960 - 61 = 56/10 = 5.6 units.

Height of the bar against 1970 - 71 = 60/10 = 6.0 units.

Height of the bar against 1980 - 81 = 61/10 = 6.1 units.

Height of the bar against 1990 - 91 = 74/10 = 7.4 units.

Height of the bar against 2000 - 2001 = 9810 = 9.8 units.

Based on the above calculation, the bar graph is as follows:



he following data gives the amount of loans (in crores of rupees) disbursed by a bank during some years:

Year	1992	1993	1994	1995	1996
Loan	28	33	55	55	80

(i) Represent the above data with the help of a bar graph.

(ii) With the help of the bar graph, indicate the year in which amount of loan is not increased over that of the preceding year.

## Solution:

Let's draw two mutually perpendicular lines OX and OY.

Along the horizontal line OX, let's mark years; and along the vertical line OY, let's mark loans in crores.

Along the axis OX, let's choose a suitable width for each bar, keeping the gap between the bars the same.

We will now choose a suitable scale to determine the heights of the bars. Here, let's consider 1 big division = 10 crores of loan Therefore, the heights of the various bars are as follows: Height of the bar against the year 1992 = 28/10 = 2.8 units. Heights of the bar against the year 1993 = 33/10 = 3.3 units. Heights of the bar against the year 1994 = 55/10 = 5.5 units. Heights of the bar against the year 1995 = 55/10 = 5.5 units. Heights of the bar against the year 1996 = 80/10 = 8.0 units. Based on the above calculation, the bar graph is as follows:



(ii) The year in which the loan amount has not increased than its previous year is 1995.

Explanation: In the year 1994, 55 crore rupees of loan was disbursed by the bank.

Also, in the year 1995, 55 crore rupees of loan was disbursed by the bank.

# **Question: 9**

The following table shows the interest paid by a company (in lakhs):

Year	1995 – 96	1996 – 97	1997 – 98	1998 – 99	1999 – 2000
Interest	20	25	15	18	30

Draw the bar graph to represent the above information.

#### Solution:

Let's draw two mutually perpendicular lines OX and OY.

Along the horizontal line OX, let's mark years; and along the vertical line OY, let's mark the amount of interest paid by the company.

Along the axis OX, let's choose a suitable width for each bar, keeping the gap between the bars the same.

We will now choose a suitable scale to determine the heights of the bars.

Here, let's consider 1 big division = 5 lakhs of rupees paid as interest by the company

Therefore, the heights of the various bars are as follows:

Height of the bar against the year 1995 - 96 = 20/5 = 4 units.

Height of the bar against the year 1996 - 97 = 25/5 = 5 units.

Height of the bar against the year 1997 - 98 = 15/5 = 3 units.

Height of the bar against the year 1998 - 99 = 18/5 = 3.6 units.

Height of the bar against the year 1999 - 2000 = 30/5 = 6 units.

Based on the above calculation, the bar graph is as follows:



The following data shows the average age of men in various countries in a certain year.

Country	India	Nepal	China	Pakistan	U.K	U.S.A
Average age	55	52	60	50	70	75

Represent the above information by a bar graph.

#### Solution:

Let's draw two mutually perpendicular lines OX and OY.

Along the horizontal line OX, let's mark the countries; and along the vertical line OY, let's mark the average age for men.

Along the axis OX, we will choose a suitable width for each bar, keeping the gap between the bars the same.

We will now choose a suitable scale to determine the heights of the bars.

Here, let's consider 1 big division = 10 years

Therefore, the heights of the various bars are as follows: Height of the bar against India = 55/10 = 5.5 units. Height of the bar against Nepal = 52/10 = 5.2 units. Height of the bar against China = 60/10 = 6.0 units. Height of the bar against Pakistan = 50/10 = 5.0 units. Height of the bar against U.K. = 70/10 = 7.0 units. Height of the bar against U.S.A. = 75/10 = 7.5 units. Based on the above calculation, the bar graph is as follows:



#### **Question: 11**

The following data gives the production of food grains (in thousand tones) for some years:

#### Solution:

Years	1995	1996	1997	1998	1999	2000
Production	120	150	140	180	170	190

Represent the above data with the help of a bar graph.

Let's draw two mutually perpendicular lines OX and OY.

Along the horizontal line OX, let's mark the years; and along the vertical line OY, let's mark the production of food grains in tons.

Along the axis OX, let's choose an equal width for each bar, keeping the gap between the bars the same.

We will now choose a suitable scale to determine the heights of the bar

Here, let's consider 1 big division = 20 thousand tons.

Therefore, the heights of the various bars are as follows:

Height of the bar against the year 1995 = 120/20 = 6 units.

Height of the bar against the year 1996 = 150/20 = 7.5 units.

Height of the bar against the year 1997 = 140/20 = 7 units.

Height of the bar against the year 1998 = 180/20 = 9 units.

Height of the bar against the year 1999 = 170/20 = 8.5 units.

Height of the bar against the year 2000 = 190/20 = 9.5 units.

Based on the above calculations, the bar graph is as follows:



The following data gives the amount of mature (in thousand tones) manufactured by a company during some years:

Years	1992	1993	1994	1995	1996	1997
Manure	15	35	45	30	40	20

(i) Represent the above data with the help of a bar graph.

(ii) Indicate will the help of the bar graph the year in which the amount of manure manufactured by the company was maximum.

(iii) Choose the correct alternative.

The consecutive years during which there was a maximum decrease in manure production are:

(a) 1994 and 1995 (b) 1992 and 1993

(c) 1996 and 1997 (d) 1995 and 1996

#### Solution:

Let's draw two mutually perpendicular lines OX and OY.

Along the horizontal line OX, let's mark the years; and along the vertical line OY, let's mark the amount of manure in tons.

Along the axis OX, let's choose an equal width of each bar, keeping the gap between the bars the same.

We will now choose a suitable scale to determine the heights of the bars.

Here, let's consider 1 big division = 5 thousand tons of manure

Therefore, the heights of the various bars are as follows:

Height of the bar against the year 1992 = 15/5 = 3 units.

Height of the bar against the year 1993 = 35/5 = 7 units.

Height of the bar against the year 1994 = 45/5 = 9 units.

Height of the bar against the year 1995 = 30/5 = 6 units.

Height of the bar against the year 1996 = 40/5 = 8 units.

Height of the bar against the year 1997 = 20/5 = 4 units.

Based on the above calculation, the bar graph is as follows:





(iii) (c) 1996 and 1997

Explanation: The production decreased by 15 thousand tons from the year 1994 to 1995, and from 1996 and 1997 the production of manure decreased by 20 thousand tons.