

ICSE Paper 2017

Chemistry

General Instruction:

- Answers to this Paper must be written on the paper provided separately.
 - You will not be allowed to write during the first 15 minutes.
 - This time is to be spent in reading the Question Paper.
 - The time given at the head of this paper is the time allowed for writing the answers.
 - Section I is compulsory. Attempt any four questions from Section II.
 - The intended marks for questions or parts of questions are given in brackets [].
-

Section-I [40 Marks]

(Attempt all questions from this Section)

Question 1.

(a) Fill in the blanks from the choices given in brackets:

[5]

- (i) The energy required to remove an electron from a neutral isolated gaseous atom and convert it into a positively charged gaseous ion is called (electron affinity, ionisation potential, electronegativity)
- (ii) The compound that does not have a lone pair of electrons is (water, ammonia, carbon tetrachloride)
- (iii) When a metallic oxide is dissolved in water, the solution formed has a high concentration of ions. (H^+ , H_3O^+ , OH^-)
- (iv) Potassium sulphite on reacting with hydrochloric acid releases gas. (Cl_2 , SO_2 , H_2S)
- (v) The compound formed when ethene reacts with Hydrogen is (CH_4 , C_2H_6 , C_3H_8)

Answer:

- (a) (i) ionisation potential
(ii) carbon tetrachloride
(iii) OH^-
(iv) SO_2
(v) C_2H_6

(b) Choose the correct answer from the options given below:

[5]

(i) A chloride which forms a precipitate that is soluble in excess of ammonium hydroxide, is:

1. Calcium chloride
2. Ferrous chloride
3. Ferric chloride
4. Copper chloride

Answer:

4. Copper chloride

(ii) If the molecular formula of an organic compound is $C_{10}H_{18}$ it is:

1. alkene
2. alkane
3. alkyne
4. Not a hydrocarbon

Answer:

3. alkyne

(iii) Which of the following is a common characteristic of a covalent compound?

1. high melting point
2. consists of molecules
3. always soluble in water
4. conducts electricity when it is in the molten state

Answer:

2. consists of molecules

(iv) To increase the pH value of a neutral solution, we should add:

1. an acid
2. an acid salt
3. an alkali
4. a salt

Answer:

3. an alkali

(v) Anhydrous iron(III) chloride is prepared by:

1. direct combination
2. simple displacement
3. decomposition

4. neutralization

Answer:

1. direct combination

(c) Identify the substance underlined, in each of the following cases: [5]

- (i) Cation that does not form a precipitate with ammonium hydroxide but forms one with sodium hydroxide.
- (ii) The electrolyte used for electroplating an article with silver.
- (iii) The particles present in a liquid such as kerosene, that is a non electrolyte.
- (iv) An organic compound containing – COOH functional group.
- (v) A solid formed by reaction of two gases, one of which is acidic and the other basic in nature.

Answer:

- (i) Copper
- (ii) Sodium argento cyanide
- (iii) molecules
- (iv) Carboxylic acid
- (v) Ammonium chloride

(d) Write a balanced chemical equation for each of the following: [5]

- (i) Action of cold and dilute Nitric acid on Copper.
- (ii) Reaction of Ammonia with heated copper oxide.
- (iii) Preparation of methane from iodomethane.
- (iv) Action of concentrated sulphuric acid on Sulphur.
- (v) Laboratory preparation of ammonia from ammonium chloride.

Answer:

- (i) $3\text{Cu} + 8\text{HNO}_3 \rightarrow 3\text{Cu}(\text{NO}_3)_2 + 4\text{H}_2\text{O} + 2\text{NO}\uparrow$
- (ii) $2\text{NH}_3 + 3\text{CuO} \rightarrow 3\text{Cu} + 3\text{H}_2\text{O} + \text{N}_2\uparrow$
- (iii) $\text{CH}_3\text{I} + 2[\text{H}] \rightarrow \text{CH}_4 + \text{HI}$
- (iv) $\text{S} + 2\text{H}_2\text{SO}_4 \rightarrow 3\text{SO}_2 + 2\text{H}_2\text{O}$
- (v) $2\text{NH}_4\text{Cl} + \text{Ca}(\text{OH})_2 \rightarrow \text{CaCl}_2 + 2\text{H}_2\text{O} + 2\text{NH}_3$

(e) State one relevant observation for each of the following reactions: [5]

- (i) Addition of ethyl alcohol to acetic acid in the presence of concentrated Sulphuric acid.
- (ii) Action of dilute Hydrochloric acid on iron (II) sulphide.
- (iii) Action of Sodium hydroxide solution on ferrous sulphate solution.

- (iv) Burning of ammonia in air.
- (v) Action of concentrated Sulphuric acid on hydrated copper sulphate.

Answer:

- (i) Fruity smell due to formation of ester is there.
- (ii) Rotten egg smell due to formation of hydrogen sulphide.
- (iii) Dirty green precipitates of ferrous hydroxide are formed.
- (iv) Yellowish green flame is produced when ammonia burns in air.
- (v) Hydrated copper sulphate which is blue in colour change to anhydrous copper sulphate which is white in

(f) (i) Draw the structural formula for each of the following: [5]

1. 2, 3 – dimethyl butane
2. diethyl ether
3. propanoic acid



(ii) From the list of terms given, choose the most appropriate term to match the given de-scription.

(calcination, roasting, pulverisation, smelting)


1. Crushing of the ore into a fine powder.
2. Heating of the ore in the absence of air to a high temperature.

Answer:


1. (i) 2, 3 – dimethyl butane



2. (diethyl ether) $\text{C}_2\text{H}_5 - \text{O} - \text{C}_2\text{H}_5$



3. propanoic acid $\text{CH}_3 - \text{CH}_2 - \text{COOH}$



- (ii) 1. Pulverisation
2. Calcination

(g) (i) Calculate the number of gram atoms in 4.6 grams of sodium (Na = 23). [5]

(ii) Calculate the percentage of water of crystallization $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$ (H = 1, O = 16, S = 32, Cu = 64)

(iii) A compound of X and Y has the empirical formula XY_2 . Its vapour density is equal to its empirical formula weight. Determine its molecular formula.

Answer:

(i) 23 g of sodium \rightarrow 1 gram atom

1 g of sodium $\rightarrow \frac{1}{23}$ gram atom

4.6 g of sodium $\rightarrow = \frac{1}{23} \times \frac{4.6}{10} = \frac{2}{100} = 0.02 \text{ gram atoms}$

(ii) Molecular mass of $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$

$= [64 + 32 + 4 \times 16] + 5[18] - [64 + 32 + 64] + [90]$

$= 160 + 90$

$= 250$

% of water of crystallisation $= \frac{90}{250} \times 100$

$= 36\%$

(iii) E.F. = XY_2

E.F.W. = V.D.

M.W. = $2 \times \text{V.D.}$

M.W. = $2 \times [\text{E.F.W.}]$

So molecular formula = $(\text{XY}_2)_2 = \text{X}_2\text{Y}_4$

(h) Match the atomic number 2,4, 8,15, and 19 with each of the following: [5]

- (i) A solid non-metal belonging to the third period.
- (ii) A metal of valency 1.
- (iii) A gaseous element with valency 2.
- (iv) An element belonging to Group 2.
- (v) A rare gas.

Answer:

- (i) → 15
- (ii) → 19
- (iii) → 8
- (iv) → 4
- (v) → 2

Section – II [40 Marks]

Attempt my four questions from this Section

Question 2.

- (a) Arrange the following as per the instruction given in the brackets:
 - (i) He, Ar, Ne (Increasing order of the number of electron shells)
 - (ii) Na, Li, K (Increasing Ionisation Energy)
 - (iii) F, Cl, Br (Increasing electronegativity)
 - (iv) Na, K, Li (Increasing atomic size)

Answer:

- (a)

- (i) He , Ne , Ar
1 shell 2 shells 3 shells
- (ii) K , Na , Li
Least I.E. \longrightarrow Highest I.E.
- (iii) Br , Cl, F
Big size \longrightarrow Small size
(Less electronegative) (More electronegative)
- (iv) Li , Na , K
2 shells 3 shells 4 shells
 \longrightarrow
Smallest size Largest size

(b) State the type of Bonding in the following molecules:

[2]

- (i) Water
(ii) Calcium oxide

Answer:

- (i) Covalent bonding
(ii) Ionic bonding

(c) Answer the following questions:

[2]

- (i) How will you distinguish between Ammonium hydroxide and Sodium hydroxide using copper sulphate solution?
- (ii) How will you distinguish between dilute hydrochloric acid and dilute sulphuric acid using lead nitrate solution ?

Answer:

NaOH solution	NH₄OH solution
On adding sodium hydroxide to copper sulphate, pale blue ppts. will appear which will not be soluble in excess.	On adding ammonium hydroxide to copper sulphate, pale blue ppts. will appear which will be soluble in excess.
$\text{CuSO}_4 + 2\text{NaOH} \rightarrow \text{Cu(OH)}_2 + \text{Na}_2\text{SO}_4$ Pale blue ppt.	$\text{CuSO}_4 + 2\text{NH}_4\text{OH} \rightarrow \text{Cu(OH)}_2 \downarrow$ (pale blue ppt.) $+ (\text{NH}_4)_2\text{SO}_4$ $\text{Cu(OH)}_2 + (\text{NH}_4)_2\text{SO}_4 + 2\text{NH}_4\text{OH} \rightarrow$ $[\text{Cu(NH}_3)_4]\text{SO}_4 + 4\text{H}_2\text{O}$ deep blue solution

(d) Identify the salts P and Q from the observations given below: [2]

(i) On performing the flame test salt P produces a lilac coloured flame and its solution gives a white precipitate with silver nitrate solution, which is soluble in Ammonium hydroxide solution.

(ii) When dilute HCl is added to a salt Q, a brisk effervescence is produced and the gas turns lime water milky.

When NH₄OH solution is added to the above mixture (after adding dilute HCl), it produces a white precipitate which is soluble in excess NH₄OH solution.

Answer:

(i) KCl

(ii) ZnCO₃

Question 3.

(a) Draw an electron dot diagram to show the formation of each of the following compounds: [4]

(i) Methane


(ii) Magnesium Chloride [H = 1, C = 6, Mg = 12, Cl = 17]

Answer:

(a) (i) CH_4

$\text{C}(6) \rightarrow 2, 4$



$\text{H}(1) \rightarrow 1 \quad \text{H}\bullet$



(ii) Magnesium chloride MgCl_2

$\text{Mg}(12) \rightarrow 2, 8, 2$

$\text{Cl}(17) \rightarrow 2, 8, 7$



(b) State the observations at the anode and at the cathode during the electrolysis of:
[4]

- (i) fused lead bromide using graphite electrodes.
- (ii) copper sulphate solution using copper electrodes.

Answer:

(i) At anode :

Dark reddish brown fumes of bromine evolve at the anode.

At cathode:

Greyish white metal lead is formed on the cathode.

(ii) At anode:

Anode decreases in size due to the formation of copper ions.

At cathode:

Reddish brown copper is deposited

(c) Select the ion in each case, that would get selectively discharged from the aqueous mixture of the ions listed below:

- (i) SO_4^{2-} , NO_3^- and OH^-
 (ii) Pb^{2+} , Ag^+ and Cu^{2+}

Answer:

- (i) OH^-
 (ii) Ag^-

Question 4.

(a) Certain blank spaces are left in the following table and these are labelled as A, B, C, D and E.

Lab preparation of	Reactants used	Products formed	Drying agent	Method of collection
(i) HCl gas	$\text{NaCl} + \text{H}_2\text{SO}_4$	A _____	conc. H_2SO_4	B _____
(ii) NH_3 gas	C _____	$\text{Mg}(\text{OH})_2$ NH_3	D _____	E _____

Identify each of them.

[5]

Answer:

- (a) A \rightarrow Below 200°C (NaHSO_4)
 Above 200°C (Na_2SO_4)
 B \rightarrow Upward displacement of air
 C \rightarrow Magnesium nitride (Mg_3N_2) and water
 D \rightarrow Calcium oxide
 E \rightarrow Downward displacement of air

(b) Write balanced chemical equations to show: [3]


- (i) The oxidizing action of cone. Sulphuric acid on Carbon.
 (ii) The behaviour of H_2SO_4 as an acid when it reacts with Magnesium.
 (iii) The dehydrating property of cone. Sulphuric acid with sugar.

Answer:

- (i) $\text{C} + 2\text{H}_2\text{SO}_4 \rightarrow 2\text{H}_2\text{O} + \text{CO}_2 + 2\text{SO}_2$
 (ii) $\text{Mg} + \text{H}_2\text{SO}_4 \rightarrow \text{MgSO}_4 + \text{H}_2\uparrow$
 (iii) $\text{C}_{12}\text{H}_{22}\text{O}_{11} + \text{H}_2\text{SO}_4 \rightarrow 12\text{C} + 11\text{H}_2\text{O}$


(c) Write balanced chemical equations to show how SO₃ is converted to Sulphuric acid in the contact process. [2]

Answer: (c)



Question 5.


(a) (i) Propane burns in air according to the following equation: [4]



What volume of propane is consumed on using 1000 cm³ of air, considering only 20% of air contains oxygen?

(ii) The mass of 11.2 litres of a certain gas at s.t.p. is 24g. Find the gram molecular mass of the gas.

Answer: (i)



If air is 100, then oxygen is 20%

If air is 100cm³, then oxygen is $\frac{20}{100} \times 1000 = 200 \text{ cm}^3$

If 5 vol. of oxygen is used, then propane is 1 vol.

1 vol. of oxygen is used, then propane is $\frac{1}{5}$ vol.

If 200 cm³ of oxygen is used, then propane is $\frac{1}{5}$

(ii) 11.2 litres of a certain gas at s.t.p. is 24

1 litre of a certain gas at s.t.p. is $\frac{24}{11.2}$

22.4 litres of a certain gas at s.t.p. is $\frac{24}{11.2} \times 22.4\text{L} = 48\text{g}$

(b) A gas cylinder can hold 1 kg of hydrogen at room temperature and pressure: [4]

(i) Find the number of moles of hydrogen present.

(ii) What weight of CO₂ can the cylinder hold under similar conditions of temperature and pressure? (H= 1, C = 12, O = 16)

(iii) If the number of molecules of hydrogen in the cylinder is X, calculate the number of CO₂ molecules in the cylinder under the same conditions of temperature and pressure.

(iv) State the law that helped you to arrive at the above result.

Answer:

(i) Weight of hydrogen = $2 \times 1 \text{ g} = 2 \text{ g}$

2 g of hydrogen corresponds to 1 mole of hydrogen

1 g of hydrogen corresponds to $\frac{1}{2}$ mole of hydrogen

1000 g of hydrogen corresponds to $\frac{1}{2} \times 1000 \text{ g mole of H}_2 = 500 \text{ moles}$

(ii) 1 mole of H_2 occupy 22.4 L

500 mole of H_2 occupy = 22.4×500

By Avogadro's law the volume occupied by CO_2 will be same

Weight of $\text{CO}_2 = 12 + 2 \times 16 = 44 \text{ g}$

22.4 L will weigh 44

1L will weigh $\frac{44}{22.4}$

$22.4 \times 500\text{L will weigh } \frac{44}{22.4} \times 22.4 \times 500 = 22000\text{g} = 22\text{kg}$

(iii) X (Because of Avogadro's law)

(iv) Avogadro's law

(c) Write a balanced chemical equation for the preparation of each of the following salts: [2]

(i) Copper carbonate

(ii) Ammonium sulphate crystals

Answer:

(i) $\text{Cu}(\text{NO}_3)_2 + \text{Na}_2\text{CO}_3 \rightarrow \text{CuCO}_3 + 2\text{NaNO}_3$

(ii) $2\text{NH}_4\text{Cl} + \text{H}_2\text{SO}_4 \rightarrow (\text{NH}_4)_2\text{SO}_4 + 2\text{HCl}$

Question 6.

(a) Give a balanced chemical equation for each of the following: [4]

(i) Action of cone. Nitric acid on Sulphur.

(ii) Catalytic oxidation of Ammonia.

(iii) Laboratory preparation of Nitric acid.

(iv) Reaction of Ammonia with Nitric acid.

Answer:

(i) $\text{S} + 6\text{HNO}_3 \rightarrow \text{H}_2\text{SO}_4 + 6\text{NO}_2 + 2\text{H}_2\text{O}$

$$4\text{NH}_3 + 5\text{O}_2 \xrightarrow[800]{\text{Pt}} 4\text{NO} + 6\text{H}_2\text{O} + \text{Heat}$$
$$\text{NaNO}_3 + \text{H}_2\text{SO}_4 \xrightarrow{\text{below } 200^\circ} \text{NaHSO}_4 + \text{HNO}_3$$

(b) Identify the term or substance based on the descriptions given below : [4]

- (i) Ice like crystals formed on cooling an organic acid sufficiently.
- (ii) Hydrocarbon containing a triple bond used for welding purposes.
- (iii) The property by virtue of which the compound has the same molecular formula but different structural formulae.
- (iv) The compound formed where two alkyl groups are linked by imageeee group.

(i) Acetic acid
(ii) Acetylene
(iii) Isomers
(iv) Ketone

(c) Give a balanced chemical equation for each of the following: [2]

- (i) Preparation of ethane from Sodium propionate .
(ii) Action of alcoholic KOH on bromoethane.

$$(i) \text{CH}_3\text{CH}_2\text{COONa} + \text{NaOH} \xrightarrow{\text{CaO}} \text{CH}_3\text{CH}_3 + \text{Na}_2\text{CO}_3$$

Sodium propionate Ethane

$$\text{CH}_3\text{CH}_2\text{Br} + \text{KOH(alc.)} \rightarrow \text{CH}_2 = \text{CH}_2 + \text{KBr} + \text{H}_2\text{O}$$

Ethene

(a) Name the following: [4]

- (i) The process of coating of iron with zinc.
- (ii) An alloy of lead and tin that is used in electrical circuits.
- (iii) An ore of zinc containing its sulphide.
- (iv) A metal oxide that can be reduced by hydrogen.

Answer:

- (i) Galvanisation
- (ii) Solder
- (iii) Zinc blende
- (iv) Copper oxide

(b) Answer the following questions with respect to the electrolytic process in the extraction of aluminum: [2]

- (i) Identify the components of the electrolyte other than pure alumina and the role played by each.
- (ii) Explain why powdered coke is sprinkled over the electrolytic mixture.

Answer:

- (i) Alumina (Al_2O_3): It is the main compound yielding aluminium.

Cryolite (Na_3AlF_6): It acts as a solvent and lower the fusion temperature from 2050°C to 950°C .

Fluorspar (CaF_2) : It acts as a solvent and increases the conductivity of electrolytic mixture.

- (ii) Layer of powdered coke is sprinkled over the surface of the electrolytic mixture to prevent the heat loss by radiation and prevents carbon anode from burning in air.

(c) Complete the following by selecting the correct option from the choices given : [3]

- (i) The metal which does not react with water or dilute H_2SO_4 but reacts with concentrated H_2SO_4 is (Al/Cu/Zn/Fe)
- (ii) The metal whose oxide, which is amphoteric, is reduced to metal by carbon reduction (Fe/Mg/Pb/Al)
- (iii) The divalent metal whose oxide is reduced to metal by electrolysis of its fused salt is (Al/Na/Mg/K)

Answer:

- (i) Cu

- (ii) Pb
- (iii) Mg