# Rational Numbers Exercise 4A

Q1

### Answer:

The numbers that are in the form of  $\frac{p}{q}$ , where p and q are integers and q  $\neq 0$ , are called rational numbers

For example:

Five positive rational numbers:

$$\frac{5}{7}$$
,  $\frac{-3}{-4}$ ,  $\frac{7}{8}$ ,  $\frac{-14}{-15}$ ,  $\frac{5}{9}$ 

Five negative rational numbers:

$$\frac{-3}{7}$$
,  $\frac{-3}{8}$ ,  $\frac{8}{-9}$ ,  $\frac{-19}{25}$ ,  $\frac{8}{-25}$ 

Yes, there is a rational number that is neither positive nor negative, i.e. zero (0).

Q3

Answer:

(i) 
$$\frac{8}{19}$$

Numerator = 8

Denominator =19

$$(ii)\frac{5}{-8}$$

Numerator = 5

Denominator = -8

(iii) 
$$\frac{-13}{5}$$

Numerator = -13

Denominator =15

```
(iv)^{\frac{-8}{-11}}
Numerator = -8
Denominator = −11
(v) 9
i.e \frac{9}{1}
Numerator = 9
Denominator = 1
Q4
Answer:
(i) 5
The rational number will be \frac{5}{1}.
Numerator = 5
Denominator = 1
(ii) -3
The rational number will be \frac{-3}{1}
Numerator = -3
Denominator = 1
(iii)1
The rational number will be \frac{1}{1}
Numerator = 1
Denominator = 1
The rational number will be \frac{0}{1}
 Numerator =0
 Denominator = 1
 (v) -23
The rational number will be \frac{-23}{1}
 Numerator = -23
 Denominator = 1
Q5
Answer:
Positive rational numbers:
(iii) \frac{-5}{-8}
(vi) 8 because 8 can be written as \frac{8}{1}, where 1 \neq 0.
0 is neither positive nor negative.
Q6
Answer:
Negative rational numbers:
```

- (iii)  $\frac{-5}{7}$
- (iv)  $\frac{4}{-9}$
- (v) -6
- (Vi)  $\frac{1}{-2}$

(i) Following are the four rational numbers that are equivalent to  $\frac{6\times 2}{11\times 2}$  ,  $\frac{6\times 3}{11\times 3}$  ,  $\frac{6\times 4}{11\times 4}$  and  $\frac{6\times 5}{11\times 5}$ 

i.e.  $\frac{12}{22}$ ,  $\frac{18}{33}$ ,  $\frac{24}{44}$  and  $\frac{30}{55}$ 

(ii) Following are the four rational numbers that are equivalent to  $\frac{-3}{8}$ .  $\frac{-3\times2}{8\times2}$  ,  $\frac{-3\times3}{8\times3}$  ,  $\frac{-3\times4}{8\times4}$  and  $\frac{-3\times5}{8\times5}$ 

i.e.  $\frac{-6}{16}$ ,  $\frac{-9}{24}$ ,  $\frac{-12}{32}$  and  $\frac{-15}{40}$ 

(iii) Following are the four rational numbers that are equivalent to  $\frac{7}{-15}.$   $\frac{7\times2}{-15\times2}$  ,  $\frac{7\times3}{-15\times3}$  ,  $\frac{7\times4}{-15\times4}$  and  $\frac{7\times5}{-15\times5}$ 

(iv) Following are the four rational numbers that are equivalent to 8, i.e.  $\frac{8\times2}{1}$ ,  $\frac{8\times3}{1\times3}$ ,  $\frac{8\times4}{1\times3}$  and  $\frac{8\times5}{1\times5}$ 

i.e.  $\frac{16}{2}$ ,  $\frac{24}{3}$ ,  $\frac{32}{4}$  and  $\frac{40}{5}$ 

(v) Following are the four rational numbers that are equivalent to -1, i.e.  $\frac{1}{1}$ .  $\frac{1\times2}{1\times2}$ ,  $\frac{1\times3}{1\times3}$ ,  $\frac{1\times4}{1\times4}$  and  $\frac{1\times5}{1\times5}$ 

i.e.  $\frac{2}{2}$ ,  $\frac{3}{3}$ ,  $\frac{4}{4}$  and  $\frac{5}{5}$ 

(vi) Following are the four rational numbers that are equivalent to -1, i.e.  $\frac{-1}{1}$ .  $\frac{-1\times2}{1\times2}$ ,  $\frac{-1\times3}{1\times3}$ ,  $\frac{-1\times4}{1\times4}$  and  $\frac{-1\times5}{1\times5}$ 

i.e.  $\frac{-2}{2}$ ,  $\frac{-3}{3}$ ,  $\frac{-4}{4}$  and  $\frac{-5}{5}$ 

Q8

Answer:

(i) 
$$\frac{12 \times (-1)}{(-17) \times (-1)} = \frac{-12}{17}$$

(ii) 
$$\frac{1 \times (-1)}{(-2) \times (-1)} = \frac{-1}{2}$$

(iii) 
$$\frac{-8}{-19} = \frac{-8 \times (-1)}{(-19) \times (-1)} = \frac{8}{19}$$

(iv) 
$$\frac{11 \times (-1)}{-6 \times (-1)} = \frac{-11}{6}$$

Q9

Answer:

(i) Numerator of  $\frac{5}{8}$  is 5.

5 should be multiplied by 3 to get 15.

Multiplying both the numerator and the denominator by 3

$$\frac{5\times3}{8\times3} = \frac{15}{24}$$

$$\frac{5}{8} = \frac{15}{24}$$

(ii) Numerator of  $\frac{5}{8}$  is 5.

5 should be multiplied by -2 to get -10.

Multiplying both the numerator and the denominator by -2:

$$\frac{5 \times (-2)}{8 \times (-2)} = \frac{-10}{-16}$$

$$\frac{5}{8} = \frac{-10}{-16}$$

(i) Denominator of  $\frac{4}{7}$  is 7.

7 should be multiplied by 3 to get 21.

Multiplying both the numerator and the denominator by 3:

$$\frac{4\times3}{7\times3} = \frac{12}{21}$$

$$\frac{4\times3}{7\times3} = \frac{4}{7}$$

(ii)

Denominator of  $\frac{4}{7}$  is 7.

7 should be multiplied by -5 to get -35.

Multiplying both the numerator and the denominator by -5:

$$\frac{4 \times (-5)}{7 \times (-5)} = \frac{-20}{-35}$$

$$\frac{4}{7} = \frac{-20}{-35}$$

## Q11

# Answer:

(i) Numerator of  $\frac{-12}{13}$  is -12.

-12 should be multiplied by 4 to get 48.

Multiplying both the numerator and the denominator by 4:

$$\frac{-12 \times 4}{13 \times 4} = \frac{-48}{52}$$

$$\frac{-12}{13} = \frac{-48}{52}$$

(ii) Numerator of  $\frac{-12}{13}$  is -12.

-12 should be multiplied by -5 to get 60

Multiplying its numerator and denominator by -5:

$$\frac{-12 \times (-5)}{13 \times (-5)} = \frac{60}{-65}$$

$$\frac{-12}{13} = \frac{60}{-65}$$

# Q12

## Answer:

(i) Denominator of  $\frac{-8}{11}$  is 11.

Clearly,  $11 \times 2 = 22$ 

Multiplying both the numerator and the denominator by 2:

$$\frac{-8 \times 2}{11 \times 2} = \frac{-16}{22}$$

$$\frac{-8}{11} = \frac{-16}{22}$$

(ii) Denominator of  $\frac{-8}{11}$  is 11.

Clearly, 11×5=55

Multiplying both the numerator and the denominator by 5:

$$\frac{-8 \times 5}{11 \times 5} = \frac{-40}{55}$$

$$\frac{-8}{11} = \frac{-40}{55}$$

Q13

(i) Numerator of  $\frac{14}{-5}$  is 14. Clearly,  $14 \times 4 = 56$ 

Multiplying both the numerator and the denominator by 4:

$$\frac{14\times4}{-5\times4} = \frac{56}{-20}$$

$$\frac{14}{-5} = \frac{56}{-20}$$

Numerator of  $\frac{14}{-5}$  is 14. Clearly,  $14 \times (-5) = -70$ 

Multiplying both the numerator and the denominator by -5:

$$\frac{14 \times (-5)}{(-5) \times (-5)} = \frac{-70}{25}$$

$$\frac{14}{-5} = \frac{-70}{25}$$

## Q14

## Answer:

(i) Denominator of  $\frac{13}{-8}$  is -8.

Clearly,  $(-8) \times 5 = -40$ 

Multiplying both the numerator and the denominator by 5:  $\frac{13\times5}{-8\times5}=\frac{65}{-40}$ 

$$\frac{13\times5}{-8\times5} = \frac{65}{-40}$$

$$\frac{13}{-8} = \frac{65}{-40}$$

(ii) Denominator of  $\frac{13}{-8}$  is -8. Clearly,  $(-8)\times(-4)=32$ 

Multiplying both the numerator and the denominator by -4:

$$\frac{13 \times (-4)}{-8 \times (-4)} = \frac{-52}{32}$$

$$\frac{13}{-8} = \frac{-52}{32}$$

## Q15

# Answer:

(i) Numerator of  $\frac{-36}{24}$  is -36.

Clearly,  $(-36) \div 4 = (-9)$ 

Dividing both the numerator and the denominator by 4:

$$\frac{-36 \div 4}{24 \div 4} = \frac{-9}{6}$$

(ii) Numerator of  $\frac{-36}{24}$  is -36. Clearly, (-36) ÷ (-6) = 6

Dividing both the numerator and the denominator by -6:

$$\frac{-36\div(-6)}{24\div(-6)} = \frac{6}{-4}$$

$$\frac{-36}{24} = \frac{6}{-4}$$

Q16

(i) Denominator of  $\frac{84}{-147}$  is -147.

Dividing both the numerator and the denominator by -21:

$$\frac{84 \div (-21)}{-147 \div (-21)} = \frac{-4}{7}$$

$$\frac{84}{-147} = \frac{-4}{7}$$

(ii)Denominator of  $\frac{84}{-147}$  is -147.

$$-147 \div 3 = -4$$

Dividing both the numerator and the denominator by 3:

$$\frac{84 \div 3}{-147 \div 3} = \frac{28}{-49}$$

$$\frac{84}{-147} = \frac{28}{-49}$$

# Q17

# Answer:

(i) 
$$\frac{35}{49}$$

(i) 
$$\frac{35}{49}$$
  
H.C.F. of 35 and 49 is 7.  
 $35)49(1)$   
 $\frac{-35}{14}(2)$   
 $\frac{-28}{7}(2)$   
14(2)  
 $\frac{-14}{x}$ 

Dividing the numerator and the denominator by 7:

$$\frac{35 \div 7}{40 \div 7} = \frac{5}{2}$$

 $\frac{35\div7}{49\div7}=\frac{5}{7}$  So,  $\frac{35}{49}$  is equal to  $\frac{5}{7}$  in the standard form.

$$(ii)\frac{8}{-36}$$

Denominator is -36, which is negative.

Multiplying both the numerator and the denominator by -1:

$$\frac{8 \times (-1)}{-36 \times (-1)} = \frac{-8}{36}$$

$$\begin{array}{r}
 8 \overline{\smash{\big)}\ 36} \left(4 \\
 \hline
 4 \right) 8 \left(2 \\
 \hline
 \hline
 8 \times \\
 \end{array}$$

H.C.F. of 8 and 36 is 4.

Dividing its numerator and denominator by 4:

$$\frac{-8 \div 4}{36 \div 4} = \frac{-2}{9}$$

So,  $\frac{8}{-36}$  is equal to  $\frac{-2}{9}$  in the standard form.

(iii) 
$$\frac{-27}{45}$$

H.C.F. of 27 and 45 is 9.

Dividing its numerator and denominator by 9:

$$\frac{-27 \div 9}{45 \div 9} = \frac{-3}{5}$$

 $\frac{-27 \div 9}{45 \div 9} = \frac{-3}{5}$ Hence,  $\frac{-27}{45}$  is equal to  $\frac{-3}{5}$  in the standard form.

$$\left(iv\right) \frac{-14}{-49}$$

The denominator is negative.

Multiplying its numerator and denominator by -1:

$$\frac{-14\times(-1)}{-49\times(-1)} = \frac{14}{49}$$

H.C.F. of 14 and 49 is 7.

Dividing both the numerator and the denominator by 7.

$$\frac{14\div7}{40\div7} = \frac{2}{7}$$

Hence,  $\frac{-14}{-49}$  is equal to  $\frac{2}{7}$  in the standard form.

$$\left(v\right) \frac{91}{-78}$$

The denominator is negative.

Multiplying its denominator and denominator by -1:

$$\frac{91 \times (-1)}{-78 \times (-1)} = \frac{-91}{78}$$

H.C.F. of 91 and 78 is 13.

$$\frac{-91 \div 13}{78 \div 13} = \frac{-7}{6}$$

Dividing both the numerator and the denominator by 13:  $\frac{-91 \div 13}{78 \div 13} = \frac{-7}{6}$  Hence,  $\frac{91}{-78}$  is equal to  $\frac{-7}{6}$  in the standard form.

$$\left(vi\right) \frac{-68}{119}$$

H.C.F. of 68 and 119 is 17.

Dividing both the numerator and the denominator by 17:

$$\frac{-68\div17}{119\div17} = \frac{-4}{7}$$

Hence,  $\frac{-68}{119}$  is equal to  $\frac{-4}{7}$  in the standard form.

$$\left(vii
ight) rac{-87}{116}$$

H.C.F. of 87 and 116 is 29.

Dividing both the numerator and the denominator by 29:

$$\frac{-87 \div 29}{116 \div 29} = \frac{-3}{4}$$

Hence,  $\frac{-87}{116}$ ; is equal to  $\frac{-3}{4}$  in the standard form.

$$\left( \mathrm{viii} \right) \ \frac{299}{-161}$$

The denominator is negative.

Multiplying both the numerator and denominator by -1:

$$\frac{299 \times (-1)}{-161 \times (-1)} = \frac{-299}{161}$$

$$\begin{array}{c}
-161 \times (-1) & 161 \\
161 \overline{\smash)299} \left(1 \\
\underline{-161} \\
138 \right) \underline{161} \left(1 \\
\underline{-138} \\
23 \right) \underline{138} \left(6 \\
\underline{-138} \\
\times
\end{array}$$

H.C.F. of 299 and 161 is 23.

$$\frac{-299 \div 23}{161 \div 23} = \frac{-13}{7}$$

Dividing both the numerator and the denominator by 23:  $\frac{-299 \div 23}{161 \div 23} = \frac{-13}{7}$  Hence,  $\frac{299}{-161}$  is equal to  $\frac{-13}{7}$  in the standard form.

Q18

Answer:

(i)

$$\frac{-9\times4}{5\times4} = \frac{-36}{20}$$

$$\frac{-9\times(-3)}{5\times(-3)} = \frac{27}{-15}$$

$$\frac{-9\times5}{5\times5} = \frac{-45}{25}$$

$$\therefore \frac{-9}{5} = \frac{-36}{20} = \frac{27}{-15} = \frac{-45}{25}$$

$$\begin{array}{l} \text{(ii)} \\ \frac{-6\times3}{11\times3} = \frac{-18}{33} \\ \frac{-6\times4}{11\times4} = \frac{-24}{44} \\ \therefore \frac{-6}{11} = \frac{-18}{33} = \frac{-24}{44} \end{array}$$

Q19

(i) 
$$\frac{-13}{7}$$
,  $\frac{39}{-21}$   
We have:

$$(-13)\times(-21) = 273$$

And 7×39=273

$$(-13) \times (-21) = 7 \times 39$$

or 
$$\frac{-13}{7} = \frac{39}{-21}$$

Hence,  $\frac{-13}{7}$  and  $\frac{39}{21}$  are equivalent rational numbers.

(ii) 
$$\frac{3}{-8}$$
,  $\frac{-6}{16}$   
We have:

And 
$$(-8) \times (-6) = 48$$

$$3 \times 16 = (-8) \times (-6)$$

$$\frac{3}{-8} = \frac{-6}{16}$$

$$\frac{3}{10} = \frac{-6}{10}$$

(iii) 
$$\frac{9}{4}$$
 ,  $\frac{-36}{-16}$ 

We have:

And 
$$4\times(-36) = -144$$

$$9 \times (-16) = 4 \times (-36)$$

$$\frac{9}{4} = \frac{-36}{16}$$

 $\frac{9}{4} = \frac{-36}{-16}$  Therefore, they are equivalent rational numbers.

$$(iv)\frac{7}{15}$$
,  $\frac{-28}{60}$ 

We have:

And 
$$15 \times (-28) = -420$$

Therefore, the rational numbers are not equivalent.

(v) 
$$\frac{3}{12}$$
,  $\frac{-1}{4}$ 

We have:

3 ×4=12

And  $12 \times (-1) = -12$ 

 $12 \neq -12$ 

Therefore, the rational numbers are not equivalent.

(vi) 
$$\frac{2}{3}$$
,  $\frac{3}{2}$ 

We have:

 $2 \times 2 = 4$ 

And 3×3=9

2×2±3×3

Therefore, the rational numbers are not equivalent.

Q20

Answer:

$$(i)\frac{-1}{5} = \frac{8}{x}$$

$$=> x = -40$$

$$(ii)\frac{7}{-3} = \frac{x}{6}$$
$$=> (-3)x = 7 \times 6$$

$$=> (-3)x = 7 \times ($$

$$\Rightarrow x = \frac{(7 \times 6)}{(-3)}$$
$$\Rightarrow x = -14$$

(iii) 
$$\frac{3}{5} = \frac{x}{-25}$$
  
=>  $5x=3\times(-25)$ 

$$\Rightarrow 5x=3\times(-25)$$

$$\Rightarrow x = \frac{3 \times (-25)}{5}$$
$$\Rightarrow x = (-15)$$

$$=>x = (-15)$$

$$(iv)\frac{13}{6} = \frac{-65}{x}$$

$$=> 13x=6\times(-65)$$

$$\Rightarrow \chi = \frac{6 \times (-65)}{13}$$

$$=> x = 6 \times (-5)$$

$$\Rightarrow x = -30$$

(v) 
$$\frac{16}{x} = -4$$
  
=>  $x = \frac{16}{(-4)}$   
=>  $x = (-4)$ 

vi) 
$$\frac{-48}{x} = 2$$
  
 $\Rightarrow \frac{-48}{2} = \frac{x}{1}$   
 $\Rightarrow 2x = (-48) \times 1$   
 $\Rightarrow x = \frac{-48}{2}$   
 $x = (-24)$ 

(i) 
$$\frac{8}{-12}$$
 and  $\frac{-10}{15}$ 

$$8 \times 15 = (-10) \times (-12)$$

$$\therefore \frac{8}{-12} = \frac{-10}{15}$$

Therefore, the rational numbers are equal.

ii)
$$\frac{-3}{9}$$
,  $\frac{7}{-21}$ 

$$(-3)\times(-21)=63$$

And 7× 9=63

$$\tfrac{-3}{9}=\ \tfrac{7}{-21}$$

Therefore, the rational numbers are equal.

$$(iii) \frac{-8}{-14}, \frac{15}{21}$$

$$(-8) \times 21 = -168$$

And 
$$15 \times (-14) = -210$$

$$(-8) \times 21 \neq 15 \times 14$$

Therefore, the rational numbers are not equal.

Q22

### Answer:

(i) False

For example, -1 is smaller than zero and is a rational number.

(ii)True

All integers can be written with the denominator 1.

(iii) False

Though 0 is an integer, when the denominator is 0, it is not a rational number.

For example,  $\frac{1}{0}$  is not a rational number.

- (iv)True
- (v) False
- -1 is a rational number but not a fraction.

# Rational Numbers Exercise 4B

Q2

Answer:

(i)  $\frac{5}{6}$ . This is because 0 can be written as  $\frac{0}{6}$  and  $\frac{0}{6} < \frac{5}{6}$ .

(ii)  $\frac{-3}{5}$  < 0. This is because 0 can be written as  $\frac{0}{5}$  and -3 < 0.

(iii)  $\frac{5}{8} > \frac{3}{8}$ . This is because 5 > 3.

(iv)  $\frac{7}{9} > \frac{5}{9}$ . This is because 7 > 5.

 $\left(v\right) rac{-6}{11} \ < rac{-5}{11}$  . This is because  $-6 \ < \ -5$  .

$$\left( {{{
m{vi}}}} \right)\frac{{ - 15}}{4} \ > \ \frac{{ - 17}}{4}\,, -15 \ > \ -17$$

Q3

Answer:

So,  $\frac{5}{9}$  is greater.

$$\frac{(i) \frac{5}{9}, \frac{-3}{-8}}{(-8) \times (-1)} = \frac{3}{8}$$
L. C. M. of 9 and 8 is 72.
$$\frac{\frac{5 \times 8}{9 \times 8}}{\frac{3 \times 9}{9 \times 8}} = \frac{40}{72}$$

$$\frac{3 \times 9}{8 \times 9} = \frac{27}{72}$$

$$\frac{2}{1,4}$$

$$\frac{2}{1,2}$$

$$\frac{3}{1,1}$$

We will convert each negative denominator into positive.

$$\frac{4\times -1}{-3\times -1} = \frac{-4}{3}$$

L.C.M. of 3 and 7 is 21.

$$\frac{-4\times(7)}{(3)\times(7)} = \frac{-28}{21}$$

$$\frac{\frac{(-8)\times 3}{7\times 3} = \frac{-24}{21}}{(-24) > (-28)}$$

$$(-24) > (-28)$$

$$\frac{-8}{7} > \frac{4}{(-3)}$$

So,  $\frac{-8}{7}$  is greater.

$$\frac{-12}{5}, -3$$

L.C.M. of 5 and 1 is 5.

$$\frac{-12\times1}{5\times1} = \frac{-1}{5}$$

$$\frac{-3 \times 5}{1 \times 5} = \frac{-15}{5}$$

$$-12 > -1$$

$$\frac{-12}{5} > -3$$

$$\begin{array}{l} \frac{-12\times 1}{5\times 1} = \frac{-12}{5} \\ \frac{-3\times 5}{1\times 5} = \frac{-15}{5} \\ -12 > -15 \\ \frac{-12}{5} > -3 \\ \frac{-12}{5} \text{ is greater.} \end{array}$$

(iv)

$$\frac{-7}{9}, \frac{-5}{8}$$

L.C.M. of 9 and 8 is 72.

$$\begin{array}{l} \frac{-7 \times 8}{9 \times 8} = \frac{-56}{72} \\ \frac{-5 \times 9}{8 \times 9} = \frac{-45}{72} \\ -56 < -45 \end{array}$$

$$\frac{-5\times9}{8\times9} = \frac{-4!}{72}$$

$$-56 < -4$$

$$\frac{-7}{9} < \frac{-5}{8}$$

$$\left(v\right) \frac{4}{-5}, \frac{-7}{8}$$

We will convert each negative denominator into positive.

$$\frac{4\times-1}{-5\times-1} = \frac{-4}{5}$$

L.C.M. of 5 and 8 is 40.

$$\begin{array}{l} \frac{-4\times8}{5\times8} = \frac{-32}{40} \\ \frac{-7\times5}{8\times5} = \frac{-35}{40} \\ -32 > -35 \\ \frac{-4}{5} > \frac{-7}{8} \end{array}$$

We will convert each negative denominator into positive.

$$\frac{\frac{9\times-1}{-13\times-1} = \frac{-9}{13}}{\frac{7\times-1}{-12\times-1} = \frac{-7}{12}}$$

$$\frac{7 \times -1}{-12 \times -1} = \frac{-7}{12}$$

L.C.M. of 13 and 12 is 156.

$$\frac{-9 \times 12}{13 \times (-12)} = \frac{-108}{156}$$

$$\frac{-7 \times 13}{(-12) \times 13} = \frac{-91}{156}$$

$$-108 < -91$$

$$\frac{9}{-13} < \frac{7}{-12}$$

$$\left(i\right)\frac{-3}{7} > \frac{-6}{13}$$

L.C.M. of 7 and 13 is 91.

$$\frac{-3\times13}{7\times13} = \frac{-39}{91}$$

$$\frac{-6\times7}{13\times7} = \frac{-4}{91}$$

$$\frac{-39}{91} > \frac{-42}{91}$$

$$\frac{-6 \times 7}{13 \times 7} = \frac{-42}{91}$$

$$\frac{-39}{91} > \frac{-42}{91}$$

$$\left(\text{ii}\right) \frac{5}{-13} = \frac{-35}{91}$$

 $\rm L.\,C.\,M.$  of 13 and 91 is 91.

$$\frac{5 \times (-7)}{-13 \times (-7)} = \frac{-35}{91}$$

$$\left(\mathrm{iii}\right) - 2 > \frac{-13}{5}$$

L.C.M of 1 and 5 is 5.

$$\frac{-2 \times 5}{1 \times 5} = \frac{-10}{5}$$

$$\frac{-2 \times 5}{1 \times 5} = \frac{-10}{5}$$

$$\frac{-13 \times 1}{5 \times 1} = \frac{-13}{5}$$

$$\frac{-10}{5} > \frac{-13}{5}$$

$$\frac{-10}{5} > \frac{-13}{5}$$

$$\left(iv\right) \, \tfrac{-2}{3} < \tfrac{-5}{8}$$

L. C. M. of 8 and 3 is 24.  $\frac{-2\times8}{3\times8} = \frac{-16}{24}$   $\frac{-5\times3}{8\times3} = \frac{-15}{24}$   $\frac{-16}{24} < \frac{-15}{24}$ 

$$\frac{-2\times8}{3\times8} = \frac{-1}{24}$$

$$\frac{-5\times3}{8\times3} = \frac{-15}{24}$$

$$\frac{-16}{24} < \frac{-15}{24}$$

$$\left(v\right)0<\frac{3}{5}$$

L.C.M. of 1 and 5 is 5.

$$\frac{0\times 1}{1\times 5} = \frac{0}{5}$$

$$\frac{3\times 1}{5\times 1} = \frac{3}{5}$$

$$\frac{0}{5} < \frac{3}{5}$$

$$\left(\mathrm{vi}\right) \frac{-8}{9} > \frac{-9}{10}$$

L. C. M. of 9 and 10 is 90.

$$\frac{-8 \times 10}{9 \times 10} = \frac{-80}{90}$$

$$\frac{-9 \times 9}{10 \times 9} = \frac{-81}{90}$$

$$\frac{-9\times9}{10\times0} = \frac{-83}{00}$$

$$\frac{-80}{90} > \frac{-81}{90}$$

Answer:

$$\left(i\right)\frac{2}{5},\frac{7}{10},\frac{8}{15},\frac{13}{30}$$

L.C.M. of 5, 10, 15 and 30 is 30

$$\frac{2\times 6}{5\times 6} = \frac{12}{30}$$

$$\frac{7\times3}{10\times3} = \frac{21}{30}$$

$$\frac{8\times2}{15\times2} = \frac{16}{30}$$

$$\frac{13\times1}{30\times1} = \frac{13}{30}$$

Required order:  $\frac{2}{5} < \frac{13}{30} < \frac{8}{15} < \frac{7}{10}$ 

3 9,10

3 3,10

5 1,10 2 1,2

$$\left(ii
ight)rac{-3}{4},rac{5}{-12},rac{-7}{16},rac{9}{-24}$$

First, we need to convert each negative denominator into positive.  $\frac{-3}{4}$ ,  $\frac{5\times-1}{-12\times-1}$ ,  $\frac{-7}{16}$ ,  $\frac{9\times-1}{-24\times-1}$ 

$$\begin{array}{c} -\frac{3}{4} \,, \frac{5\times -1}{-12\times -1} \,, \frac{-7}{16} \,, \frac{9\times -1}{-24\times -1} \\ \frac{-3}{4} \,, \frac{-5}{12} \,, \frac{-7}{16} \,, \frac{-9}{24} \end{array}$$

L.C.M. of 4, 12, 16 and 24 is 48.

$$\frac{-3\times12}{4\times12} = \frac{-36}{48}$$

$$\frac{-5\times4}{12\times4} = \frac{-20}{48}$$

$$\frac{-7\times3}{16\times3} = \frac{-21}{48}$$

$$\frac{-9\times2}{24\times2} = \frac{-18}{48}$$

Required order:  $\frac{-3}{4} < \frac{-7}{16} < \frac{-5}{12} < \frac{-9}{24}$ 

$$\left(\text{iii}\right)\frac{-3}{10}$$
,  $\frac{7}{-15}$ ,  $\frac{-11}{20}$ ,  $\frac{17}{-30}$ 

First, we need to convert the negative denominators to make them positive.

$$\begin{array}{c} -\frac{3}{10}, \frac{7\times -1}{-15\times -1}, \frac{-11}{20}, \frac{17\times -1}{-30\times -1} \\ \frac{-3}{10}, \frac{-7}{15}, \frac{-11}{20}, \frac{-17}{30} \end{array}$$

5	10,15,20,30
2	2,3,4,6
3	1,3,2,3
3	1,3,1,3
	1,1,1,1

L. C. M of 10, 15, 20, 30 = 60

$$\begin{array}{l} -\frac{3\times6}{10\times6} = \frac{-18}{60} \\ \frac{-7\times4}{15\times4} = \frac{-28}{60} \\ \frac{-11\times3}{20\times3} = \frac{-30}{60} \\ \frac{-17\times2}{30\times2} = \frac{-34}{60} \end{array}$$

Therefore,  $\frac{-34}{60} < \frac{-33}{60} < \frac{-28}{60} < \frac{-18}{60}$ 

i.e. 
$$\frac{-17}{30} < \frac{-11}{20} < \frac{-7}{15} < \frac{-3}{10}$$

$$\left(\text{iv}\right)\frac{2}{3},\frac{3}{4},\frac{5}{-6},\frac{-7}{12}$$

First, we need to convert the negative denominators to positive ones.

$$\frac{2}{3}, \frac{3}{4}, \frac{5\times-1}{-6\times-1}, \frac{-7}{12}$$
 $\frac{2}{3}, \frac{3}{4}, \frac{-5}{6}, \frac{-7}{12}$ 

L. C. M of 3, 4, 6, 12 = 12

$$\begin{array}{l} \frac{2\times 4}{3\times 4} = \frac{8}{12} \\ \frac{3\times 3}{4\times 3} = \frac{9}{12} \\ \frac{-5\times 2}{6\times 2} = \frac{-10}{12} \\ \frac{-7\times 1}{12\times 1} = \frac{-7}{12} \end{array}$$

Therefore, the correct order is  $\frac{-5}{6} < \frac{-7}{12} < \frac{2}{3} < \frac{3}{4}$  .

$$\left(\mathrm{i}\right)\frac{-2}{5},\frac{7}{-10},\frac{-11}{15},\frac{19}{-30}$$

First, we need to convert each negative denominator into positive.

$$\begin{array}{c} -\frac{2}{5}, \frac{7\times -1}{-10\times -1}, \frac{-11}{15}, \frac{19\times -1}{-30\times -1} \\ \frac{-2}{5}, \frac{-7}{10}, \frac{-11}{15}, \frac{-19}{30} \end{array}$$

L.C.M. of 5, 10, 15 and 30 is 30.

$$\begin{array}{l} \frac{-2\times 6}{5\times 6} = \frac{-12}{30} \,, \\ \frac{-7\times 3}{10\times 3} = \frac{-21}{30} \,, \\ \frac{-11\times 2}{15\times 2} = \frac{-22}{30} \,, \\ \frac{-19\times 1}{30\times 1} = \frac{-19}{30} \,, \end{array}$$

Correct order:  $\frac{-2}{5} > \frac{19}{-30} > \frac{7}{-10} > \frac{-11}{15}$ 

(ii) 
$$-2, \frac{-13}{6}, \frac{8}{-3}, \frac{1}{3}$$

First, we need to convert each negative denominator into positive.

$$-2, \frac{-13}{6}, \frac{8\times -1}{-3\times -1}, \frac{1}{3}$$
$$-2, \frac{-13}{6}, \frac{-8}{3}, \frac{1}{3}$$

L.C.M. of 6, 3 and 3 is 6.

$$\begin{array}{l} \frac{-2\times 6}{1\times 6} = \frac{-12}{6}\,,\\ \frac{-13\times 1}{6\times 1} = \frac{-13}{6}\,,\\ \frac{-8\times 2}{3\times 2} = \frac{-16}{6}\,,\\ \frac{1\times 2}{3\times 2} = \frac{2}{6}\,, \end{array}$$

Correct order:  $\frac{1}{3} > -2 > \frac{-13}{6} > \frac{-8}{3}$ 

$$\left(\text{iii}\right)\frac{-4}{9},\frac{5}{-12},\frac{-7}{18},\frac{2}{-3}$$

First, we need to convert each negative denominator into positive.

$$\begin{array}{c} \frac{-4}{9} \,, \frac{5\times -1}{-12\times -1} \,, \frac{-7}{18} \,, \frac{2\times -1}{-3\times -1} \\ \frac{-4}{9} \,, \frac{-5}{12} \,, \frac{-7}{18} \,, \frac{-2}{3} \\ 3 \,\, 9,12,18,3 \\ \hline 3 \,\, 3,4,6,1 \\ \hline 2 \,\, 1,4,2,1 \\ \hline 2 \,\, 1,2,1,1 \\ \hline 1,1,1,1 \end{array}$$

L.C.M. of 9, 12, 18 and 3 is 36.

$$\begin{array}{l} \frac{-4\times4}{9\times4} = \frac{-16}{36}\,,\\ \frac{-5\times3}{12\times3} = \frac{-15}{36}\,,\\ \frac{-7\times2}{18\times2} = \frac{-14}{36}\,,\\ \frac{-2\times12}{3\times12} = \frac{-24}{36} \end{array}$$

Correct order:  $\frac{-7}{18} > \frac{-5}{12} > \frac{-4}{9} > \frac{-2}{3}$ 

$$\left(iv\right)\frac{17}{-30},\frac{11}{-15},\frac{-7}{10},\frac{3}{5}$$

First, we need to convert each negative denominator into positive.  $\frac{17 \times -1}{-30 \times -1}, \frac{11 \times -1}{-15 \times -1}, \frac{-7}{10}, \frac{3}{5}$   $\frac{-17}{30}, \frac{-11}{15}, \frac{-7}{10}, \frac{3}{5}$ 

$$\begin{array}{c} \frac{17\times -1}{-30\times -1}\,,\,\frac{11\times -1}{-15\times -1}\,,\,\frac{-7}{10}\,,\frac{3}{5}\\ \frac{-17}{30}\,,\,\frac{-11}{15}\,,\frac{-7}{10}\,,\frac{3}{5} \end{array}$$

1,1,1,1 L. C. M. of 30, 15, 10 and 5 is 30.

L. C. M. 61 30,  

$$\frac{-17 \times 1}{30 \times 1} = \frac{-17}{30},$$

$$\frac{-11 \times 2}{15 \times 2} = \frac{-22}{30},$$

$$\frac{-7 \times 3}{10 \times 3} = \frac{-21}{30},$$

$$\frac{3 \times 6}{5 \times 6} = \frac{18}{30},$$

$$\frac{-11\times2}{15\times2} = \frac{-22}{30}$$

$$\frac{-7\times3}{10\times3} = \frac{-21}{30}$$

$$\frac{3\times6}{5\times6} = \frac{18}{30}$$

Correct order: 
$$\frac{3}{5} > \frac{17}{-30} > \frac{-7}{10} > \frac{11}{-15}$$

Q8

Answer:

$$-3 = \frac{-3 \times 6}{1 \times 6} = \frac{-18}{6}$$

$$\begin{array}{l} \text{L.C.M. of 2 and 3 is 6.} \\ -3 = \frac{-3 \times 6}{1 \times 6} = \frac{-18}{6} \\ -2 = \frac{-2 \times 6}{1 \times 6} = \frac{-12}{6} \end{array}$$

Therefore ,  $\frac{-17}{6}$  ,  $\frac{-16}{6}$  ,  $\frac{-15}{6}$  ,  $\frac{-14}{6}$  and  $\frac{-13}{6}$  are the five rational number between -3

Q9.

Answer:

$$\begin{array}{l} -1 = \frac{-1 \times 5}{1 \times 5} \,, \, 1 = \frac{1 \times 5}{1 \times 5} \\ \frac{-5}{5} \, \text{and} \, \frac{5}{5} \end{array}$$

$$\frac{-5}{5}$$
 and  $\frac{5}{5}$ 

Hence, the five rational numbers between -1 and 1 are  $\frac{-4}{5}$ ,  $\frac{-3}{5}$ ,  $\frac{-2}{5}$ ,  $\frac{-1}{5}$  and  $\frac{1}{5}$ .

Q10

Answer:

$$\frac{-3}{5}$$
 and  $\frac{-1}{2}$ 

$$\begin{array}{l} \frac{-3}{5} \text{ and } \frac{-1}{2} \\ \text{L.C.M. of 5 and 2 is 10.} \\ \frac{-3\times2}{5\times2} = \frac{-6\times4}{10\times4} = \frac{-24\times2}{40\times2} = \frac{-48}{80} \text{ ,} \\ \frac{-1\times5}{2\times5} = \frac{-5\times4}{10\times4} = \frac{-20\times2}{40\times2} = \frac{-40}{80} \text{ ,} \end{array}$$

$$\frac{-1 \times 5}{2 \times 5} = \frac{-5 \times 4}{10 \times 4} = \frac{-20 \times 2}{40 \times 2} = \frac{-40}{80}$$

Hence, the five rational numbers between  $\frac{-3}{5}$  and  $\frac{-1}{2}$  are  $\frac{-45}{80}$ ,  $\frac{-44}{80}$ ,  $\frac{-43}{80}$ ,  $\frac{-42}{80}$  and  $\frac{-41}{80}$ .

# Rational Numbers Exercise 4C

Q1

Answer

$$\frac{\stackrel{\text{(i)}}{12}}{7} + \frac{3}{7} = \frac{12+3}{7} = \frac{15}{7}$$

$$\frac{\stackrel{\text{(ii)}}{-2}}{\frac{-2}{5}} + \frac{1}{5} = \frac{-2+1}{5} = \frac{-1}{5}$$

(iii)

$$\frac{3}{-8} \times \frac{-1}{-1} = \frac{-3}{8}$$

$$\frac{-3}{8} + \frac{1}{8} = \frac{-3+1}{8} = \frac{-2}{8}$$

(iv)

$$\frac{\frac{7}{-11} \times \frac{-1}{-1} = \frac{-7}{11}}{\frac{-5}{11} + \frac{-7}{11}} = \frac{-5 + (-7)}{11} = \frac{-5 - 7}{11} = \frac{-12}{11}$$

(v)

$$\frac{-11}{-13} \times \frac{-1}{-1} = \frac{11}{13}$$

$$=\frac{-9}{13}+\frac{11}{13}=\frac{-9+11}{13}=\frac{2}{13}$$

(vi)

$$\frac{-2}{9} + \frac{-5}{9} = \frac{-2-5}{9} = \frac{-7}{9}$$

(vii)

$$\frac{(-17)}{9} + \frac{(-11)}{9} = \frac{-17 - 11}{9} = \frac{-28}{9}$$

$$\begin{array}{l} \text{(Viii)} \\ \frac{5}{-7} \times \frac{-1}{-1} = \frac{-5}{7} \end{array}$$

$$\frac{-3}{7} + \frac{(-5)}{7} = \frac{-3-5}{7} = \frac{-8}{7}$$

Q2

Answer:

(i) 
$$\frac{-2}{5} + \frac{3}{4}$$

The denominators of the given rational numbers are 5 and 4.

L.C.M. of 5 and 4 is 20.

$$\frac{-2}{5} = \frac{(-2) \times 4}{5 \times 4} = \frac{-8}{20}$$
$$\frac{3}{4} = \frac{3 \times 5}{4 \times 5} = \frac{15}{20}$$

Now, 
$$\frac{(-8)}{20} + \frac{15}{20} = \frac{-8+15}{20} = \frac{7}{20}$$

$$(ii)\frac{-5}{9} + \frac{2}{3}$$

The denominators of the given rational numbers are 9 and 3.

L.C.M. of 9 and 3 is 9. 
$$\frac{-5}{9} = \frac{(-5) \times 1}{9 \times 1} = \frac{-5}{9}$$

$$\frac{2}{3} = \frac{2\times3}{3\times3} = \frac{6}{9}$$

Now, 
$$\frac{(-5)}{9} + \frac{6}{9}$$
  
=  $\frac{-5+6}{9}$   
=  $\frac{1}{9}$ 

(iii)
$$-4 + \frac{1}{2}$$

The denominators of the given rational numbers are 1 and 2.

L.C.M. of 1 and 2 is 2.

$$\frac{-4}{1} = \frac{(-4) \times 2}{1 \times 2} = \frac{-8}{2}$$

$$\frac{1}{2} = \frac{1\times 1}{2\times 1} = \frac{1}{2}$$

Now, 
$$\frac{(-8)}{2} + \frac{1}{2}$$
  
=  $\frac{-8+1}{2}$   
=  $\frac{-7}{2}$ 

$$=\frac{-8+1}{2}$$

$$=\frac{-7}{2}$$

$$\frac{(iV)}{\frac{-7}{27}} + \frac{5}{18}$$

The denominators of the given rational numbers are 27 and 18.

L.C.M. of 27 and 18 is 54.

$$\frac{-7}{27} = \frac{(-7)\times 2}{27\times 2} = \frac{-14}{54}$$
$$\frac{5}{18} = \frac{5\times 3}{18\times 3} = \frac{15}{54}$$

Now, 
$$\frac{(-14)}{54} + \frac{15}{54} = \frac{-14+15}{54}$$
  
=  $\frac{1}{54}$ 

$$(\mathsf{v})\tfrac{-5}{36} + \left(\tfrac{-7}{12}\right)$$

The denominators of the given rational numbers are 36 and 12.

L.C.M. of 36 and 12 is 36.

$$\frac{-5}{36} = \frac{(-5) \times 1}{36 \times 1} = \frac{-5}{36}$$
$$\frac{-7}{12} = \frac{-7 \times 3}{12 \times 3} = \frac{-21}{36}$$

Now, 
$$\frac{(-5)}{36} + \frac{(-21)}{36} = \frac{-5-21}{36}$$
  
 $\frac{-26}{36} = \frac{-13}{18}$  (26 and 36 are divided by 2.)

$$\frac{1}{-9} + \left(\frac{4}{-27}\right)$$

We need a positive denominator.

$$\frac{1}{-9} \times \frac{-1}{-1} = \frac{-1}{9}$$
 and  $\frac{4}{-27} \times \frac{-1}{-1} = \frac{-4}{27}$ 

The denominators of the given rational numbers are 9 and 27

L.C.M. of 9 and 27 is 27

$$\frac{-1}{9} = \frac{(-1)\times 3}{9\times 3} = \frac{-3}{27}$$
$$\frac{-4}{27} = \frac{-4\times 1}{27\times 1} = \frac{-4}{27}$$

$$\frac{(-3)}{27} + \frac{(-4)}{27} = \frac{-3-4}{27}$$

$$=\frac{-7}{27}$$

The denominators of the given numbers are  $24\ \mathrm{and}\ 18$ 

L.C.M. of 24 and 18 is 72.

$$\therefore \frac{-9}{24} = \frac{-9 \times 3}{24 \times 3} = \frac{-27}{72}$$

$$\frac{-1}{18} = \frac{-1 \times 4}{18 \times 4} = \frac{-4}{72}$$
Now,  $\frac{-27}{72} + \left(\frac{-4}{72}\right)$ 

$$= \frac{-27 + \left(-4\right)}{72}$$

$$= \frac{-27 - 4}{72}$$

$$= \frac{-31}{72}$$

$$(viii)\frac{27}{-4} + \left(\frac{-15}{8}\right)$$

We need a positive denominator.

$$\frac{27}{-4} \times \frac{-1}{-1} = \frac{-27}{4}$$

The denominators of the given rational numbers are 4 and 8.

L.C.M. of 4 and 8 is 8.

$$\frac{-27}{4} = \frac{-27 \times 2}{4 \times 2} = \frac{-54}{8}$$

$$\frac{(-15)}{8} = \frac{(-15)\times 1}{8\times 1} = \frac{-15}{8}$$

L.C.M. of 4 and 8 is 8.
$$\frac{-27}{4} = \frac{-27 \times 2}{4 \times 2} = \frac{-54}{8}$$

$$\frac{(-15)}{8} = \frac{(-15) \times 1}{8 \times 1} = \frac{-15}{8}$$
Now,  $\frac{-54}{8} + \frac{(-15)}{8}$ 

$$= \frac{-54 - 15}{8}$$

$$= \frac{-69}{8}$$

Q3

Answer:

(i) 
$$\frac{-3}{5} + \frac{7}{5} + \frac{-1}{5}$$

 ${\rm L.C.M.}$  of the given rational number is 5.

$$\frac{\binom{-3}{5} + \frac{7}{5} + \frac{\binom{-1}{5}}{5}}{= \frac{-3+7-1}{5}}$$
$$= \frac{-4+7}{5}$$
$$= \frac{3}{5}$$

(II)
$$\frac{-12}{7} + \frac{3}{7} + \frac{-2}{7}$$

$$= \frac{(-12)}{7} + \frac{3}{7} + \frac{(-2)}{7}$$

$$= \frac{-12+3-2}{7}$$

$$= \frac{-14+3}{7}$$

$$= \frac{-11}{7}$$

(iii) 
$$\frac{11}{-12} + \frac{3}{-8} + \frac{1}{4}$$

We need a positive denominator.

$$\begin{array}{l} \frac{11}{-12} \times \frac{-1}{-1} = \frac{-11}{12} \text{ and } \frac{3}{-8} \times \frac{-1}{-1} = \frac{-3}{8} \\ \text{L.C.M. of the denominators 12, 8 and 4 is 24.} \end{array}$$

1. C.M. of the denominators 12, 8 and 4 is 24.  

$$\therefore \frac{-11 \times 2}{12 \times 2} = \frac{-22}{24}$$

$$\frac{-3 \times 3}{8 \times 3} = \frac{-9}{24}$$

$$\frac{1 \times 6}{4 \times 6} = \frac{6}{24}$$
2 | 12,8,4 | 2 | 6,4,2 | | 3 | 3,1,1 | | 3,1,1 | | 1,1,1 |

$$\frac{1 \times 6}{4 \times 6} = \frac{6}{24}$$
Now, 
$$\frac{(-22)}{24} + \frac{(-9)}{24} + \frac{6}{24}$$

$$= \frac{-22 - 9 + 6}{24}$$

$$= \frac{-31 + 6}{24}$$

$$= \frac{-25}{24}$$

$$= \frac{-25}{24}$$

$$(iv) \frac{-16}{9} + \frac{-5}{12} + \frac{7}{18}$$

L.C.M. of the denominators 9, 12 and 18 is 36.

$$\frac{-16 \times 4}{9 \times 4} = \frac{-64}{36}$$

$$\frac{-5 \times 3}{12 \times 3} = \frac{-15}{36}$$

$$\frac{7 \times 2}{18 \times 2} = \frac{14}{36}$$

$$\frac{14}{36}$$

$$\frac{-64 - 15 + 14}{36}$$

$$\frac{-79 + 14}{36}$$

$$\frac{-65}{-65}$$

$$3 | 9,12,18$$

$$3 | 3,4,6$$

$$2 | 1,4,2$$

$$2 | 1,2,1$$

$$1,1,1$$

$$\left(v\right)-3+rac{1}{8}=rac{-2}{5}$$

L.C.M. of the denominators 1, 8 and 5 is 40.

$$\frac{-3\times40}{1\times40} = \frac{-120}{40}$$

$$\frac{1\times5}{8\times5} = \frac{5}{40}$$

$$\frac{2}{8\times5} = \frac{4}{40}$$

$$\frac{-2\times8}{5\times8} = \frac{-16}{40}$$

$$\frac{2}{1\times2,1}$$

$$\frac{1\times5}{8\times5} = \frac{5}{40}$$

$$\frac{2}{1\times2,1}$$

$$\frac{1\times5}{1\times3} = \frac{-16}{40}$$

$$\frac{1\times5}{1\times3} = \frac{-13}{1\times3}$$

$$\left(vi\right)\tfrac{-13}{8}+\tfrac{5}{16}+\tfrac{-1}{4}$$

L.C.M. of the denominator 8, 16 and 4 is 16.

$$\frac{-13\times2}{8\times2} = \frac{-26}{16}$$

$$\frac{5\times1}{16\times1} = \frac{5}{16}$$

$$\frac{-1\times4}{4\times4} = \frac{-4}{16}$$

$$\begin{aligned} &\frac{-1\times4}{4\times4} = \frac{-4}{16} \\ &\textbf{Now,} \frac{(-26)}{16} + \frac{5}{16} + \frac{(-4)}{16} \\ &= \frac{-26+5-4}{16} \end{aligned}$$

$$=\frac{-26+5-4}{16}$$

Now, 
$$\frac{-30+5}{16} = \frac{-25}{16}$$

Q4.

$$\frac{-8}{15} + \frac{2}{-3}$$

We need a positive denominator.

$$\therefore \frac{2}{-3} \times \frac{-1}{-1} = \frac{-2}{3}$$

Now, L.C.M. of 15 and 3 is 15.  $\frac{-8}{15} = \frac{-8 \times 1}{15 \times 1} = \frac{-8}{15}$ 

$$\frac{-8}{15} = \frac{-8 \times 1}{15 \times 1} = \frac{-8}{15}$$

$$\frac{-2}{3} = \frac{-2 \times 5}{3 \times 5} = \frac{-10}{15}$$

$$= \frac{-2 \times 5}{3 \times 5} = \frac{-10}{15}$$

Now, 
$$\frac{-8}{15} + \frac{-10}{15}$$
  
=  $\frac{-8-10}{15}$ 

$$= \frac{-18}{15} \\ = \frac{-6}{5}$$

$$=\frac{-6}{5}$$

(*ii*) 
$$\frac{-7}{10} + \frac{13}{-15} + \frac{27}{20}$$

We need a positive denominator.

$$\frac{13}{-15} \times \frac{-1}{-1} = \frac{-13}{15}$$

 $\frac{\frac{13}{-15}\times\frac{-1}{-1}=\frac{-13}{15}}{\text{Now, L.C.M. of 10, 15 and 20 is 60.}}$ 

$$\therefore \frac{-7}{10} = \frac{-7 \times 6}{10 \times 6} = \frac{-42}{60}$$

$$\frac{-13}{15} = \frac{-13 \times 4}{15 \times 4} = \frac{-52}{60}$$

$$\frac{27}{20} = \frac{27 \times 3}{20 \times 3} = \frac{81}{60}$$

Now, 
$$\frac{-42}{60} + \frac{-52}{60} + \frac{81}{60}$$
  
=  $\frac{(-42) + (-52) + (81)}{60}$   
=  $\frac{-94 + 81}{60}$ 

$$=\frac{-94+81}{60}$$

$$=\frac{-13}{60}$$

$$-1 + \tfrac{7}{-9} + \tfrac{11}{12}$$

We need a positive denominator.

$$\frac{7}{-9} \times \frac{-1}{-1} = \frac{-7}{9}$$

 $\begin{array}{l} \frac{7}{-9} \times \frac{-1}{-1} = \frac{-7}{9} \\ \text{Now, L.C.M. of 1, 9 and 12 is 36.} \\ \frac{-1}{1} = \frac{-1 \times 36}{1 \times 36} = \frac{-36}{36} \end{array}$ 

$$\frac{-1}{1} = \frac{-1 \times 36}{1 \times 36} = \frac{-36}{36}$$

$$\frac{-7}{9} = \frac{-7 \times 4}{9 \times 4} = \frac{-28}{36}$$

$$\frac{11}{12} = \frac{11 \times 3}{12 \times 3} = \frac{33}{36}$$

$$\frac{-36}{36} + \frac{-28}{36} + \frac{33}{36}$$

$$= \frac{-36 - 28 + 33}{36}$$

$$= \frac{-64 + 33}{36}$$

$$= \frac{-31}{36}$$

$$= \frac{-5}{4}$$

$$=\frac{-64+33}{2}$$

$$=\frac{-31}{26}$$

$$=\frac{-5}{4}$$

$$\frac{-11}{39} + \frac{5}{26} + \frac{2}{1}$$

L.C.M. of 39, 26 and 1 is 78.

$$\frac{-11}{39} = \frac{-11 \times 2}{39 \times 2} = \frac{-22}{78}$$

$$\frac{5}{26} = \frac{5 \times 3}{26 \times 3} = \frac{15}{78}$$

$$\frac{2}{1} = \frac{2 \times 78}{1 \times 78} = \frac{156}{78}$$

Now, 
$$\frac{-22}{78} + \frac{15}{78} + \frac{156}{78}$$
  
=  $\frac{-22+171}{78}$ 

$$=\frac{-22+171}{78}$$

$$=\frac{149}{70}$$

$$2 = \frac{2 \times 4}{1 \times 4} = \frac{8}{4}$$

 $2 + \frac{-1}{2} + \frac{-3}{4}$ 

$$\frac{-1}{2} = \frac{-1 \times 2}{2 \times 2} = \frac{-1}{4}$$

$$\frac{2 - \frac{1}{1}x4 - \frac{4}{4}}{\frac{-\frac{1}{2}}{2} = \frac{-1x2}{2x2} = \frac{-2}{4}}$$

$$\frac{-\frac{3}{4}}{\frac{-3}{4}} = \frac{-3x1}{4x1} = \frac{-3}{4}$$

$$\frac{8}{4} + \frac{(-2)}{4} + \frac{(-3)}{4}$$

$$= \frac{8 - 2 - 3}{4}$$

$$\frac{3}{4} + \frac{1}{4} + \frac{1}{4} + \frac{1}{4}$$

$$= \frac{8-2-3}{4}$$

$$=\frac{3}{4}$$

$$\left(vi\right)\tfrac{-9}{11}+\tfrac{2}{3}+\tfrac{-3}{4}$$

L.C.M. of 11, 3 and 4 is 132.

$$\frac{-9}{11} = \frac{-9 \times 12}{11 \times 12} = \frac{-108}{132}$$

$$\frac{2}{2} = \frac{2 \times 44}{2} = \frac{88}{2}$$

$$\frac{2}{3} = \frac{2 \times 44}{3 \times 44} = \frac{88}{132}$$
$$\frac{-3}{4} = \frac{-3 \times 33}{4 \times 33} = \frac{-99}{132}$$

$$\frac{-108}{132} + \frac{88}{132} + \frac{(-99)}{132}$$

$$= \frac{-108 + 88 - 99}{132}$$

$$= \frac{\frac{132}{132}}{\frac{-207+88}{132}} = \frac{-119}{132}$$

## Q5.

# Answer:

$$(i) \ \frac{12}{5} = 2\frac{2}{5} = 2 + \frac{2}{5}$$

$$(ii)$$
  $\frac{-11}{7} = \left(-\frac{11}{7}\right) = \left(-1\frac{4}{7}\right) = -1 + \left(\frac{-4}{7}\right)$ 

$$\left(m{iii}
ight) rac{-25}{9} = \left(-rac{25}{9}
ight) = -\left(2rac{7}{9}
ight) = -2 + \left(rac{-7}{9}
ight)$$

$$\left(iv\right) \, rac{-103}{20} = - \left(rac{103}{20}
ight) = - \left(5\,rac{3}{20}
ight) = -5 + \left(rac{-3}{20}
ight)$$

1,1,1

# Rational Numbers Exercise 4D

Q1

## Answer:

- (i) Additive inverse of 5 is -5.
- (ii) Additive inverse of -9 is 9.
- (iii) Additive inverse of  $\frac{3}{14}$  is  $\frac{-3}{14}$ .
- (iv) Additive inverse of  $\frac{-11}{15}$  is  $\frac{11}{15}$
- (v) Additive inverse of  $\frac{15}{-4}=\frac{15\times(-1)}{(-4)\times(-1)}$   $=\frac{-15}{4}$   $=\frac{15}{4}$

(vi) Additive inverse of 
$$\frac{-18}{-13}=\frac{-18\times(-1)}{(-13)\times(-1)}$$
 
$$=\frac{18}{13}$$
 
$$=\frac{-18}{13}$$

- (vii) Additive inverse of 0 is 0.
- (viii) Additive inverse of  $\ \frac{1}{-6}=\frac{1\times \left(-1\right)}{\left(-6\right)\times \left(-1\right)}$   $=\frac{-1}{6}$   $=\frac{1}{6}$

Q2

(i) 
$$\frac{1}{3} - \frac{3}{4} = \frac{1}{3} + \left(\text{additive inverse of } \frac{3}{4}\right)$$
 L.C.M. of 3 and 4 is 12. 
$$\frac{1}{3} + \left(-\frac{3}{4}\right) = \frac{4+(-9)}{12} = \frac{-5}{12}$$

(ii) 
$$\begin{split} &\frac{1}{3} - \frac{(-5)}{6} = \frac{1}{3} + \left(\text{additive inverse of } \frac{-5}{6}\right) \\ &= \frac{1}{3} + \frac{5}{6} \\ &\text{L.C.M. of 3 and 6 is 6.} \\ &= \frac{2+5}{6} \\ &= \frac{7}{6} \end{split}$$

$$\begin{array}{l} \frac{\left(-3\right)}{5} - \left(\frac{-8}{9}\right) = \frac{\left(-3\right)}{5} + \left(\text{additive inverse of } \frac{-8}{9}\right) \\ = \frac{\left(-3\right)}{5} + \frac{8}{9} \end{array}$$

L. C. M. of 5 and 9 is 45.  

$$= \frac{-27+40}{45}$$

$$= \frac{13}{45}$$

$$\begin{split} &\frac{\left(-1\right)}{1}-\frac{\left(-9\right)}{7}=\frac{\left(-1\right)}{1}+\left(\text{additive inverse of }\frac{-9}{7}\right)\\ &=\frac{\left(-1\right)}{1}+\frac{9}{7}\\ &L.C.M.\text{ of 7 and 1 is 7}. \end{split}$$

L.C.M. of 7 and 1 is 7
$$= \frac{-7+9}{7}$$

$$= \frac{2}{7}$$

$$\begin{split} &\frac{1}{1} - \frac{\left(-18\right)}{11} = \frac{1}{1} + \left(\text{additive inverse of } \frac{-18}{11}\right) \\ &= \frac{\left(1\right)}{1} + \frac{18}{11} \\ &= \frac{11 + 18}{11} \\ &= \frac{29}{11} \end{split}$$

$$\begin{array}{l} \text{(vi)} \\ 0-\left(\frac{-13}{9}\right)=0+\left(\text{additive inverse of }\frac{-13}{9}\right) \\ =0+\frac{13}{9} \\ =\frac{13}{9} \end{array}$$

$$\frac{\binom{-6}{5}}{5} - \frac{\binom{-32}{13}}{13} = \frac{\binom{-6}{5}}{5} + \left(\text{additive inverse of } \frac{-32}{13}\right)$$
$$= \frac{-6}{5} + \frac{32}{13}$$

$$L.C.M.$$
 of 5 and 13 is 65
$$= \frac{-78+160}{65}$$

$$= \frac{82}{65}$$

$$\begin{array}{l} \frac{-4}{7} - \frac{\left(-7\right)}{1} = \frac{-4}{7} + \left(\text{additive inverse of } \frac{-7}{1}\right) \\ = \frac{\left(-4\right)}{7} + \frac{7}{1} \\ \text{L.C.M. of 7 and 1 is 7.} \\ = \frac{-4+49}{7} \\ = \frac{45}{7} \end{array}$$

# (ix)

$$\begin{array}{l} \frac{-2}{3} - \frac{5}{9} = \frac{-2}{3} + \left( \text{additive inverse of } \frac{5}{9} \right) \\ = \frac{-2}{3} - \frac{5}{9} \\ \text{L.C.M. of 3 and 9 is 9.} \\ = \frac{-6 - 5}{9} \\ = \frac{-11}{9} \end{array}$$

# (x)

$$\begin{array}{l} \frac{-3}{5} - \frac{5}{1} = \frac{-3}{5} + \left( \text{additive inverse of } \frac{5}{1} \right) \\ = \frac{-3}{5} - \frac{5}{1} \\ \text{L.C.M. of 5 and 1 is 5.} \\ = \frac{-3 - 25}{5} \\ = \frac{-28}{5} \end{array}$$

# Q3

## Answer:

$$\begin{aligned} &\frac{3}{4} - \frac{4}{5} \\ &= \frac{3}{4} - \frac{4}{5} = \frac{3}{4} + \left( \text{additive inverse of } \frac{4}{5} \right) \\ &\text{L. C. M. } 4 \text{ and } 5 \text{ is } 20. \\ &= \frac{15 - 16}{20} \\ &= \frac{-1}{20} \end{aligned}$$

$$= \frac{15-1}{20} \\ = \frac{-1}{20}$$

$$\begin{array}{l} \frac{-3}{1} - \frac{4}{7} = \frac{-3}{1} + \left( \text{additive inverse of } \frac{4}{7} \right) \\ = \frac{-3}{1} - \frac{4}{7} \\ = \frac{-21 - 4}{7} \\ = \frac{-25}{7} \end{array}$$

$$\frac{7}{24} - \frac{19}{36} = \frac{7}{24} + \left(\text{additive inverse of } \frac{19}{36}\right)$$

$$= \frac{7}{24} - \frac{19}{36}$$
L. C. M. of 24 and 36 is 72.
$$= \frac{21-38}{72}$$

$$= \frac{21 - 38}{72} \\
= \frac{-17}{12}$$

## (iv)

$$\frac{14}{15} - \frac{13}{20} = \frac{14}{15} + \left(\text{additive inverse of } \frac{13}{20}\right)$$

$$= \frac{14}{15} - \frac{13}{20}$$

# L.C.M. of 15 and 20 is 60.

$$=\frac{56-39}{60}$$

$$=\frac{17}{60}$$

# (v)

$$\frac{4}{9} - \frac{2}{(-3)}$$

 $\frac{4}{9} - \frac{2}{(-3)}$  We need a positive denominator.

$$\frac{2}{-3} \times \frac{(-1)}{(-1)} = \frac{-2}{3}$$

$$\frac{4}{9} - \frac{(-2)}{3} = \frac{4}{9} + \left(\text{additive inverse of } \frac{-2}{3}\right)$$
L. C. M. of 3 and 9 is 9.
$$= \frac{4+6}{9}$$

$$=\frac{4+}{9}$$

$$=\frac{10}{9}$$

# (vi)

$$\frac{7}{11} - \frac{(-4)}{(-11)}$$

 $\frac{7}{11} - \frac{\left(-4\right)}{\left(-11\right)}$  We need a positive denominator.

$$\frac{-4}{-11} \times \frac{(-1)}{(-1)} = \frac{4}{11}$$

$$\frac{7}{11} - \frac{4}{11} = \frac{7}{11} + \left(\text{additive inverse of } \frac{4}{11}\right)$$

$$= \frac{7-4}{11}$$

$$=\frac{7-4}{11}$$

$$=\frac{3}{11}$$

(viii)

$$\left(\frac{-5}{-8}\right) - \left(\frac{-3}{4}\right)$$

We need a positive denominator.

$$\frac{-5}{-8} \times \frac{-1}{-1} = \frac{5}{8}$$

[L.C.M. of 8 and 4 is 8.]

$$\frac{5}{8} - \frac{\left(-3\right)}{4}$$
 =  $\frac{5}{8} + \left(additive inverse of \frac{-3}{4}\right)$ 

 $L.\,C.\,M.\,$  of 8 and 4 is  $8.\,$ 

$$= \frac{5+6}{8}$$

$$=\frac{11}{8}$$

Q4

## Answer:

First we will find the sum of  $\frac{-36}{11}$  and  $\frac{49}{22}$ .

$$\frac{-36}{11} + \frac{49}{22}$$

 $\begin{array}{l} \frac{-36}{11} + \frac{49}{22} \\ \text{L. C. M. of } 11 \text{ and } 22 \text{ is } 22. \\ = \frac{-72 + 49}{22} \end{array}$ 

$$=\frac{-72+49}{22}$$

$$=\frac{-23}{22}$$

Now. we have to find the sum of  $\frac{33}{8}$  and  $\frac{-19}{4}$ .

$$\frac{33}{8} + \frac{(-19)}{4}$$

L.C.M. of 8 and 4 is 8.  $=\frac{33-38}{8}$ 

$$=\frac{33-3}{8}$$
  
 $=\frac{-5}{8}$ 

Now, 
$$\frac{(-5)}{8} - \frac{(-23)}{22}$$
  
=  $\frac{-5}{8} + \frac{23}{22}$ 

L.C.M. of 8 and 22 is 88.  $= \frac{-55+92}{88}$ 

$$= \frac{-55+95}{88}$$
$$= \frac{37}{88}$$

Q5

## Answer:

Let the other number that be x.

$$\frac{5}{7} + x = \frac{4}{21}$$
 $=> x = \frac{4}{21} - \frac{5}{7}$ 

L. C. M. of 21 and 7 is 21. =>  $x = \frac{4-15}{21}$ 

$$=> x = {4-15\over 21}$$
  
 $=> x = {-11\over 21}$ 

Hence, the required number is  $\frac{-11}{21}$ .

Let the other number be x.

$$\frac{3}{16} + x = \frac{-3}{8}$$

$$=>x=\frac{-3}{8}-\frac{3}{16}$$

=>  $x = \frac{-3}{8} - \frac{3}{16}$ L. C. M. of 8 and 16 is 16. =>  $x = \frac{-6-3}{16}$ 

$$=>x=rac{-9}{16}$$

Q7

## Answer:

Let the other number be x.

$$\frac{-15}{7} + x = -3$$

$$=>x=-3-\frac{(-15)}{7}$$

$$=>x=rac{-21+15}{7}$$

$$=>x=\frac{-6}{7}$$

Hence, the required number is  $\frac{-6}{7}$ 

Q8

## Answer:

Let the required number be x.

$$-5+x=\tfrac{-4}{3}$$

$$=> x = \frac{-4}{2} + \frac{1}{2}$$

=> 
$$x = \frac{-4}{3} + 5$$
  
=>  $x = \frac{-4+15}{3}$   
=>  $x = \frac{11}{3}$ 

$$=> x = \frac{11}{3}$$

Hence, the requied number is  $\frac{11}{3}$ .

Q9

# Answer:

Let the required number be x.

$$\frac{-3}{4} + x - \frac{5}{4}$$

$$\frac{-3}{8} + x = \frac{5}{12}$$
=>  $x = \frac{5}{12} - \frac{(-3)}{8}$ 
=>  $x = \frac{10+9}{24}$ 

$$=>x=\frac{10+9}{2}$$

$$=>x=rac{19}{24}$$

Hence, the required number is  $\frac{19}{24}$ .

Q10

#### Answer:

Let the number that is to be added be x.

$$\frac{-12}{5} + x = 3$$

$$=> x = 3 - \frac{(-12)}{5}$$
$$=> x = \frac{15+12}{5}$$

$$=> x = \frac{15+12}{5}$$

$$=> x = \frac{27}{5}$$

Hence, the required number is  $\frac{27}{5}$ .

Let the number that is to be added be x.

$$\frac{-5}{7} + x = \frac{-2}{3}$$
=>  $x = \frac{-2}{3} - \frac{(-5)}{7}$ 
L. C. M. of 3 and 7 is 21.
=>  $x = \frac{-14+15}{21}$ 
=>  $x = \frac{1}{21}$ 

Hence, the required number is  $\frac{1}{21}$ .

#### Q12

### Answer:

Let the number that is to be added be x.

$$\begin{array}{l} \frac{2}{9} + x = -1 \\ => x = -1 - \frac{2}{9} \\ => x = \frac{-9 - 2}{9} \\ => x = \frac{-11}{9} \end{array}$$

Hence, the required number is  $\frac{-11}{9}$ .

## Q13

### Answer:

Let the required number that is to be added be x.

$$\left(\frac{-13}{4} + \frac{-3}{8}\right) + x = 1$$
=>  $x = 1 - \left(\frac{-13}{4} + \frac{(-3)}{8}\right)$ 
L. C. M. of 4 and 8 is 8.
=  $1 - \left(\frac{-26 - 3}{8}\right)$ 
=  $1 - \left(\frac{-29}{8}\right)$ 
=  $1 + \frac{29}{8}$ 
=  $\frac{8 + 29}{8}$ 
=  $\frac{37}{8}$ 

Hence, the required number is  $\frac{37}{8}$ .

# Q14

## Answer:

Let the required number that is to be subtracted be x.

$$\begin{array}{l} \frac{-3}{4} - x = \frac{5}{6} \\ => -x = \frac{5}{6} - \frac{\left(-3\right)}{4} \\ \text{L. C. M. of 6 and 4 is 12.} \\ => -x = \frac{10+9}{12} \\ => -x = \frac{19}{12} \\ => -x \times \left(-1\right) = \frac{19}{12} \times \left(-1\right) \\ => x = -\frac{19}{12} \end{array}$$

Hence, the required number is  $\frac{-19}{12}$ .

Q15

Let the required number that is to be subtracted be **x**.

$$-\frac{2}{3} - x = \frac{-5}{6}$$
=>  $-x = \frac{-5}{6} - \frac{(-2)}{3}$ 
L. C.M. of 6 and 3 is 6.
=>  $-x = \frac{-5+4}{6}$ 

$$=> -x = \frac{-3+}{6}$$
  
 $=> -x = \frac{-1}{6}$ 

$$=> x = \frac{1}{6}$$

# Q16

## Answer:

Let the required number that is to be subtracted be x.

$$\frac{-3}{4} - x = 1$$

$$=>-x=1-\frac{(-3)}{4}$$

$$=> -x = \frac{4+3}{4}$$
  
 $=> -x = \frac{7}{4}$ 

$$=> -x = \frac{7}{4}$$

$$=> x = -\frac{7}{4}$$

# Rational Numbers Exercise 4E

Q1

Answer:

$$\begin{split} & \left( \mathbf{i} \right) \frac{3}{4} \times \frac{5}{7} = \frac{\left( 3 \times 5 \right)}{\left( 4 \times 7 \right)} = \frac{15}{28} \\ & \left( \mathbf{ii} \right) \frac{\cancel{g}^3}{\cancel{g}_1} \times \frac{\cancel{3} \cdot \cancel{2}^4}{\cancel{3}_1} = \frac{\left( 3 \times 4 \right)}{\left( 1 \times 1 \right)} = 12 \\ & \left( \mathbf{iii} \right) \frac{7}{\cancel{6}_1} \times \frac{\cancel{2} \cdot \cancel{4}^4}{1} = 7 \times 4 = 28 \\ & \left( \mathbf{iv} \right) \frac{-2}{\cancel{3}_1} \times \frac{\cancel{6}^2}{7} = \frac{\left( -2 \times 2 \right)}{7} = \frac{-4}{7} \end{split}$$

(v) We need a positive denominator.

$$\therefore \frac{10}{-3} \times \frac{-1}{-1} = \frac{-10}{3}$$

$$= \frac{-1 \cdot 2^4}{5_1} \times \frac{-1 \cdot 6^2}{3_1}$$

$$= (-4) \times (-2)$$

$$= 8$$

$$\begin{split} & \left( vi \right) \frac{\frac{2 \cdot 5^{-5}}{-\vartheta_3}}{\frac{-\vartheta_3}{3}} \times \frac{\frac{\vartheta^{-1}}{-1 \cdot \vartheta_2}}{\frac{-1 \cdot \vartheta_2}{2 \cdot 1_3}} = \frac{5}{3} \times \frac{1}{2} = \frac{5}{6} \\ & \left( vii \right) \frac{-\frac{7^{-1}}{1 \cdot \vartheta_1}}{\frac{1}{1 \cdot \vartheta_1}} \times \frac{\frac{-1 \cdot \vartheta^{-4}}{2 \cdot 1_3}}{\frac{2 \cdot \vartheta^{-4}}{3}} = \frac{4}{3} \\ & \left( viii \right) \frac{-\frac{3 \cdot \vartheta^{-1}}{5}}{\frac{1}{5}} \times \frac{\frac{2 \cdot \vartheta^{-4}}{3}}{\frac{-\vartheta_3}{3}} = 12 \times 4 = 48 \\ & \left( ix \right) \frac{-\frac{1 \cdot \vartheta^{-1}}{3}}{\frac{1}{1 \cdot \vartheta_3}} \times \frac{-\frac{2 \cdot \vartheta^{-5}}{2 \cdot \vartheta_2}}{\frac{2 \cdot \vartheta_2}{2}} = \frac{-1}{3} \times \frac{-5}{2} = \frac{5}{6} \end{split}$$

Q2

(i)  

$$\frac{\frac{3}{2 \cdot 0_5} \times \frac{1}{5}}{5}$$
  
 $= \frac{3 \times 1}{5 \times 5}$   
 $= \frac{3}{25}$ 

(ii)
$$\frac{\frac{-7}{3 \cdot \theta_{6}} \times \frac{5}{4 \cdot 4_{2}}}{\frac{-1 \times 1}{6 \times 2}}$$

$$= \frac{-1 \times 1}{6 \times 2}$$

$$= \frac{-1}{12}$$

$$(iii)$$

$$\frac{5^{1}}{-1 \cdot 8_{2}} \times \frac{-9^{1}}{2 \cdot 0_{4}}$$

$$= \frac{1 \times (-1)}{-2 \times 4}$$

$$= \frac{-1}{-8} = \frac{1}{8}$$

$$(iv)$$

$$\frac{-9^{3}}{8_{1}} \times \frac{-1 \cdot 6^{2}}{3_{1}}$$

$$= (-3) \times (-2)$$

$$= 6$$

$$(v) = \frac{-32}{1} \times \frac{-7}{36} = \frac{-3 \cdot 2^8 \times (-7)}{1 \times 3 \cdot 6_9} = \frac{-8 \times (-7)}{9} = \frac{56}{9}$$

We need a positive denominator.  $\,$ 

$$\therefore \frac{16}{-21} \times \frac{-1}{-1} = \frac{-16}{21}$$
Now, 
$$\frac{-16}{2 \pm \frac{1}{3}} \times \frac{-1 + \frac{1}{4}^{2}}{5}$$

$$= \frac{(-16) \times (-2)}{3 \times 5}$$

$$= \frac{32}{15}$$

# Q3

# Answer:

(i) 
$$\frac{\frac{7}{2 \cdot 4_{1}}}{1} \times \left(-\frac{4 \cdot 8}{8}^{2}\right)$$

$$= 7 \times (-2)$$

$$= -14$$
(ii) 
$$\frac{-19}{3 \cdot 6_{9}} \times \frac{1 \cdot 6}{4}$$

$$= \frac{-19}{9} \times 4$$

$$= \frac{-76}{9}$$
(iii)

$$(iii)$$
 $\frac{-3^{1}}{4_{1}} \times \frac{4^{1}}{3_{1}}$ 
 $= -1$ 

$$(iv)$$

$$-13 \times \frac{17}{26}$$

$$= \frac{-1 \cdot 3^{1} \times 17}{2 \cdot 6^{2}}$$

$$= \frac{-17}{2}$$

$$(vi)$$

$$\frac{\left(-9^{-1}\right)}{1-6_{-1}} \times \frac{\left(-6-4^{-4}\right)}{2-7_{-3}}$$

$$= \frac{4}{3}$$

Q4

Answer:

(i) 
$$\left( \frac{\frac{1 \cdot 3^{1}}{3}}{3 \cdot 2} \times \frac{\frac{1 \cdot 2^{3}}{1 \cdot 3_{1}}}{\frac{1 \cdot 3^{1}}{3}} \right) + \left( \frac{\frac{1 \cdot 3^{2}}{3}}{3 \cdot 3} \times \frac{\frac{3^{1}}{3^{2}}}{\frac{1}{3}} \right)$$

$$= \frac{3}{2} + \frac{2}{3}$$

L.C.M. of 2 and 3 is 6.

(11)
$$\left(\frac{16}{15} \times \frac{-25}{8}\right) + \left(\frac{-14}{27} \times \frac{6}{7}\right)$$

$$= \left(\frac{1 + 6^{2}}{1 + 5_{3}} \times \frac{-2 + 5^{5}}{8_{1}}\right) + \left(\frac{-1 + 4^{2}}{27} \times \frac{6}{7}\right)$$

$$= \left[\frac{2}{3} \times \frac{(-5)}{1}\right] + \left[\frac{(-2)}{27} \times \frac{6}{1}\right]$$

$$= \frac{(-10)}{3} + \frac{\left(-\frac{1 + 2^{4}}{27}\right)^{4}}{\frac{2 + 7^{6}}{3}}$$

$$= \frac{-10}{3} + \frac{-4}{3}$$

 $= \frac{-10}{3} + \frac{-4}{9}$ L.C.M. of 3 and 9 is 9.  $= \frac{-30-4}{9}$ 

$$= \frac{-30}{9} = \frac{-34}{9}$$

$$\begin{aligned} &(iii) \\ &\left(\frac{6}{55} \times \frac{-22}{9}\right) - \left(\frac{26}{125} \times \frac{-10}{39}\right) \\ &= \left(\frac{6^2}{5 \cdot 5_5} \times \frac{-2 \cdot 2^2}{9 \cdot 3}\right) - \left(\frac{2 \cdot 6^2}{1 \cdot 2 \cdot 5_{25}} \times \frac{-1 \cdot 0^2}{3 \cdot 9 \cdot 3}\right) \\ &= \left[\frac{(-4)}{15} - \frac{(-4)}{75}\right] \\ &= \frac{-4}{15} + \frac{4}{75} \\ \text{L. C. M. of 15 and 75 is 75.} \\ &= \frac{-20 + 4}{75} \\ &= \frac{-16}{75} \\ &(iv) \\ &\left(\frac{-1 \cdot 2^4}{7_1} \times \frac{-1 \cdot 4^2}{2 \cdot 7_9}\right) - \left(\frac{-8^1}{4 \cdot 5_5} \times \frac{9^1}{16 \cdot 2}\right) \\ &= \left[\frac{(-4)}{1} \times \frac{(-2)}{9}\right] - \left[\frac{-1}{5} \times \frac{1}{2}\right] \\ &= \frac{8}{9} + \frac{1}{10} \\ \text{L. C. M. of 9 and 10 is 90.} \\ &= \frac{80 + 9}{90} \end{aligned}$$

# Q5

### Answer:

 $=\frac{89}{90}$ 

 $\begin{aligned} \text{Cost of 1 meter cloth} &= \text{Rs 40}\,\tfrac{1}{2} \\ \text{Cost of 3}\,\tfrac{1}{2}\,\,\text{meter cloth} &= \text{Rs}\,\left(40\,\tfrac{1}{2}\times\,3\,\tfrac{1}{2}\right) \\ &= \text{Rs}\,\left(\tfrac{81}{2}\times\tfrac{7}{2}\right) \\ &= \text{Rs}\,\,\tfrac{567}{4} \\ &= \text{Rs }\,141.75 \end{aligned}$ 

## Q6

# Answer:

Distance covered in 1 hour  $=46\frac{2}{3}$  km Distance covered in  $2\frac{2}{5}$  hours  $=\left(46\frac{2}{3}\times2\frac{2}{5}\right)$   $=\left(\frac{1\cdot4\cdot6}{3}^{28}\times\frac{1\cdot2^4}{5^1}\right)$   $=(28\times4)$  =112 km Hence, the required distance is 112 km.

# Rational Numbers Exercise 4F

Q1

Answer:

- (i) Multiplicative inverse of  $18 = \frac{1}{18}$
- ii) Multiplicative inverse of  $-16 = \frac{-1}{16}$
- iii) Multiplicative inverse of  $\frac{13}{25} = \frac{25}{13}$
- iv) Multiplicative inverse of  $\frac{-17}{12} = \frac{12}{-17}$
- v) Multiplicative inverse of  $\frac{-6}{19} = \frac{19}{-6}$
- vi) Multiplicative inverse of  $\frac{-3}{-5} = \frac{-5}{-3} = \frac{5}{3}$
- vii) Multiplicative inverse of  $-1 = \frac{1}{-1} = -1$
- viii) Multiplicative inverse of  $0=\frac{1}{0}=infinity$  Hence, it does not exist.

Q2

Answer:

$$(i) \frac{4}{9} \div \left(\frac{-5}{12}\right)$$

$$= \frac{4}{\cancel{9'_3}} \times \frac{\frac{1-2^4}{5}}{(-5)}$$

$$= \frac{4\times 4}{3\times (-5)}$$

$$= \frac{-16}{15}$$

$$(ii) - 8 \div \left(\frac{-5}{16}\right)$$

$$= -8 \times \frac{-16}{5}$$

$$= \frac{128}{5}$$

$$(iii) \frac{-12}{7} \div \left(-18\right)$$

$$= \frac{-1 \cdot 2^2}{7} \times \left(\frac{-1}{1 \cdot 8_3}\right)$$

$$= \frac{2}{24}$$

$$\begin{aligned} & (iv) \frac{-1}{10} \div \left(\frac{-8}{5}\right) \\ &= \frac{-1}{1 \cdot \theta^2} \times \left(\frac{5}{-8}\right) \\ &= \frac{-1}{2} \times \frac{1}{(-8)} \\ &= \frac{-1}{-16} \\ &= \frac{1}{16} \\ & (v) \frac{-16}{35} \div \left(\frac{-15}{14}\right) \\ &= \frac{-16}{3 \cdot 5} \times \frac{1 \cdot \frac{1}{3}^2}{(-15)} \\ &= \frac{-32}{75} \\ &= \frac{32}{75} \\ & (vi) \left(\frac{-65}{14}\right) \div \left(\frac{13}{-7}\right) \\ &= \left(\frac{-0 \cdot 5^5}{1 \cdot 4 \cdot 2}\right) \times \frac{\left(-\frac{7}{7}\right)}{1 \cdot 3} \\ &= \left(\frac{-5}{2}\right) \times \left(\frac{-1}{1}\right) \\ &= \frac{5}{2} \end{aligned}$$

$$\begin{aligned} \text{(i)}(\dots?\dots) & \div \frac{-7}{5} = \frac{10}{19} \\ & (\dots?\dots) = \frac{10}{19} \ \times \ \frac{-7}{5} \\ & (\dots?\dots) = \frac{-14}{19} \end{aligned}$$

(ii) 
$$(..?..) \div (-3) = \frac{-4}{15}$$
  
 $(...?..) = \frac{-4}{15} \times (-3)$   
 $(...?..) = \frac{4}{5}$ 

$$(iii) \frac{9}{8} \div \left( \dots ? \dots \right) = \frac{-3}{2}$$

$$\frac{9}{8} \div \left( \dots ? \dots \right) = \frac{(-3)}{2}$$

$$\left( \dots ? \dots \right) = \frac{9}{8} \times \frac{2}{(-3)}$$

$$\left( \dots ? \dots \right) = \frac{-3}{4}$$

$$(iv) (-12) \div (\dots?\dots) = \frac{-6}{5}$$
$$(\dots?\dots) = (-12) \times \left(\frac{5}{-6}\right)$$
$$(\dots?\dots) = 10$$

#### Δnswer

$$\begin{aligned} & \text{Sum} = \frac{65}{12} + \frac{8}{3} = \frac{65+32}{12} = \frac{97}{12} \\ & \text{Difference} = \frac{65}{12} - \frac{8}{3} = \frac{65-32}{12} = \frac{33}{12} \\ & \frac{97}{12} \div \frac{33}{12} \\ & = \frac{97}{12\cdot 2} \times \frac{4\cdot 2^{-1}}{33} \\ & = \frac{97}{33} \end{aligned}$$

## Q5

# Answer:

Let the required number be x.

$$\frac{-44}{9} \div x = \frac{-11}{3}$$

$$=> x = \frac{-4 \cdot 4^4}{9 \cdot 3} \times \frac{3}{-11}$$

$$=> x = \frac{4}{2}$$

## Q6

## Answer:

Let the required number be x.

$$x \times \left(\frac{-8}{15}\right) = 24$$

$$x = 24 \div \frac{-8}{15}$$

$$= \frac{2}{2} \cdot \frac{4}{3} \times \left(\frac{15}{-8}\right)$$

$$= \frac{45 \times (-1)}{-1 \times (-1)}$$

$$= -45$$

# Q7

#### Answer:

Let the other number be x.

$$x \times -8 = 10$$

$$=> x = 10 \div (-8)$$

$$= 10 \times \frac{1}{-8}$$

$$= 1 \cdot 0^{5} \times \frac{1}{-\theta_{4}}$$

Let the other number be x.

$$x \times (-12) = -9$$

$$= > x = -9 \div (-12)$$

$$= -9 \times \left(\frac{1}{-12}\right)$$

$$= -9 \times \left(\frac{-1}{12}\right)$$

$$= \frac{-9}{1 \cdot 2}$$

Hence, the other number is  $\frac{3}{4}$ .

Q9

#### Answer:

Let the other number be x.

$$x \times \left(\frac{-4}{3}\right) = \frac{-16}{9}$$

$$=> x = \frac{-16}{9} \div \left(\frac{-4}{3}\right)$$

$$= \frac{-16}{9} \times \left(\frac{3}{3}\right)$$

$$= \frac{4}{3}$$

Hence, the other number is  $\frac{4}{3}$ .

Q10

#### Answer:

Let the required number be x.

$$x \times \left(\frac{-8}{39}\right) = \frac{5}{26}$$

$$=> x = \frac{5}{26} \div \left(\frac{-8}{39}\right)$$

$$= \frac{5}{\frac{2-6}{2}} \times \left(\frac{3-9^3}{-8}\right)$$

$$= \frac{15 \times -1}{-16 \times -1} = \frac{-15}{16}$$

Hence, the required number is  $\frac{-15}{16}$ .

Q11

## Answer:

Length of the cloth required to prepare 24 trousers =  $54\,\mathrm{m}$ Length of the cloth required for each pair of trouser  $s=54\div24$ 

$$= \frac{\frac{5-4}{2}}{\frac{2}{4}}^{9}$$
$$= \frac{9}{4} = 2\frac{1}{4} \,\mathrm{m}$$

Hence,  $2\frac{1}{4}$  m length of cloth is required for each pair of trousers.

Q12

Answer:

Length of a rope = 30 m  
Number of pieces = 30 
$$\div$$
 3  $\frac{3}{4}$  = 30  $\div$   $\frac{15}{4}$   
=  $\frac{2}{3} \cdot 0 \times \frac{4}{4 \cdot 5}$   
= 8

Hence, the number of pieces would be 8.

Q13

Answer:

Cost of 
$$2\frac{1}{2}$$
 m cloth = Rs  $78\frac{3}{4}$   
Cost of cloth per meter =  $78\frac{3}{4} \div 2\frac{1}{2}$   
=  $\frac{315}{4} \div \frac{5}{2}$   
=  $\frac{3 + 5^{63}}{\cancel{4}_2} \times \frac{\cancel{\cancel{4}}^1}{\cancel{5}_1}$   
= Rs  $\frac{63}{2} = Rs \ 31\frac{1}{2}$ 

 $\therefore$  Cost of the cloth (per metre) = Rs  $31\frac{1}{2}$ 

# **Rational Numbers** Exercise 4G

Q1

Answer:

(b) 
$$\frac{-3}{5}$$

H.C.F. of 33 and 55 is 11 
$$\frac{-33\div11}{55\div11}=\frac{-3}{5}$$

Q2

Answer:

$$\left(\mathbf{b}\right) \frac{-6}{7}$$

$$\frac{102)119 \left(1}{17)102 \left(6}$$

$$\frac{102)119 \left(1}{17)102 \left(6}$$

H.C.F. of 102 and 119 is 17  $\frac{-102 \div 17}{119 \div 17} = \frac{-6}{7}$ 

$$\frac{-102 \div 17}{119 \div 17} = \frac{-6}{7}$$

The standard form of  $\frac{-102}{119}$  is  $\frac{-6}{7}$ 

Q3

The correct option is (a).

The value of x is -14.

$$\left[x = \frac{7 \times 6}{-3} = \frac{\frac{4 \cdot 2}{-3}^{14}}{\frac{-3}{1}} = -14\right]$$

Q4

#### Answer:

The correct option is (c).

 $\frac{14}{9}$  should be added to  $\frac{-5}{9}$  to get 1.

Let the required number be x.

$$x + \left(\frac{-5}{9}\right) = 1$$
 $x = 1 - \frac{\left(-5\right)}{9} = \frac{9+5}{9} = \frac{14}{9}$ 

Q5

#### Answer:

The correct option is (b).

Let the number that is to be subtracted be x.

$$\frac{-3}{4} - x = \frac{5}{6}$$

$$= > -x = \frac{5}{6} - \left(\frac{-3}{4}\right)$$

$$= > -x = \frac{5}{6} + \frac{3}{4}$$

$$= > -x = \frac{(5 \times 2) + (3 \times 3)}{12}$$

$$= > x = -\frac{19}{12}$$

Hence,  $-\frac{19}{12}$  should be subtracted from  $\frac{-3}{4}$  to get  $\frac{5}{6}$ .

Q6

### Answer:

The correct option is (a).

$$\frac{5\times-1}{-6\times-1} = \frac{-5}{6}$$

L.C.M. of 6 and 12 is 12.

Q7

## Answer:

The correct option is (a).

$$\frac{2 \times -1}{-3 \times -1} = \frac{-2}{3}$$

L.C.M. of 3 and 5 is 15.

$$\therefore \frac{-2 \times 5}{3 \times 5} = \frac{-10}{15}$$
 and  $\frac{-4 \times 3}{5 \times 3} = \frac{-12}{15}$ 

Thus,  $\frac{2}{-3}$  is greater than  $\frac{-4}{5}$ .

Q8

# Answer:

The correct option is (c).

Reciprocal of -6 is  $\frac{-1}{6}$ .

Q9

#### Answer:

The correct option is (b).

Multiplicative inverse of  $\frac{-2}{3}$  is  $\frac{-3}{2}$ .

The correct option is (a).

$$\begin{array}{lll} -2\frac{1}{9} & -6 \\ = \frac{-19}{9} & -6 & = & \frac{-19-54}{9} \\ = \frac{-73}{9} & = -8\frac{1}{9} \end{array}$$

Q11

## Answer:

The correct option is (c).

$$\frac{-6}{13} - \frac{[-7]}{15}$$
 L. C. M. of 13 and 15 is 195. 
$$-\frac{-6}{15} - \frac{[-7]}{15}$$

L. C. M. of 13
$$= \frac{-6}{13} - \frac{[-7]}{15}$$

$$= \frac{-90 + 91}{195}$$

$$= \frac{1}{195}$$

# Q12

### Answer:

The correct option is (b).

$$\begin{array}{l} -2\frac{1}{3} + 4\frac{3}{5} \\ = \frac{-7}{3} + \frac{23}{5} \end{array}$$

L.C.M. of 5 and 5 is 15. 
$$= \frac{-35 + 69}{15}$$

$$= \frac{-35 + 69}{15}$$

$$= \frac{34}{15}$$

$$= 2\frac{4}{15}$$

Q13

#### Answer:

The correct option is (b).

$$\begin{array}{l} \frac{2}{3} - 1\frac{5}{7} \\ = \frac{2}{3} - \frac{12}{7} \end{array}$$

L. C. M. of 3 and 7 is 21.  

$$= \frac{14-36}{21}$$

$$= \frac{-22}{21}$$

$$= -1\frac{1}{21}$$

Q14

## Answer:

The correct option is (b).

$$\frac{-5}{12}$$
 is greater than  $\frac{-4}{9}$ .

 $\rm L.C.M.$  of 9 and 12 is 36.

$$\frac{-5 \times 3}{12 \times 3} = \frac{-15}{36}$$

$$\frac{-4 \times 4}{12 \times 4} = \frac{-16}{36}$$

$$(-15) > (-16)$$

$$\frac{-5}{12} > \frac{-4}{9}$$

Q15

The correct option is (b).

$$\frac{-9}{14} + ? = -1$$

$$\begin{array}{c}
\frac{1}{14} + \frac{1}{2} = -1 \\
\therefore ? = -1 - \frac{(-9)}{14} \\
? = \frac{-14 + 9}{14} \\
? = \frac{-5}{14}
\end{array}$$

$$? = \frac{-14 + 14}{14}$$

Q16

Answer:

$$\left(a\right) \frac{3}{4}$$

$$\frac{5}{4} - \frac{7}{6} - \frac{(-2)}{3}$$

 $\begin{array}{l} \frac{5}{4} - \frac{7}{6} - \frac{\left(-2\right)}{3} \\ \text{L. C. M. of } 4, 6 \text{ and } 3 \text{ is } 12. \\ = \frac{15 - 14 + 8}{12} \\ = \frac{23 - 14}{12} \\ = \frac{9^{3}}{\frac{4 - 2}{4}} = \frac{3}{4} \end{array}$ 

$$=\frac{15-14}{12}$$

$$=\frac{23-1}{12}$$

$$=\frac{-9^3}{-1-2}=\frac{3}{4}$$

Q17

Answer:

$$1 \div \frac{1}{2}$$

$$=1\times\frac{2}{1}$$

$$=2$$

Q18

Answer:

$$\left(a\right) \ \frac{-35}{18}$$

$$? = \frac{5}{12} \div \frac{(-3)}{14}$$

$$= \frac{5}{12} \times \frac{14}{(-3)}$$

$$= \frac{70}{-36}$$

$$= \frac{35 \times -1}{-18 \times -1}$$

$$? = \frac{-35}{18}$$

$$=\frac{70}{-36}$$

$$=\frac{35\times-1}{-18\times-1}$$

$$? = \frac{-35}{19}$$

Q19

Answer:

$$0 \div \frac{-7}{5} = 0$$

Q20

Answer:

(d) Not defined

This is because  $\frac{-3}{8} \div 0$  is not defined.