

## Factorization Ex-7.1

3.  $7x, 21x^2$  and  $14xy^2$

The numerical coefficients of given monomials are

7, 21, 14

Greatest common factor of 7, 21, 14 is 7.

Common literals appearing in given monomials are, x, y.

Smallest power of x in three monomials = 1

Smallest power of y in three monomials = 0

Monomial of common literals with smallest powers =  $x$

Hence, the greatest common factor =  $7x$ .

4.  $42x^2y^3$  and  $63x^3y^2z^3$ .

The numerical coefficients of given monomials

are 42, 63.

Greatest common factor of 42, 63 is 21.

Common literals appearing in given monomials are x, y, z.

Smallest power of x in two monomials = 2

Smallest power of y in two monomials = 1

Smallest power of z in two monomials = 1

Monomial of common literals with smallest powers =  $x^2y^1z^1$ .

Hence, the greatest common factor =  $21x^2y^1z^1$ .

5.  $12ax^2$ ,  $6x^2y^3$  and  $2a^3x^5$ .

3

The numerical coefficients of given monomials are 12, 6 and 2.

Greatest common factor of 12, 6, 2 is 2.

Common literals appearing in given monomials are  $a, x$ .

Smallest power of  $a$  in three monomials = 1

Smallest power of  $x$  in three monomials =  $x^2$

Monomials of common literals with smallest powers  
 $= ax^2$ .

Hence, the greatest common factor =  $2ax^2$ .

6.  $9x^2$ ,  $15x^2y^3$ ,  $6xy^2$  and  $21x^2y^2$ .

Numerical coefficients of given monomials are 9, 15, 6 and 21.

Greatest common factor of 9, 15, 6, 21 is 3.

Common literals appearing in given monomials are  $x, y$ .

Smallest power of  $x$  in given monomials =  $x^1$

Smallest power of  $y$  in given monomials = 0

Monomials of common literals with smallest powers =  $x$ .

Hence, the greatest common factor =  $3x$ .

$$7. 4a^2b^3, -12a^3b, 18a^4b^3$$

Numerical coefficients of given monomials are  
4, -12 and 18.

Greatest common factor of 4, -12, 18 is 2.

Common literals appearing in given monomials  
are 'a' and 'b'.

smallest power of a in three monomials = 2

smallest power of b in three monomials = 1

Monomial of common literals with smallest powers

$$= a^2b$$

Hence, the greatest common factor =  $2a^2b$ .

$$8. 6x^2y^2, 9xy^3, 3x^3y^2$$

Numerical coefficients of given monomials are  
6, 9, 3.

Greatest common factor of 6, 9, 3 is 3

Common literals appearing in given monomials

are x and y.

smallest power of x in three monomials = 1

smallest power of y in three monomials = 2

Monomial of common literals with smallest powers

$$= xy^2$$

Hence, the greatest common factor =  $3xy^2$

9.  $a^2b^3, a^3b^2$

There are no numerical coefficients.

Common literals appearing in given monomials  
are a and b.

Smallest power of a in given monomials = 2

Smallest power of b in given monomials = 2

Monomial of common literals with smallest powers is  
the greatest common factor =  $a^2b^2$ .

10.  $36a^2b^2c^4, 54a^5c^2, 90a^6b^2c^2$

Numerical coefficients of given monomials are

36, 54, 90.

Greatest common factor of 36, 54, 90 is 18.

Common literals appearing in given monomials are  
a, b, c.

Smallest power of a in three monomials = 2

Smallest power of b in three monomials = 2

Smallest power of c in three monomials = 2

Monomial of common literals with smallest power  
 $= a^2c^2$

Hence, the greatest common factor =  $18a^2c^2$

$$\textcircled{11} \quad x^3, -y^2.$$

There are no numerical Coefficients.

Common literals appearing in given monomials are

$x$  and  $y$ .

smallest power of  $x$  in both monomials = 2.

smallest power of  $y$  in both monomials = 0

∴ Greatest common factor =  $x^2$ .

$$\textcircled{12} \quad 15a^3, -45a^2, -150a.$$

Numerical Coefficients of given monomials are 15, -45, -150

Greatest Common factor of 15, -45, -150 is 15

Common literal in given monomials is  $a$ .

smallest power of  $a$  in given monomials = 1.

Hence, the greatest common factor =  $15a$ .

$$\textcircled{13} \quad 2x^3y^2, 10x^2y^3, 15xy.$$

Numerical Coefficients of given monomials are 2, 10, 15.

Greatest common factor of 2, 10, 15 is 1.

Common literals in given monomials are  $x$  and  $y$ .

smallest power of  $x$  in three monomials = 1

smallest power of  $y$  in three monomials = 1

Monomial of common literals with smallest powers  
=  $xy$ .

Hence, the greatest common factor =  $2xy$ .

$$\textcircled{14} \quad 14x^3y^5, 10x^5y^3, 2x^2y^2$$

Numerical coefficients of given monomials are  
14, 10, 2.

Greatest common factor of 14, 10, 2 is 2.

Common literals appearing in given monomials  
are x and y.

Smallest power of x in three monomials is 2.

Smallest power of y in three monomials is 2.

Monomial of common literals with smallest powers

$$= x^2y^2.$$

Hence, the greatest common factor =  $x^2y^2$ .

Find the greatest common factor of terms in each  
of the following expressions:-

$$\textcircled{15} \quad 5a^4 + 10a^3 - 15a^2$$

The greatest common factor of the terms

$$5a^4, 10a^3, -15a^2 \text{ is } 5a^2. \text{ Also, } 5a^4 = 5a^2(a^2)$$

$$10a^3 = 5a^2(2a)$$

$$-15a^2 = 5a^2(-3)$$

$$\therefore 5a^4 + 10a^3 - 15a^2 = 5a^2(a^2 + 2a - 3).$$

$$\therefore \text{Greatest common factor} = 5a^2.$$

$$\textcircled{16} \quad 2xy^3 + 3x^2y + xy^2$$

The greatest common factor of three terms  
namely  $2xy^3, 3x^2y, xy^2$  is y.

$$\text{Also } 2xy^3 = y(2x^2), 3x^2y = y(3x^2), xy^2 = y(xy)$$

$$\therefore 2xy^3 + 3x^2y + xy^2 = y(2x^2 + 3x^2 + xy)$$

$$\therefore \text{Greatest common factor is } y.$$

$$\textcircled{17} \quad 3a^2b^2 + ub^2c^2 + 12a^2b^2c^2$$

The greatest common factor of three terms  
namely  $3a^2b^2, ub^2c^2, 12a^2b^2c^2$  is  $b^2$ .

$$\text{Also, } 3a^2b^2 = b^2(3a^2), ub^2c^2 = b^2(uc^2), 12a^2b^2c^2 = b^2(12a^2c^2)$$

$$\therefore 3a^2b^2 + ub^2c^2 + 12a^2b^2c^2 = b^2(3a^2 + uc^2 + 12a^2c^2)$$

EXE

# Learn CBSE

You are here: Home / CBSE / RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.2

---

## RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.2

August 23, 2017 by phani

### **RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.2**

- [RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.1](#)
- [RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.3](#)
- [RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.4](#)
- [RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.5](#)
- [RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.6](#)
- [RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.7](#)
- [RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.8](#)
- [RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.9](#)

[RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.2](#)

EXERCISE - 7-2.

① Factorize the following

①  $3x - 9$ .

Greatest common factor of the two terms namely  $3x$  and  $-9$  of expression  $3x - 9$  is  $3$ .  
Also  $3x = 3 \times x$  and  $-9 = 3 \times (-3)$

$$3x - 9 = 3(x - 3)$$

and Greatest Common factor =  $3$ .

②  $5x - 15x^2$ .

Greatest common factor of two terms namely  $5x$  and  $-15x^2$  of expression  $5x - 15x^2$  is  $5x$ .  
Also  $5x = 5 \times x$  and  $-15x^2 = 5x(-3x)$ .  
 $5x - 15x^2 = 5x(1 - 3x)$ .

and Greatest Common factor =  $5x$ .

③  $20a^{12}b^2 - 15a^8b^4$

Greatest common factor of two terms namely  $20a^{12}b^2$  and  $-15a^8b^4$  of expression  $20a^{12}b^2 - 15a^8b^4$  is  $5a^8b^2$ .  
Also  $20a^{12}b^2 = 5a^8b^2(a^4)$  and  $-15a^8b^4 = 5a^8b^2(-3a^2b^2)$   
 $\therefore 20a^{12}b^2 - 15a^8b^4 = 5a^8b^2(a^4 - 3a^2b^2)$

$$\textcircled{4} \quad 72x^6y^7 - 96x^7y^6$$

The greatest common factor of the two terms namely  $72x^6y^7$  and  $96x^7y^6$  is  $24x^6y^6$   
 Also  $72x^6y^7 = 24x^6y^6(3y)$ ,  $96x^7y^6 = 24x^6y^6(4x)$   
 $\therefore 72x^6y^7 - 96x^7y^6 = 24x^6y^6(3y - 4x)$ .

$$\textcircled{5} \quad 20x^3 - 40x^2 + 80x$$

The greatest common factor of three terms namely  $20x^3$ ,  $40x^2$ ,  $80x$  is  $20x$ .  
 Also  $20x^3 = 20x(x^2)$ ,  $40x^2 = 20x \times (2x)$ ,  $80x = 20x(4)$   
 $\therefore 20x^3 - 40x^2 + 80x = 20x(x^2 - 2x + 4)$

$$\textcircled{6} \quad 2x^3y^2 - ux^2y^3 + 8xy^4$$

The greatest common factor of three terms namely  $2x^3y^2$ ,  $ux^2y^3$ ,  $8xy^4$  is  $2xy^2$ .  
 Also  $2x^3y^2 = 2xy^2(x^2)$ ,  $ux^2y^3 = 2xy^2(ux)$ ,  $8xy^4 = 2xy^2(4y^2)$   
 $\therefore 2x^3y^2 - ux^2y^3 + 8xy^4 = 2xy^2(x^2 - ux - 4y^2)$ .

$$\textcircled{7} \quad 10m^3n^2 + 15m^4n - 20m^2n^3$$

The greatest common factor of three terms namely  $10m^3n^2$ ,  $15m^4n$ ,  $20m^2n^3$  is  $5mn$ .  
 Also,  $10m^3n^2 = 5mn(2mn^2)$ ,  $15m^4n = 5mn(3m^3)$ ,  $20m^2n^3 = 5mn(4m^2)$   
 $\therefore 10m^3n^2 + 15m^4n - 20m^2n^3 = 5mn(2mn^2 + 3m^3 - 4m^2)$

$$\textcircled{8} \quad 2a^4b^4 - 3a^3b^5 + 4a^2b^5$$

"

The greatest common factor of three terms  
namely  $2a^4b^4$ ,  $3a^3b^5$ ,  $4a^2b^5$  is  $a^2b^4$ .

$$\text{Also, } 2a^4b^4 = a^2b^4(2a^2), 3a^3b^5 = a^2b^4(3ab), 4a^2b^5 = a^2b^4(4b)$$

$$\therefore 2a^4b^4 - 3a^3b^5 + 4a^2b^5 = a^2b^4(2a^2 - 3ab + 4b)$$

$$\textcircled{9} \quad 28a^2 + 14a^2b^2 - 21a^4$$

The greatest common factor of three terms  
namely  $28a^2$ ,  $14a^2b^2$ ,  $21a^4$  is  $7a^2$ .

$$\text{Also } 28a^2 = 7a^2(4), 14a^2b^2 = 7a^2(2b^2), 21a^4 = 7a^2(3a^2)$$

$$\therefore 28a^2 + 14a^2b^2 - 21a^4 = 7a^2(4 + 2b^2 - 3a^2)$$

$$\textcircled{10} \quad a^6b - 3a^2b^2 - 6ab^3$$

The greatest common factor of three terms  
namely  $a^6b$ ,  $3a^2b^2$ ,  $6ab^3$  is  $ab$ .

$$\text{Also } a^6b = ab(a^5), 3a^2b^2 = ab(3ab), 6ab^3 = ab(6ab^2)$$

$$\therefore a^6b - 3a^2b^2 - 6ab^3 = ab(a^5 - 3ab - 6b^2)$$

$$\textcircled{11} \quad 21lmn - 3lm^2n + 14lmn^2$$

The greatest common factor of three terms  
namely  $21lmn$ ,  $3lm^2n$ ,  $14lmn^2$  is  $lmn$ .

$$\text{Also } 21lmn = lmn(21), 3lm^2n = lmn(3m^2), 14lmn^2 = lmn(14)$$

$$\therefore 21lmn - 3lm^2n + 14lmn^2 = lmn(21 - 3m^2 + 14)$$

---

$$12. x^4y^2 - x^2y^4 - xy^4.$$

12

The greatest common factor of three terms  
namely  $x^4y^2$ ,  $x^2y^4$ ,  $xy^4$  is  $x^2y^2$ .  
Also  $x^4y^2 = x^2y^2(x^2)$ ,  $x^2y^4 = x^2y^2(y^2)$ ,  $xy^4 = x^2y^2(y)$   
 $\therefore x^4y^2 - x^2y^4 - xy^4 = x^2y^2(x^2 - y^2 - y)$ .

$$13. 9x^2y + 3xy^2.$$

The greatest common factor of two terms  
namely  $9x^2y$ ,  $3xy^2$  is  $3xy$   
Also,  $9x^2y = 3xy(3x)$ ,  $3xy^2 = 3xy(y)$   
 $9x^2y + 3xy^2 = 3xy(3x+y)$

$$14. 16m - um^2$$

The greatest common factor of two terms  
namely  $16m$ ,  $um^2$  is  $um$ .  
Also,  $16m = um(u)$ ,  $um^2 = um(m)$   
 $16m - um^2 = um(u - um)$

$$15. -ua^2 + uab - uca.$$

The greatest common factor of two terms  
namely  $-ua^2$ ,  $uab - uca$  is  $-ua$   
Also  $-ua^2 = -ua(a)$ ,  $uab = -ua(-b)$ ,  $-uca = -ua(c)$   
 $\therefore -ua^2 + uab - uca = -ua(a-b+c)$

$$16. x^2y^2z + xy^2z^2 + xyz^2$$

The greatest common factor of three terms  
is  $xyz$ . Also  $x^2y^2z = xyz(x)$ ,  $xy^2z^2 = xyz(y)$ ,  $xyz^2 = xyz(z)$   
 $\therefore x^2y^2z + xy^2z^2 + xyz^2 = xyz(x+y+z)$

$$17. ax^2y + bxy^2 + cxy^3$$

The greatest common factor of given terms is  $xy$ .  
Also  $ax^2y = xy(ax)$ ,  $bxy^2 = xy(by)$ ,  $cxy^3 = xy(cx)$   
 $\therefore ax^2y + bxy^2 + cxy^3 = xy(ax+by+cx)$ .

---

⑯  $x^2y^2z + xy^2z^2 + xyz^2$

The greatest common factor of given  
three terms is  $xyz$ .  
Also  $x^2y^2z = xyz(x)$ ,  $xy^2z^2 = xyz(y)$ ,  $xyz^2 = xyz(z)$   
 $x^2y^2z + xy^2z^2 + xyz^2 = xyz(x+y+z)$ .

⑰  $ax^2y + bxy^2 + cxy^3$

The greatest common factor of given  
three terms is  $xy$ .  
Also  $ax^2y = xy(ax)$ ,  $bxy^2 = xy(by)$ ,  $cxy^3 = xy(cx)$   
 $\therefore ax^2y + bxy^2 + cxy^3 = xy(ax+by+cx)$ .

Filed Under: CBSE

Tagged With: CBSE RD Sharma Class 8 Solutions Factorization, Factorization Extra Solutions RD Sharma Class 8 Solutions PDF Download, RD Sharma Class 8 Chapter 1 Factorization PDF, rd sharma class 8 ebook, rd sharma class 8 maths book RD Sharma Class 8 Maths Factorization, RD Sharma Class 8 Maths Solutions, RD Sharma class 8 Solutions, RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.2 rd sharma class 8 solutions download, rd sharma class 8 solutions pdf, RD Sharma Class 8th Solutions, RD Sharma Maths Class 8 Solutions, RD Sharma Solutions For Class 8th Maths



**we've just launched  
our Android App!**  
[LearnCBSE.in - Download Now](#)



Search the site ...

Enter your email address:

[SUBSCRIBE](#)

#### RECENT POSTS

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 10](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 9](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 8](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 7](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 6](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 5](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 4](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 3](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 2](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 1](#)

## RD SHARMA SOLUTIONS

---

[RD Sharma Class 12](#)

[RD Sharma Class 11](#)

[RD Sharma Class 10](#)

[RD Sharma Class 9](#)

[RD Sharma Class 8](#)

[RD Sharma Class 7](#)

[RD Sharma Class 6](#)

[TS Grewal Accountancy](#)

---

## NCERT SOLUTIONS

---

[CBSE Class 12](#)

[CBSE Class 11](#)

[CBSE Class 10](#)

[CBSE Class 9](#)

[CBSE Class 8](#)

[CBSE Class 7](#)

[CBSE Class 6](#)

[CBSE Sample Papers](#)

---

## SOCIAL PROFILES

---

[Like us on Facebook](#)

[Follow us on Twitter](#)

[Watch Youtube Videos](#)

[Follow us on Google Plus](#)

[LearnCBSE Forum](#)

---

---

# Learn CBSE

You are here: Home / CBSE / RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.3

---

## RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.3

August 23, 2017 by phani

### **RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.3**

- [RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.1](#)
- [RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.2](#)
- [RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.4](#)
- [RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.5](#)
- [RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.6](#)
- [RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.7](#)
- [RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.8](#)
- [RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.9](#)

[RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.3](#)

EXERCISE - 7.3.

13

① Factorize each of the following algebraic expressions

$$⑦ 6x(2x-y) + 7y(2x-y)$$

$$= (6x+7y)(2x-y) \quad [∴ \text{Taking } (2x-y) \text{ common}]$$

$$② 2r(y-x) + s(x-y)$$

$$= -2r(x-y) + s(x-y) \quad [∴ \text{Taking } -1 \text{ common from } (x-y)]$$

$$= (x-y)(-2r+s) \quad [∴ \text{Taking } (x-y) \text{ common}]$$

$$= (x-y)(s-2r)$$

$$③ 7a(2x-3) + 3b(2x-3)$$

$$= 6(a+3b)(2x-3) \quad [∴ \text{Taking } (2x-3) \text{ common}]$$

$$④ 9a(6a-5b) - 12a^2(6a-5b)$$

$$= (9a-12a^2)(6a-5b) \quad [∴ \text{Taking } (6a-5b) \text{ common}]$$

$$⑤ 5(x-2y)^2 + 3(x-2y)$$

$$= (x-2y)[5(x-2y) + 3] \quad [∴ \text{Taking } (x-2y) \text{ common}]$$

$$= (x-2y)[5x-10y+3]$$

$$⑥ 16(2l-3m)^2 - 12(3m-2l)$$

$$= 16(2l-3m)^2 + 12(2l-3m) \quad [∴ 3m-2l = -(2l-3m)]$$

$$= 4(2l-3m)[4(2l-3m) + 3] \quad [∴ \text{Taking } 4(2l-3m) \text{ common}]$$

$$= 4(2l-3m)[8l-12m+3]$$

$$\textcircled{7} \quad 3a(x-y) - b(x-y) \\ = (3a-b)(x-y) \quad [ \because \text{Taking } (x-y) \text{ as common} ]$$

$$\textcircled{8} \quad a^2(x+y) + b^2(x+y) + c^2(x+y) \\ = (a^2 + b^2 + c^2)(x+y) \quad [ \because \text{Taking } (x+y) \text{ common in each term} ].$$

$$\textcircled{9} \quad (x-y)^2 + (x-y) \\ = (x-y)[x-y+1] \quad [ \because \text{Taking } (x-y) \text{ common} ]$$

$$\textcircled{10} \quad 6(a+2b) - u(a+2b)^2 \\ = [6 - u(a+2b)](a+2b) \quad [ \because \text{Taking } (a+2b) \text{ as common} ] \\ = (6 - ua - 8ub)(a+2b)$$

$$\textcircled{11} \quad a(x-y) + 2b(y-x) + c(x-y)^2 \\ = a(x-y) - 2b(x-y) + c(x-y)^2 \quad [ \because (y-x) = -(x-y) ] \\ = (x-y)[a - 2b + c(x-y)] \\ = (x-y)[a - 2b + cx - cy]$$

$$\textcircled{12} \quad -u(x-2y)^2 + 3(x-2y) \\ = -(x-2y)[+u(x-2y) + 3] \quad [ \because \text{Taking } -(x-2y) \text{ as common} ] \\ = -(x-2y)[ux - 2y + 3].$$

$$\textcircled{13} \quad x^2(a-2b) + u^2(a-2b) \\ = u^2(a-2b)[x+1] \quad [ \because \text{Taking } u^2(a-2b) \text{ common} ]$$

$$\textcircled{14} \quad (2x-3y)(a+b) + (3x-2y)(a+b) \\ = (a+b)[2x-3y + 3x-2y] \quad [ \because \text{By taking } (a+b) \text{ common} ] \\ = (a+b)[5x-5y]$$

$$\textcircled{15} \quad 4(x+y)(3a-b) + 6(x+y)(2b-3a) \\ = 2(x+y)[2(3a-b) + 3(2b-3a)] \quad [ \because \text{By taking } 2(x+y) \text{ common} ] \\ = 2(x+y)[6b - 3a].$$

Tagged With: CBSE RD Sharma Class 8 Solutions Factorization, Factorization Extra Solutions RD Sharma Class 8 Solutions PDF Download, RD Sharma Class 8 Chapter 1 Factorization PDF, rd sharma class 8 ebook, rd sharma class 8 maths book, RD Sharma Class 8 Maths Factorization, RD Sharma Class 8 Maths Solutions, RD Sharma class 8 Solutions, RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.3 rd sharma class 8 solutions download, rd sharma class 8 solutions pdf, RD Sharma Class 8th Solutions, RD Sharma Maths Class 8 Solutions, RD Sharma Solutions For Class 8th Maths

---



**we've just launched  
our Android App!**  
**LearnCBSE.in - Download Now**



Search the site ...

Enter your email address:

SUBSCRIBE

#### RECENT POSTS

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 10](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 9](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 8](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 7](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 6](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 5](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 4](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 3](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 2](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 1](#)

RD SHARMA SOLUTIONS

---

[RD Sharma Class 10](#)

[RD Sharma Class 9](#)

---

[RD Sharma Class 8](#)

[RD Sharma Class 7](#)

---

[RD Sharma Class 6](#)

[TS Grewal Accountancy](#)

---

## NCERT SOLUTIONS

---

[CBSE Class 12](#)

[CBSE Class 11](#)

---

[CBSE Class 10](#)

[CBSE Class 9](#)

---

[CBSE Class 8](#)

[CBSE Class 7](#)

---

[CBSE Class 6](#)

[CBSE Sample Papers](#)

---

## SOCIAL PROFILES

---

[Like us on Facebook](#)

[Follow us on Twitter](#)

---

[Watch Youtube Videos](#)

[Follow us on Google Plus](#)

---

[LearnCBSE Forum](#)

---

# Learn CBSE

You are here: Home / CBSE / RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.4

---

## RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.4

August 23, 2017 by phani

### **RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.4**

- [RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.1](#)
- [RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.2](#)
- [RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.3](#)
- [RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.5](#)
- [RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.6](#)
- [RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.7](#)
- [RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.8](#)
- [RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.9](#)

[RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.4](#)

EXERCISE - 7-4.

Factorize each of the following expressions.

$$\textcircled{1} \quad qr - pr + qs - ps$$

$$= q(r+s) - p(r+s)$$

$$= (q-p)(r+s)$$

$$\textcircled{2} \quad p^2q - pr^2 - pq + r^2$$

$$= p(pq - r^2) - 1(pq - r^2)$$

$$= (p-1)(pq - r^2)$$

$$\textcircled{3} \quad 1 + xy + x^2y.$$

$$(1+xy) + x(1+xy)$$

$$= (1+x)(1+xy)$$

$$\textcircled{4} \quad ax + ay - bx - by$$

$$= a(x+y) - b(x+y)$$

$$= (a-b)(x+y)$$

$$\textcircled{5} \quad xa^2 + xb^2 - ya^2 - yb^2$$

$$= x(a^2 + b^2) - y(a^2 + b^2)$$

$$= (x-y)(a^2 + b^2)$$

$$\textcircled{6} \quad x^2 + xy + xz + yz$$

$$x(x+z) + y(x+z)$$

$$= (x+y)(x+z)$$

$$\textcircled{7} \quad 2ax + bx + 2ay + by$$

$$= 2a(x+y) + b(x+y)$$

$$= (2a+b)(x+y)$$

$$\textcircled{2} \quad ab - by - ay + y^2$$

$$= a(b-y) - y(b-y)$$

$$= (\underline{a-y})(\underline{b-y})$$

$$\textcircled{3} \quad axy + bcxy - a^2 - bc^2$$

$$= a(xy - \underline{\underline{a}}) + bc(xy - \underline{\underline{a}})$$

$$= (\underline{a+bc})(\underline{xy-a})$$

$$\textcircled{4} \quad lm^2 - mn^2 - lm + n^2$$

$$= lm(m-1) - n^2(m-1)$$

$$= (\underline{lm-n^2})(\underline{m-1})$$

$$\textcircled{5} \quad x^3 - y^2 + x - x^2y^2$$

$$= -y^2(1+x^2) + x(x^2+1)$$

$$= (\underline{x-y^2})(\underline{1+x^2})$$

$$\textcircled{6} \quad 6xy + b - 9y - 4x$$

$$= 2x(3y-2) - 3(3y-2)$$

$$= (\underline{2x-3})(\underline{3y-2})$$

$$\textcircled{7} \quad x^2 - 2ax - 2ab + bx -$$

$$= x(x+b) - 2a(x+b)$$

$$= (\underline{x-2a})(\underline{x+b})$$

$$\textcircled{8} \quad x^3 - 2x^2y + 3xy^2 - 6y^3$$

$$= x(x^2 + 3y^2) - 2y(x^2 + 3y^2)$$

$$= (\underline{x-2y})(\underline{x^2+3y^2})$$

$$\begin{aligned} \textcircled{15} \quad & abx^2 + (ay-b)x - y \\ & = abx^2 + ayx - bx - y \\ & = bx(ax-1) + y(ax-1) \\ & = (bx+y)(ax-1) \end{aligned}$$

$$\begin{aligned} \textcircled{16} \quad & (ax+by)^2 + (bx-ay)^2 \\ & = a^2x^2 + b^2y^2 + 2ax/by + b^2x^2 + a^2y^2 - 2\cdot bx/a\cdot y \\ & = a^2(x^2+y^2) + b^2(x^2+y^2) \\ & = (a^2+b^2)(x^2+y^2) \end{aligned}$$

$$\begin{aligned} \textcircled{17} \quad & 16(a-b)^3 - 24(a-b)^2 \\ & = 8(a-b)^2 [2(a-b) - 3] \\ & = 8(a-b)^2 [2a - 2b - 3]. \end{aligned}$$

$$\begin{aligned} \textcircled{18} \quad & ab(x^2+a) + x(a^2+b^2) \\ & = a\cdot b\cdot x^2 + ab + x\cdot a^2 + x\cdot b^2 \\ & = ax(bx+a) + b(bx+a) \\ & = (ax+b)(bx+a) \end{aligned}$$

$$\begin{aligned} \textcircled{19} \quad & a^2x^2 + (ax^2+1)x + a \\ & = a^2x^2 + ax^3 + x + a \\ & = x(ax^2+1) + a(ax^2+1) \\ & = (x+a)(ax^2+1) \end{aligned}$$

$$\begin{aligned}
 20) & a(a-2b-c) + 2bc \\
 &= a^2 - 2ab - ac + 2bc \\
 &= a(a-c) - 2b(a-c) \\
 &= (a-2b)(a-c)
 \end{aligned}$$

$$\begin{aligned}
 21) & a(a+b+c) - bc \\
 &= a^2 + ab + ac - bc \\
 &= a(a-c) + b(a-c) \\
 &= (a+b)(a-c)
 \end{aligned}$$

$$\begin{aligned}
 22) & x^2 - xy - x + 1y \\
 &= x(x-1) - y(x-1) \\
 &= (x-y)(x-1)
 \end{aligned}$$

$$\begin{aligned}
 23) & ab - a - b + 1 \\
 &= a(b-1) - 1(b-1) \\
 &= (a-1)(b-1)
 \end{aligned}$$

$$\begin{aligned}
 24) & x^2 + y - xy - x \\
 &= x(x-1) - y(x-1) \\
 &= (x-y)(x-1)
 \end{aligned}$$

[NCERT Solutions](#) [Maths](#) [Science](#) [Social](#) [English](#) [Hindi](#) [Sanskrit](#)

[RD Sharma](#)

Filed Under: CBSE

Tagged With: CBSE RD Sharma Class 8 Solutions Factorization, Factorization Extra Solutions RD Sharma Class 8 Solutions PDF Download, RD Sharma Class 8 Chapter 1 Factorization PDF, rd sharma class 8 ebook, rd sharma class 8 maths book RD Sharma Class 8 Maths Factorization, RD Sharma Class 8 Maths Solutions, RD Sharma class 8 Solutions, RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.4 rd sharma class 8 solutions download, rd sharma class 8 solutions pdf, RD Sharma Class 8th Solutions, RD Sharma Maths Class 8 Solutions, RD Sharma Solutions For Class 8th Maths



**we've just launched  
our Android App!**  
[LearnCBSE.in - Download Now](#)



Search the site ...

Enter your email address:

SUBSCRIBE

## RECENT POSTS

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 10](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 9](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 8](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 7](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 6](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 5](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 4](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 3](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 2](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 1](#)

## RD SHARMA SOLUTIONS

[RD Sharma Class 12](#)

[RD Sharma Class 11](#)

[RD Sharma Class 10](#)

[RD Sharma Class 9](#)

[RD Sharma Class 8](#)

[RD Sharma Class 7](#)

[RD Sharma Class 6](#)

[TS Grewal Accountancy](#)

## NCERT SOLUTIONS

[CBSE Class 12](#)

[CBSE Class 11](#)

[CBSE Class 10](#)

[CBSE Class 9](#)

[CBSE Class 8](#)

[CBSE Class 7](#)

[CBSE Class 6](#)

[CBSE Sample Papers](#)

## SOCIAL PROFILES

---

[Like us on Facebook](#)

[Follow us on Twitter](#)

---

[Watch Youtube Videos](#)

---

[Follow us on Google Plus](#)

---

[LearnCBSE Forum](#)

---

---

Copyright © 2017 · Magazine Pro Theme on Genesis Framework · WordPress · Log in

# Learn CBSE

You are here: Home / CBSE / RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.5

---

## RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.5

May 23, 2017 by phani

### **RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.5**

- [RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.1](#)
- [RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.2](#)
- [RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.3](#)
- [RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.4](#)
- [RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.6](#)
- [RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.7](#)
- [RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.8](#)
- [RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.9](#)

[RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.5](#)

factorise each of the following expressions.

$$\textcircled{1} \quad 16x^2 - 25y^2$$

$$= (4x)^2 - (5y)^2$$

$$= (4x+5y)(4x-5y)$$

$$\textcircled{2} \quad 3(9x^2 - 4y^2)$$

$$= 3((3x)^2 - (2y)^2)$$

$$= 3(3x+2y)(3x-2y)$$

$$\textcircled{3} \quad 16ua^2 - 289.b^2$$

$$(12a)^2 - (17b)^2$$

$$= (12a+17b)(12a-17b)$$

$$\textcircled{4} \quad 12m^2 - 27$$

$$= 3(4m^2 - 9)$$

$$= 3((2m)^2 - 3^2)$$

$$= 3(2m+3)(2m-3)$$

$$\textcircled{5} \quad 125x^2 - 45y^2$$

$$5(25x^2 - 9y^2)$$

$$5((5x)^2 - (3y)^2)$$

$$= 5(5x+3y)(5x-3y)$$

$$\textcircled{6} \quad 16ua^2 - 169b^2.$$

$$= (12a)^2 - (13b)^2$$

$$= (12a + 13b)(12a - 13b)$$

$$\textcircled{7} \quad (2a-b)^2 - 16c^2$$

$$= (6a-b)^2 - (4c)^2$$

$$= (2a-b+4c)(2a-b-4c)$$

$$\textcircled{8} \quad (x+2y)^2 - u(2x-y)^2$$

$$= (x+2y)^2 - [u(2x-y)]^2$$

$$= [(x+2y) + u(2x-y)][x+2y - u(2x-y)]$$

$$= [x+ux+2y-uy][x-ux+2y+uy]$$

$$(5x)(uy - 3x).$$

$$\textcircled{9} \quad 3a^5 - 48a^3$$

$$= 3a^3(a^2 - 16)$$

$$= 3a^3(a^2 - u^2)$$

$$= 3a^3(a+u)(a-u)$$

$$\textcircled{10} \quad a^4 - 16b^4$$

$$= (a^2)^2 - (4b^2)^2$$

$$= (a^2 + 4b^2)(a^2 - 4b^2)$$

$$\begin{aligned} \textcircled{11} \quad & x^8 - 1 \\ &= (x^4)^2 - 1^2 \\ &= (x^4 + 1)(x^4 - 1) \end{aligned}$$

$$\begin{aligned} \textcircled{12} \quad & 64 - (a+1)^2 \\ &= 8^2 - (a+1)^2 \\ &= [8 + (a+1)][8 - (a+1)] \\ &= (a+9)[7-a]. \end{aligned}$$

$$\begin{aligned} \textcircled{13} \quad & 36l^2 - (m+n)^2 \\ &= (6l)^2 - (m+n)^2 \\ &= (6l+m+n)(6l-m-n). \end{aligned}$$

$$\begin{aligned} \textcircled{14} \quad & 25x^4y^4 - 1 \\ &= (5x^2y^2)^2 - 1^2 \\ &= (5x^2y^2 - 1)(5x^2y^2 + 1). \end{aligned}$$

$$\begin{aligned} \textcircled{15} \quad & a^4 - \frac{1}{b^4} \\ &= (a^2)^2 - \left(\frac{1}{b^2}\right)^2 \\ &= \left[a^2 + \frac{1}{b^2}\right] \left[a^2 - \frac{1}{b^2}\right]. \end{aligned}$$

$$\textcircled{14} \quad x^3 - 1000x$$

$$= x [x^2 - (12)^2]$$

$$= x [x+12] [x-12].$$

$$\textcircled{15} \quad (x-y)^2 - 625 =$$

$$= (x-y)^2 - (25)^2$$

$$= [x-uy+25] [x-uy-25]$$

$$\textcircled{16} \quad 9(a-b)^2 - 100(x-y)^2$$

$$= [3(a-b)]^2 - [10(x-y)]^2$$

$$= [3(a-b) + 10(x-y)] [3(a-b) - 10(x-y)].$$

$$= [3a-3b + 10x-10y] [3a-3b - 10x + 10y].$$

$$\textcircled{17} \quad (3+2a)^2 - 25a^2$$

$$= (3+2a)^2 - (5a)^2$$

$$= (3+2a+5a)(3+2a-5a)$$

$$= (8a+3)(3-3a)$$

$$\textcircled{18} \quad (a+y)^2 - (a-b)^2$$

$$= [(a+y)+(a-b)][(a+y)-(a-b)]$$

$$= (a+y+a-b)(a+y-a+b)$$

$$\begin{aligned}
 \textcircled{21} \quad & \frac{1}{16}x^2y^2 - \frac{4}{u^9}y^2z^2 \\
 & \left[ \frac{1}{u}(xy) \right]^2 - \left[ \frac{2}{7}(yz)^3 \right]^2 \\
 & \left[ \frac{xy}{u} + \frac{2(yz)^3}{7} \right] \left[ \frac{xy}{u} - \frac{2(yz)^3}{7} \right] \\
 & = y^2 \left[ \frac{y}{u} + \frac{2}{7}z^3 \right] \left[ \frac{y}{u} - \frac{2}{7}z^3 \right]
 \end{aligned}$$

$$\begin{aligned}
 \textcircled{22} \quad & 75a^3b^2 - 108a^4b^4 \\
 & = 3ab^2 [25a^2 - 36b^2] \\
 & = 3ab^2 [(5a)^2 - (6b)^2] \\
 & = 3ab^2 [5a+6b] [5a-6b].
 \end{aligned}$$

$$\begin{aligned}
 \textcircled{23} \quad & x^5 - 16x^3 \\
 & = x^3 [x^2 - 16] \\
 & = x^3 [x^2 - u^2] \\
 & = x^3 (x+u) (x-u)
 \end{aligned}$$

$$\begin{aligned}
 \textcircled{24} \quad & \frac{50}{x^2} - \frac{2x^2}{81} \\
 & = 2 \left[ \frac{25}{x^2} - \frac{x^2}{81} \right] \\
 & = 2 \left[ \left( \frac{5}{x} \right)^2 - \left( \frac{x}{9} \right)^2 \right] \\
 & = 2 \left[ \frac{5}{x} + \frac{x}{9} \right] \left[ \frac{5}{x} - \frac{x}{9} \right].
 \end{aligned}$$

$$\textcircled{25} \quad 256x^5 - 81x.$$

$$\begin{aligned} &= x(256x^4 - 81) \\ &= x((16x^2)^2 - 9^2) \\ &= x(16x^2 + 9)(16x^2 - 9) \end{aligned}$$

$$\textcircled{26} \quad a^4 - (2b+c)^4$$

$$\begin{aligned} &= (a^2)^2 - [(2b+c)^2]^2 \\ &= [a^2 + (2b+c)^2][a^2 - (2b+c)^2] \\ &= [a^2 + (16b^2 + c^2)][a^2 + 2bc + c^2][a^2 - 2bc - c^2]. \end{aligned}$$

$$\textcircled{27} \quad (3x+4y)^4 - x^4.$$

$$\begin{aligned} &[(3x+4y)^2]^2 - (x^2)^2 \\ &[(3x+4y)^2 + x^2][(3x+4y)^2 - x^2] \\ &[(3x+4y)^2 + x^2][3x+4y+x][3x+4y-x]. \end{aligned}$$

$$\textcircled{28} \quad p^2q^2 - p^4q^4.$$

$$\begin{aligned} &(pq)^2 - (p^2q^2)^2 \\ &(pq + p^2q^2)(pq - p^2q^2) \\ &(pq)[1 + pq][1 - pq]. \end{aligned}$$

$$29. \quad 3x^3y - 27x^3y^3$$

$$= 3xy [x^2 - 9y^2]$$

$$= 3xy [x - (3y)^2]$$

$$= (3xy)(x+3y)(x-3y)$$

$$30. \quad a^4b^4 - 16c^4$$

$$= (a^2b^2)^2 - (4c^2)^2$$

$$= (a^2b^2 + 4c^2)(a^2b^2 - 4c^2)$$

$$= (a^2b^2 + 4c^2)(ab+2c)(ab-2c)$$

$$31. \quad x^4 - 625$$

$$= (x^2)^2 - (25)^2$$

$$= (x^2 + 25)(x^2 - 25)$$

$$= (x^2 + 25)(x+5)(x-5)$$

$$32. \quad x^4 - 1$$

$$= (x^2)^2 - (1)^2$$

$$= (x^2 + 1)(x^2 - 1)$$

$$= (x^2 + 1)(x+1)(x-1)$$

$$\textcircled{37} \quad (2x+1)^2 - 9x^4.$$

$$\begin{aligned} &= (2x+1)^2 - (3x^2)^2 \\ &= (2x+1 + 3x^2)(2x+1 - 3x^2) \\ &= (3x^2 + 2x + 1)(-3x^2 + 2x + 1). \end{aligned}$$

$$\textcircled{38} \quad x^4 - (2y - 3z)^2.$$

$$\begin{aligned} &= (x^2)^2 - (2y - 3z)^2 \\ &= (x^2 + 2y - 3z)(x^2 - 2y + 3z). \end{aligned}$$

$$\textcircled{39} \quad a^2 - b^2 + a - b.$$

$$\begin{aligned} &= (a+b)(a-b) + (a-b) \\ &= (a-b)(a+b+1). \end{aligned}$$

$$\textcircled{40} \quad 16a^4 - b^4.$$

$$\begin{aligned} &= (4a^2)^2 - (b^2)^2 \\ &= (4a^2 + b^2)(4a^2 - b^2) \\ &= (4a^2 + b^2)(2a+b)(2a-b) \end{aligned}$$

$$\textcircled{41} \quad a^4 - 16(b-c)^4.$$

$$\begin{aligned} &= (a^2)^2 - [u(b-c)]^2 \\ &= [a^2 + u(b-c)^2][a^2 - u(b-c)^2] \\ &= [a^2 + u(b-c)^2][(a+2b-2c)(a-2b+2c)]. \end{aligned}$$

$$(62) \quad 2a^5 - 32a$$

29.

$$\begin{aligned} &= 2a(a^4 - 16) \\ &= 2a((a^2)^2 - 4^2) \\ &= 2a(a^2 + 4)(a^2 - 4) \\ &= 2a(a^2 + 4)(a+2)(a-2) \end{aligned}$$

$$(63) \quad a^4b^4 - 81c^4.$$

$$\begin{aligned} &= (a^2b^2)^2 - (9c^2)^2 \\ &= (a^2b^2 + 9c^2)(a^2b^2 - 9c^2) \\ &= (a^2b^2 + 9c^2)(ab + 3c)(ab - 3c) \end{aligned}$$

$$(64) \quad xy(y^2 - ny - n^2)$$

$$\begin{aligned} &= ny(y^2 - n^2) \\ &= ny((y+n)^2 - (n)^2) \\ &= ny(y+n)(y-n) \\ &= ny(y+n)(y+n)(y-n) \\ &= ny(y+n)(y+n)(y-n) \end{aligned}$$

$$(65) \quad x^3 - x$$

$$= x(x^2 - 1) = x(x+1)(x-1)$$

$$(66) \quad 18a^2n^2 - 32$$

$$\begin{aligned} &= 2((3an)^2 - 4^2) \\ &= 2(3an+4)(3an-4). \end{aligned}$$

[NCERT Solutions](#)

[Maths](#)

[Science](#)

[Social](#)

[English](#)

[Hindi](#)

[Sanskrit](#)

[RD Sharma](#)

Filed Under: CBSE

Tagged With: CBSE RD Sharma Class 8 Solutions Factorization, Factorization Extra Solutions RD Sharma Class 8 Solutions PDF Download, RD Sharma Class 8 Chapter 1 Factorization PDF, rd sharma class 8 ebook, rd sharma class 8 maths book RD Sharma Class 8 Maths Factorization, RD Sharma Class 8 Maths Solutions, RD Sharma class 8 Solutions, RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.5 rd sharma class 8 solutions download, rd sharma class 8 solutions pdf, RD Sharma Class 8th Solutions, RD Sharma Maths Class 8 Solutions, RD Sharma Solutions For Class 8th Maths



**we've just launched  
our Android App!**  
[LearnCBSE.in - Download Now](#)



Search the site ...

Enter your email address:

SUBSCRIBE

## RECENT POSTS

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 10](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 9](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 8](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 7](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 6](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 5](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 4](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 3](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 2](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 1](#)

## RD SHARMA SOLUTIONS

[RD Sharma Class 12](#)

[RD Sharma Class 11](#)

[RD Sharma Class 10](#)

[RD Sharma Class 9](#)

[RD Sharma Class 8](#)

[RD Sharma Class 7](#)

[RD Sharma Class 6](#)

[TS Grewal Accountancy](#)

## NCERT SOLUTIONS

[CBSE Class 12](#)

[CBSE Class 11](#)

[CBSE Class 10](#)

[CBSE Class 9](#)

[CBSE Class 8](#)

[CBSE Class 7](#)

[CBSE Class 6](#)

[CBSE Sample Papers](#)

## SOCIAL PROFILES

---

[Like us on Facebook](#)

[Follow us on Twitter](#)

---

[Watch Youtube Videos](#)

---

[Follow us on Google Plus](#)

---

[LearnCBSE Forum](#)

---

---

Copyright © 2017 · Magazine Pro Theme on Genesis Framework · WordPress · Log in

# Learn CBSE

You are here: Home / CBSE / RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.6

---

## RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.6

August 23, 2017 by phani

### **RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.6**

- [RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.1](#)
- [RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.2](#)
- [RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.3](#)
- [RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.4](#)
- [RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.5](#)
- [RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.7](#)
- [RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.8](#)
- [RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.9](#)

RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.6

I. factorise each of the following expressions.

$$\textcircled{1} \quad ux^2 + 12xy + 9y^2.$$

$$= (\underline{3x})^2 + (\underline{3y})^2 + 2(\underline{2u})(\underline{3y}) \\ = (\underline{2u+3y})^2$$

$$\textcircled{2} \quad 9a^2 - 2ab + 16b^2.$$

$$= (\underline{3a})^2 + (\underline{4b})^2 - 2(\underline{3a})(\underline{4b}) \\ = (\underline{3a-4b})^2.$$

$$\textcircled{3} \quad (pq)^2 + (\underline{3z})^2 - 6pqz.$$

$$= (\underline{pq})^2 + (\underline{3z})^2 - 2(\underline{pq})(\underline{3z}) \\ = (\underline{pq-3z})^2.$$

$$\textcircled{4} \quad 36a^2 + 36a + 9.$$

$$= 9(\underline{4a^2+4a+1}) \\ = 9(\underline{2a})^2 + 2(\underline{2a}) + 1^2 \\ = 9(\underline{2a+1})^2$$

$$\textcircled{5} \quad a^2 + 2ab + b^2 - 1^6$$

$$= (\underline{a+b})^2 - 1^6 \\ = (\underline{a+b+1})(\underline{a+b-1}).$$

$$\textcircled{6} \quad 9z^2 - n^2 + ny - nz^2.$$

$$= (\underline{3z})^2 - \left[ n^2 - 2(n)(zy) + (2y)^2 \right] \\ = (\underline{3z})^2 - (\underline{n-2y})^2 = (\underline{3z+n-2y})(\underline{3z-n+2y}).$$

$$\textcircled{7} \quad 9a^4 - 2ua^2b^2 + 16b^4 - 256.$$

$$(3a^2)^2 - 2(ua^2)(3b^2) + (ub^2)^2 - (16)^2.$$

$$(3a^2 - ub^2)^2 - (16)^2.$$

$$(3a^2 - ub^2 + 16)(3a^2 - ub^2 - 16)$$

$$\textcircled{8} \quad 16 - a^6 + ua^3b^3 - ub^6.$$

$$= u^2 - ((a^3)^2 - 2(a^3)(ub^3) + (ub^3)^2)$$

$$= u^2 - [a^3 - 2ub^3]^2.$$

$$= [u + (a^3 - 2ub^3)][u - a^3 + 2ub^3].$$

$$\textcircled{9} \quad a^2 - 2ab + b^2 - c^2.$$

$$= (a+b)^2 - c^2$$

$$= (a+b+c)(a+b-c)$$

$$\textcircled{10} \quad x^2 + 2x + 1 - 9y^2$$

$$= (x+1)^2 - (3y)^2$$

$$(x+3y+1)(x-3y+1).$$

$$\textcircled{11} \quad a^2 + ua^2b + 3b^2.$$

$$= a^2 + ab + 3ab + 3b^2.$$

$$= a(a+b) + 3b(a+b)$$

$$= (a+3b)(a+b).$$

$$(12) \quad 96 - ux - x^2$$

$$= -x^2 - ux + 96.$$

$$= -x^2 - 12x + 8x + 96.$$

$$= -x(x+12) + 8(x+12)$$

$$= (x+12)(-x+8).$$

$$(13) \quad a^4 + 2a^2 + 4$$

$$= a^4 + (a^2)^2 + 2 \cdot 2a^2 + 4 - a^2.$$

$$= (a^2 + 2)^2 + a^2$$

$$= (a^2 + 2 + a)(a^2 + 2 - a)$$

$$(14) \quad u \cdot x^2 + 1$$

$$= (2x^2)^2 + 1 + ux^2 - ux^2$$

$$= (2x^2 + 1)^2 - ux^2$$

$$= (2x^2 + 2x + 1)(2x^2 - 2x + 1)$$

$$(15) \quad 4x^4 + y^4$$

$$= (2x^2)^2 + (y^2)^2 + ux^2y^2 - ux^2y^2$$

$$= (2x^2 + y^2)^2 - ux^2y^2$$

$$= (2x^2 + y^2 + 2xy)(2x^2 + y^2 - 2xy)$$

$$(16) \quad (x+2)^2 + -6(x+2) + 9$$

$$= x^2 + u + ux - 6x - 12 + 9$$

$$= x^2 + 1 - 2x$$

$$= (x-1)^2$$

$$\begin{aligned}
 17) \quad & 25 - p^2 - q^2 - 2pq \\
 &= 25 - (p^2 + q^2 + 2pq) \\
 &= (5)^2 - (p+q)^2 \\
 &= (5+p+q)(5-p-q) \\
 &= -(p+q-5)(p+q+5)
 \end{aligned}$$

$$\begin{aligned}
 18) \quad & x^2 + y^2 - 6xy - 25a^2 \\
 &= (x-3y)^2 - (5a)^2 \\
 &= (x-3y+5a)(x-3y-5a).
 \end{aligned}$$

$$\begin{aligned}
 19) \quad & 49 - a^2 + 8ab - 16b^2 \\
 &= 49 - (a^2 - 8ab + 16b^2) \\
 &= 49 - (a-4b)^2 \\
 &= (7+a-4b)(7-a+4b) \\
 &\quad -(a-4b+7)(a-4b-7)
 \end{aligned}$$

$$\begin{aligned}
 20) \quad & a^2 - 8ab + 16b^2 - 25c^2 \\
 &= (a-4b)^2 - (5c)^2 \\
 &= (a-4b+5c)(a-4b-5c).
 \end{aligned}$$

$$\begin{aligned}
 21) \quad & x^2 - y^2 + 6y - 9 \\
 &= x^2 + 6y - (y^2 - 6y + 9) \\
 &= x^2 - (y-3)^2 \\
 &= (x+y-3)(x-y+3)
 \end{aligned}$$

$$\begin{aligned}
 22) \quad & 25x^2 - 10x + 1 - 36y^2 \\
 &= (5x)^2 - 2(5x) + 1 - (6y)^2 \\
 &= (5x-1)^2 - (6y)^2 \\
 &= (5x-1+6y)(5x-1-6y)
 \end{aligned}$$

$$\begin{aligned}
 23) \quad & a^2 - b^2 + 2bc - c^2 \\
 &= a^2 - (b^2 - 2bc + c^2) \\
 &= a^2 - (b-c)^2 \\
 &= (a+b-c)(a-b+c)
 \end{aligned}$$

$$\begin{aligned}
 24) \quad & a^2 + 2ab + b^2 - c^2 \\
 &= (a+b)^2 - c^2 \\
 &= (a+b+c)(a+b-c)
 \end{aligned}$$

$$\begin{aligned}
 25) \quad & 49 - x^2 - y^2 + 2xy \\
 &= 49 - (x^2 + y^2 - 2xy) \\
 &= 49 - (x-y)^2 \\
 &= [7+x-y][7-x+y].
 \end{aligned}$$

$$\begin{aligned}
 26) \quad & a^2 + 4b^2 - ab - ac^2 \\
 &= a^2 - 2(a)(b) + (2b)^2 - (2c)^2 \\
 &= (a-2b)^2 - (2c)^2
 \end{aligned}$$

$$\begin{aligned}
 27) \quad & x^2 - y^2 - 4xz + 4z^2 - y^2 \\
 &= x^2 - 2(xz-2z) + (2z)^2 - y^2 \\
 &= (x-2z)^2 - y^2 \\
 &= (x-2z+y)(x-2z-y)
 \end{aligned}$$

Filed Under: CBSE

Tagged With: CBSE RD Sharma Class 8 Solutions Factorization, Factorization Extra Solutions RD Sharma Class 8 Solutions PDF Download, RD Sharma Class 8 Chapter 1 Factorization PDF, rd sharma class 8 ebook, rd sharma class 8 maths book RD Sharma Class 8 Maths Factorization, RD Sharma Class 8 Maths Solutions, RD Sharma class 8 Solutions, RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.6 rd sharma class 8 solutions download, rd sharma class 8 solutions pdf, RD Sharma Class 8th Solutions, RD Sharma Maths Class 8 Solutions, RD Sharma Solutions For Class 8th Maths



**we've just launched**

**our Android App!**

**LearnCBSE.in - Download Now**



Search the site ...

Enter your email address:

SUBSCRIBE

## RECENT POSTS

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 10](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 9](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 8](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 7](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 6](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 5](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 4](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 3](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 2](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 1](#)

## RD SHARMA SOLUTIONS

---

|                    |                       |
|--------------------|-----------------------|
| RD Sharma Class 12 | RD Sharma Class 11    |
| RD Sharma Class 10 | RD Sharma Class 9     |
| RD Sharma Class 8  | RD Sharma Class 7     |
| RD Sharma Class 6  | TS Grewal Accountancy |

---

## NCERT SOLUTIONS

---

|               |                    |
|---------------|--------------------|
| CBSE Class 12 | CBSE Class 11      |
| CBSE Class 10 | CBSE Class 9       |
| CBSE Class 8  | CBSE Class 7       |
| CBSE Class 6  | CBSE Sample Papers |

---

## SOCIAL PROFILES

---

|                      |                          |
|----------------------|--------------------------|
| Like us on Facebook  | Follow us on Twitter     |
| Watch Youtube Videos | Follow us on Google Plus |
| LearnCBSE Forum      |                          |

---

---

## Factorization Ex 7.7

EXERCISE - 7.7.

25.

factorize each of the following algebraic expressions.

①  $x^2 + 12x - 45$

In order to factorize the given expression, we have to find two numbers, P and Q such that

$$P+Q=12, \quad PQ=-45$$

Clearly  $5-3=12, \quad 5(-3)=-45$ .

$\therefore$  split  $12x$  as  $5x - 3x$ .

$$\begin{aligned} \therefore x^2 + 12x - 45 &= x^2 + 5x - 3x - 45 \\ &= x(x+5) - 3(x+5) \\ &= (x-3)(x+5) \end{aligned}$$

②  $x^2 - 3x - 40$   
 $= -(x^2 - 3x - 40)$

In order to find factors, we need P and Q,

such that

$$P+Q=-3, \quad PQ=40$$

Clearly  $5-8=-3, \quad 5(-8)=-40$ .

$\therefore$  split  $-3x$  as  $5x - 8x$ .

$$\begin{aligned} x^2 - 3x - 40 &= x^2 + 5x - 8x - 40 \\ &= x(x+5) - 8(x+5) \\ &= (x-8)(x+5) \end{aligned}$$

$$-(x^2 - 3x - 40) = (x+5)(-x+8)$$



$$\textcircled{3} \quad a^2 + 3a - 88$$

In order to factorize it, we need to find

P and Q, where  $P+Q=3$ ,  $PQ=-88$ .

$\therefore$  split  $3a$  as  $11a - 8a$ .

$$\begin{aligned} \therefore a^2 + 3a - 88 &= a^2 + 11a - 8a - 88 \\ &= a(a+11) - 8(a+11) \\ &= (a-8)(a+11) \end{aligned}$$

$$\textcircled{4} \quad a^2 - 14a - 51$$

In order to factorize it, we need to find

P and Q, where  $P+Q=-14$ ,  $PQ=-51$

Clearly  $3-17=-14$ ,  $3(-17)=-51$

$\therefore$  split  $-14a$  as  $3a - 17a$ .

$$\begin{aligned} \therefore a^2 - 14a - 51 &= a^2 + 3a - 17a - 51 \\ &= a(a+3) - 17(a+3) \\ &= (a-17)(a+3) \end{aligned}$$

$$\textcircled{5} \quad x^2 + 14x + 45$$

In order to factorize it, we need to find

P and Q, where  $P+Q=14$ ,  $PQ=45$ .

Clearly  $5+9=14$ ,  $5(9)=45$ .

$\therefore$  split  $14x$  into  $5x + 9x$

$$\begin{aligned} x^2 + 14x + 45 &= x^2 + 5x + 9x + 45 \\ &= x(x+5) + 9(x+5) \\ &= (x+9)(x+5) \end{aligned}$$

$$\textcircled{6} \quad x^2 - 22x + 120$$

- 3

In order to factorize it, we need to find P and Q, where

$$P+Q = -22, \quad PQ = 120.$$

clearly  $-12 - 10 = -22, \quad (-12)(-10) = 120.$

$\therefore$  split  $(-22x)$  into  $-12x - 10x.$

$$\begin{aligned} \therefore x^2 - 22x + 120 &= x^2 - 12x - 10x + 120 \\ &= x(x-12) - 10(x-12) \\ &= (x-12)(x-10) \end{aligned}$$

$$\textcircled{7} \quad x^2 - 11x - 12$$

In order to factorize it, we need to find P and Q, where

$$P+Q = -11, \quad PQ = -12.$$

clearly  $3 + (-14) = -11, \quad 3(-14) = -12.$

$\therefore$  split  $(-11x)$  into  $3x - 14x$

$$\begin{aligned} x^2 - 11x - 12 &= x^2 + 3x - 14x - 12 \\ &= x(x+3) - 14(x+3) \\ &= (x-14)(x+3) \end{aligned}$$

$$\textcircled{8} \quad a^2 + 2a - 3$$

In order to factorize it, we need to find P and Q, where  $P+Q=2, \quad PQ=-3.$  Clearly  $P=3, \quad Q=-1$

$\therefore$  split  $(2a)$  into  $(3a - a)$

$$\begin{aligned} a^2 + 2a - 3 &= a^2 + 3a - a - 3 \\ &= a(a+3) - (a+3) \\ &= (a-1)(a+3) \end{aligned}$$

$$\textcircled{9} \quad a^2 + 14a + 48$$

In order to factorize the given polynomial, we need to find P and Q, where

$$P+Q=14, \quad P \cdot Q=48$$

$$\text{Clearly } 8+6=14, \quad 8 \cdot 6=48$$

$\therefore$  split  $(14a)$  into  $8a + 6a$ .

$$\begin{aligned} \therefore a^2 + 14a + 48 &= a^2 + 8a + 6a + 48 \\ &= a(a+8) + 6(a+8) \\ &= (a+8)(a+6) \end{aligned}$$

$$\textcircled{10} \quad x^2 - 4x - 21$$

In order to factorize the given polynomial, we need to find P and Q, where

$$P+Q=-4, \quad P \cdot Q=-21$$

$$\text{Clearly } 3-7=-4, \quad (3)(-7)=-21.$$

$\therefore$  split  $(-4x)$  into  $3x - 7x$ .

$$\begin{aligned} x^2 - 4x - 21 &= x^2 + 3x - 7x - 21 \\ &= x(x+3) - 7(x+3) \\ &= (x-7)(x+3) \end{aligned}$$

$$\textcircled{11} \quad y^2 + 5y - 36$$

In order to factorize the given polynomial, we need to find P and Q, where

$$P+Q=5, \quad P \cdot Q=-36, \quad \text{clearly } 9-4=5, \quad 9(-4)=-36$$

$\therefore$  split  $5y$  into  $9y - 4y$

$$\begin{aligned} \therefore y^2 + 5y - 36 &= y^2 + 9y - 4y - 36 = y(y+9) - 4(y+9) \\ &= (y-4)(y+9). \end{aligned}$$

$$\textcircled{12} \quad (a^2 - 5a)^2 - 36$$

It can be written as  $(a^2 - 5a) - 6^2$ .

$$\text{using } a^2 - b^2 = (a+b)(a-b), (a^2 - 5a) - 6^2 = (a^2 - 5a + 6)(a^2 - 5a - 6)$$

To factorize  $(a^2 - 5a + 6)$ , we need to find P and Q

where  $P+Q=-5$ ,  $P\cdot Q=6$ , clearly  $-2-3=-5$ ,  $(-2)(-3)=6$ .

$\therefore$  split  $-5a$  into  $-2a - 3a$ .

$$\begin{aligned}\therefore (a^2 - 5a + 6) &= a^2 - 2a - 3a + 6 \\ &= a(a-2) - 3(a-2) \\ &= (a-3)(a-2)\end{aligned}$$

To factorize  $(a^2 - 5a - 6)$ , we need to find P and Q

where  $P+Q=-5$ ,  $P\cdot Q=-6$ , clearly  $1-6=-5$ ,  $1(-6)=-6$ .

$\therefore$  split  $-5a = a - 6a$ .

$$\begin{aligned}\therefore (a^2 - 5a - 6) &= a^2 - a - 6a + 6 \\ &= (a-1)(a-6)\end{aligned}$$

$$\therefore (a^2 - 5a)^2 - 36 = (a^2 - 5a + 6)(a^2 - 5a - 6) = (a-3)(a-2)(a-1)(a-6)$$

$$\textcircled{13} \quad (a+7)(a-10) + 16$$

$$= a^2 - 3a - 54$$

To factorize it, we need to find P and Q, where

$P+Q = -3$ ,  $P\cdot Q = -54$ . Clearly  $6-9=-3$ ,  $6(-9)=-54$ .

$\therefore$  split  $-3a$  into  $6a - 9a$ .

$$\begin{aligned}\therefore a^2 - 3a - 54 &= a^2 + 6a - 9a - 54 \\ &= (a-9)(a+6)\end{aligned}$$

$$\therefore (a+7)(a-10) + 16 = (a-9)(a+6)$$

[NCERT Solutions](#)
[Maths](#)
[Science](#)
[Social](#)
[English](#)
[Hindi](#)
[Sanskrit](#)
[RD Sharma](#)

Filed Under: CBSE

Tagged With: CBSE RD Sharma Class 8 Solutions, Factorization, Factorization Extra Solutions RD Sharma Class 8 Solutions PDF Download, RD Sharma Class 8 Chapter 1 Factorization PDF, rd sharma class 8 ebook, rd sharma class 8 maths book RD Sharma Class 8 Maths Factorization, RD Sharma Class 8 Maths Solutions, RD Sharma class 8 Solutions, RD Sharma Class 8 Solutions Chapter 7 Factorization Ex 7.7, rd sharma class 8 solutions download, rd sharma class 8 solutions pdf, RD Sharma Class 8th Solutions, RD Sharma Maths Class 8 Solutions, RD Sharma Solutions For Class 8th Maths



**we've just launched  
our Android App!**  
[LearnCBSE.in - Download Now](#)



Search the site ...

Enter your email address:

SUBSCRIBE

## RECENT POSTS

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 10](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 9](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 8](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 7](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 6](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 5](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 4](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 3](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 2](#)

[CBSE Sample Papers for Final Board Exams Class 9 Social Science – Paper 1](#)

## RD SHARMA SOLUTIONS

[RD Sharma Class 12](#)

[RD Sharma Class 11](#)

[RD Sharma Class 10](#)

[RD Sharma Class 9](#)

[RD Sharma Class 8](#)

[RD Sharma Class 7](#)

[RD Sharma Class 6](#)

[TS Grewal Accountancy](#)

## NCERT SOLUTIONS

[CBSE Class 12](#)

[CBSE Class 11](#)

[CBSE Class 10](#)

[CBSE Class 9](#)

[CBSE Class 8](#)

[CBSE Class 7](#)

[CBSE Class 6](#)

[CBSE Sample Papers](#)

## SOCIAL PROFILES

---

[Like us on Facebook](#)

[Follow us on Twitter](#)

[Watch Youtube Videos](#)

[Follow us on Google Plus](#)

[LearnCBSE Forum](#)

---

Copyright © 2017 · Magazine Pro Theme on Genesis Framework · WordPress · Log in

## Factorization Ex 7.8

④  $7x^2 - 2x - 6 = -2x^2 + 7x - 6$

Here coefficient of  $x^2 = 7$ , coefficient of  $x = -2$ , and constant term = -6.

We shall now split up the coefficient of  $x$ , i.e. 7 into two parts whose sum is 7 and product is  $-2 \times -6 = 12$ , clearly  $4+3=7$ ,  $4 \times 3=12$ .

So we write the middle term  $7x$  as  $4x+3x$ .

Thus we have

$$\begin{aligned} -2x^2 + 7x - 6 &= -2x^2 + 4x + 3x - 6 \\ &= -2x(x-2) + 3(x-2) \\ &= (x-2)(3-2x) \end{aligned}$$

⑤  $7x^2 - 19x - 6$

Here coefficient of  $x^2 = 7$ , coefficient of  $x = -19$  and constant term = -6.

We shall now split up the coefficient of  $x$ , i.e. -19 into two parts, whose sum is -19 and product is  $7 \times -6 = -42$ , clearly  $2-21=-19$  and  $2(-21)=-42$ . So we write the middle term  $-19x$  as  $2x - 21x$ .

Thus we have

$$\begin{aligned} 7x^2 - 19x - 6 &= 7x^2 + 2x - 21x - 6 \\ &= x(7x+2) - 3(7x+2) \\ &= (x-3)(7x+2) \end{aligned}$$

$$⑥ \quad 28 - 31x - 5x^2$$

43

$$= -5x^2 - 31x + 28$$

Here coefficient of  $x^2 = -5$ , coefficient of  $x = -31$  and constant term = 28.

We shall now split up the coefficient of  $x$ , i.e. -31 into two parts whose sum is -31 and product is  $-5(28) = -140$ . Clearly,  $u - 35 = -31$  and  $u(-35) = -140$ . So we write the middle term  $-31x$  as  $ux - 35x$ .

Thus we have

$$\begin{aligned} -5x^2 - 31x + 28 &= -5x^2 + ux - 35x + 28 \\ &\sim -x(5x+u) - 7(5x-u) \\ &= -(x+7)(5x-7) \end{aligned}$$

$$⑦ \quad 3 + 23y - 8y^2$$

$$= -8y^2 + 23y + 3$$

Here coefficient of  $y^2 = -8$ , coefficient of  $y = 23$  and constant terms = 3.

We shall now split up the coefficient of  $y$ , i.e. 23 into two parts, whose sum is 23 and product is  $-8(3) = -24$ . Clearly  $24 - 1 = 23$  and  $24(-1) = -24$ . So we write the middle term  $23y$  as  $24y - y$ .

Thus, we have

$$\begin{aligned}-8y^2+23y+3 &= -8y^2+24y-y+3 \\&= -8y(y-3)-1(y-3) \\&= -(8y+1)(y-3)\end{aligned}$$

⑧  $11x^2-5ux+63$

Here coefficient of  $x^2 = 11$ , coefficient of  $x = -5u$  and constant term = 63.

We shall now split up the coefficient of  $x$ , i.e.  $-5u$  into two parts whose sum is  $-5u$  and product is  $11 \times 63$ , i.e. 693. Clearly  $-33x-21x = -5ux$  and product is  $(-33)(-21) = 693$ . So, we write middle term  $-5ux$  as  $-33x-21x$ .

Thus, we have

$$\begin{aligned}11x^2-5ux+63 &= 11x^2-33x-21x+63 \\&= 11x(x-3)-21(x-3) \\&\Rightarrow (11x-21)(x-3).\end{aligned}$$

⑨  $7x-6x^2+20$

$$= -6x^2+7x+20$$

Here coefficient of  $x^2 = -6$ , coefficient of  $x = 7$ , constant term = 20

we shall now split up the coefficient <sup>(+5)</sup> of  $x^2$ , i.e. 7 into two parts whose sum is 7 and product is  $-6(20) = -120$ , clearly  $15 - 8 = 7$  and  $15(-8) = -120$ . clearly so we write middle terms  $7x$  as  $15x - 8x$   
thus, we have

$$\begin{aligned} 9 - 6x^2 + 7x + 20 &= -6x^2 + 15x - 8x + 20 \\ &= -3x(2x - 5) - 4(2x - 5) \\ &= -(3x + 4)(2x - 5) \end{aligned}$$

(10)  $3x^2 + 22x + 35$

Here coefficient of  $x^2 = 3$ , coefficient of  $x = 22$  and constant term = 35.

we shall now split up the coefficient of  $x$ , i.e. 22 into two parts whose sum is 22 and product is  $35(3) = 105$ . so we write middle terms  $22x$  as  $15x + 7x$

thus we have

$$\begin{aligned} 3x^2 + 22x + 35 &= 3x^2 + 15x + 7x + 35 \\ &= 3x(x + 5) + 7(x + 5) \\ &= (3x + 7)(x + 5) \end{aligned}$$

(11)  $12x^2 - 17xy + 6y^2$

Here coefficient of  $x^2 = 12$ , coefficient of  $x = -17y$  and constant term  $= 6y^2$ .

Now, we split coefficient of middle term i.e.  $-17y$  into two parts whose sum is  $-17y$  and product  $12 \times 6y^2 = 72y^2$ .

clearly  $-9y - 8y = -17y$  and  $(-9y)(-8y) = 72y^2$ .

So, we replace middle term,  $-17xy = -9xy - 8xy$

Thus, we have

$$\begin{aligned} 12x^2 - 17xy + 6y^2 &= 12x^2 - 9xy - 8xy + 6y^2 \\ &= 3x(4x - 3y) - 2y(4x - 3y) \\ &= (3x - 2y)(4x - 3y) \end{aligned}$$

(12)  $6x^2 - 5xy - 6y^2$

Here coefficient of  $x^2 = 6$ , coefficient of  $x = -5y$  and constant term  $= -6y^2$ .

Now, we split coefficient of middle term i.e.  $-5y$  into two parts whose sum is  $-5y$  and product is  $6(-6y^2) = -36y^2$ .

clearly  $4y - 9y = -5y$  and  $(4y)(-9y) = -36y^2$ .

So, we replace  $-5xy = 4xy - 9xy$ , Thus we have

$$\begin{aligned} 6x^2 - 5xy - 6y^2 &= 6x^2 + 4xy - 9xy - 6y^2 \\ &= (2x - 3y)(3x + 2y) \end{aligned}$$

$$\textcircled{3} \quad 6x^2 - 13xy + 2y^2$$

Coefficient of  $x^2 = 6$ , Coefficient of  $x = -13y$

Constant term =  $2y^2$ .

Now, we split coefficient of middle term

i.e.  $-13y$  into two parts whose sum is  $-13y$

and product  $6 \times 2y^2 = 12y^2$ .

clearly  $-12y - y = -13y$ ,  $(-12y)(-y) = 12y^2$ .

so, we replace  $-13xy = -12xy - xy$

thus, we have

$$\begin{aligned} 6x^2 - 13xy + 2y^2 &= 6x^2 - 12xy - xy + 2y^2 \\ &= 6x(x-2y) - y(x-2y) \\ &= (6x-y)(x-2y). \end{aligned}$$

$$\textcircled{4} \quad 14x^2 + 11xy - 15y^2$$

Coefficient of  $x^2 = 14$ , Coefficient of  $x = 11y$

Constant term =  $-15y^2$ .

Now, we split coefficient of middle term

i.e.  $11y$  into two parts whose sum is  $11y$

and product =  $14(-10y)^2 = -210y^2$ .

clearly  $21y - 10y = 11y$  and  $(21y)(-10y) = -210y^2$ .

so, we replace  $11xy = 21y - 10y$ .

thus we have

$$\begin{aligned}
 4x^2 + 11xy - 15y^2 &= (4x^2 + 2xy - 10xy) - 15y^2 \\
 &= 2x(2x - 5y) + 3y(7x - 5y) \\
 &= (2x + 3y)(7x - 5y).
 \end{aligned}$$

(15)  $6a^2 + 17ab - 3b^2$   
     Coefficient of  $a^2 = 6$ , Coefficient of  $a = 17b$   
     Constant term =  $-3b^2$ .  
     Now, we split coefficient of middle term  
     i.e.  $17ab$  into two terms whose sum is  $17b$   
     and product =  $6(-3b^2) = -18b^2$   
     Clearly  $18b - b = 17b$  and  $(18b)(-b) = -18b^2$ .  
     So, we replace  $17ab = 18ab - ab$   
     Thus, we have

$$\begin{aligned}
 6a^2 + 17ab - 3b^2 &= 6a^2 + 18ab - ab - 3b^2 \\
 &= 6a(a + 3b) - b(a + 3b) \\
 &= (6a - b)(a + 3b)
 \end{aligned}$$

(16)  $36a^2 + 12abc - 15b^2c^2$   
     Coefficient of  $a^2 = 36$ , Coefficient of  $a = 12bc$ ,  
     Constant term =  $-15b^2c^2$   
     Now, we split coefficient of middle term  
     i.e.  $12abc$  into two terms whose sum  
     is  $12bc$  and product =  $36(-15b^2c^2) = -540b^2c^2$

So, we replace  $12abc = 30abc - 18abc$ .

Thus, we have

$$36a^2 + 12abc - 15b^2c^2 = 36a^2 + 30abc - 18abc - 15b^2c^2 \\ = (6a+5bc)(6a-3bc)$$

(17)  $15x^2 - 16xy^3 - 15y^2z^2$

Coefficient of  $x^2 = 15$ , Coefficient of  $y = -16y^3$ ,

Coefficient Constant term =  $-15y^2z^2$ .

Now, we split coefficient of middle term

i.e  $-16y^3$  into two parts whose sum is  $-16y^3$

and product is  $15(-15y^2z^2) = -225y^2z^2$ .

clearly  $-25y^3 + 9y^3 = -16y^3$  and  $(-25y^3)(9y^3) = -225y^2z^2$

so, we replace  $-16xy^3 = -25y^3 + 9y^3$

Thus, we have

$$15x^2 - 16xy^3 - 15y^2z^2 = 15x^2 - 25y^3 + 9y^3 - 15y^2z^2 \\ = 5x(3x - 5y^3) + 3y^3(3x - 5y^3) \\ = (5x + 3y^3)(3x - 5y^3)$$

$$\textcircled{18} \quad (\underline{x}-\underline{2y})^2 - 5(\underline{x}-\underline{2y}) + 6$$

$$x^2 + 4y^2 - 4xy - 5x + 10y + 6$$

Coefficient of  $(\underline{x}-\underline{2y})^2 = 1$ , Coefficient of  $(\underline{x}-\underline{2y}) = -5$

Constant = 6.

Now, we split coefficient of middle term i.e. -5 into two terms whose sum is -5 and product = 6 ( $\square$ ) = 6

Clearly  $-2 - 3 = -5$ ,  $-2(-3) = 6$ .

so we replace  $-5(\underline{x}-\underline{2y}) = -2(\underline{x}-\underline{2y}) - 3(\underline{x}-\underline{2y})$

Thus we have,

$$\begin{aligned} (\underline{x}-\underline{2y})^2 - 5(\underline{x}-\underline{2y}) + 6 &= (\underline{x}-\underline{2y})^2 - 2(\underline{x}-\underline{2y}) - 3(\underline{x}-\underline{2y}) + 6 \\ &= (\underline{x}-\underline{2y}-2)(\underline{x}-\underline{2y}-3) \end{aligned}$$

$$\textcircled{19} \quad (\underline{2a}-\underline{b})^2 + 2(\underline{2a}-\underline{b}) + -8$$

Coefficient of  $(\underline{2a}-\underline{b})^2 = 1$ , Coefficient of  $(\underline{2a}-\underline{b}) = 2$

Constant = -8.

Now, we split coefficient of middle term i.e. 2 into two terms whose sum is 2 and

Product =  $-8(\square) = -8$ .

Clearly  $4 - 2 = 2$  and  $4(-2) = -8$ .

so, we replace  $2(\underline{2a}-\underline{b}) = 4(\underline{2a}-\underline{b}) - 2(\underline{2a}-\underline{b})$

Thus we have,

$$\begin{aligned} (\underline{2a}-\underline{b})^2 + 2(\underline{2a}-\underline{b}) - 8 &= (\underline{2a}-\underline{b})^2 + 4(\underline{2a}-\underline{b}) - 2(\underline{2a}-\underline{b}) - 8 \\ &= (\underline{2a}-\underline{b})(\underline{2a}-\underline{b}+4) - 2(\underline{2a}-\underline{b}+4) \\ &= (\underline{2a}-\underline{b}-2)(\underline{2a}-\underline{b}+4) \end{aligned}$$

## Factorization Ex 7.9

EXERCISE - 7.9.

51

①  $P^2 + 6P + 8$

Here coefficient of  $P^2$  is unity so we add and subtract square of half of coefficient of  $P$ .

$$\begin{aligned} P^2 + 6P + 8 &= P^2 + 6P + 3^2 - 3^2 + 8 \quad [\text{Adding and subtracting } \left(\frac{b}{2}\right)^2 = 3^2] \\ &= (P+3)^2 - 1^2 \quad [\text{By completing the square}] \\ &= [P+3-1][P+3+1] \\ &= (P+2)(P+4) \end{aligned}$$

②  $q^2 - 10q + 21$

Coefficient of  $q^2$  is 1, so we add and subtract square of half of coefficient of  $q$ .

$$\begin{aligned} q^2 - 10q + 21 &= q^2 - 10q + 5^2 - 5^2 + 21 \quad [\text{Adding and subtracting } \left(\frac{-b}{2}\right)^2 = 5^2] \\ &= (q-5)^2 - 2^2 \quad [\text{By completing the square}] \\ &= [q-5-2][q-5+2] \\ &= (q-7)(q-3) \end{aligned}$$

$$\textcircled{3} \quad 4y^2 + 12y + 5$$

we have  $4y^2 + 12y + 5 = 4 \left[ y^2 + 3y + \frac{5}{4} \right]$   
 [making  $m^2$  coefficient = 1].

$$= 4 \left[ y^2 + 3y + \left( \frac{3}{2} \right)^2 - \left( \frac{3}{2} \right)^2 + \frac{5}{4} \right]$$

$$= 4 \left[ \left( y + \frac{3}{2} \right)^2 - 1^2 \right] \text{ (Completing the square)}$$

$$= 4 \left[ y + \frac{3}{2} + 1 \right] \left[ y + \frac{3}{2} - 1 \right]$$

$$= (2y+5)(2y+1)$$

$$\textcircled{4} \quad p^2 + 6p - 16$$

Coefficient of  $p^2 = 1$

$\therefore$  we have  $p^2 + 6p + 3^2 - 3^2 - 16$  [Adding and subtracting  $(\frac{6}{2})^2 = 3^2$ ]

$$= (p+3)^2 - 5^2 \text{ (Completing the square)}$$

$$= (p+3+5)(p+3-5)$$

$$= (p+8)(p-2)$$

$$\textcircled{5} \quad x^2 + 12x + 20$$

Coefficient of  $x^2 = 1$

$\therefore$  we have  $x^2 + 12x + 6^2 - 6^2 + 20$  [Adding and subtracting  $(\frac{12}{2})^2 = 6^2$ ]

$$= (x+6)^2 - 4^2 \text{ (Completing the square)}$$

$$= (x+6+4)(x+6-4)$$

$$= (x+10)(x+2)$$

$$= u \left[ x - \frac{3}{2} + 1 \right] \left[ x - \frac{3}{2} - 1 \right]$$

$$(2x-1)(2x-5).$$

⑨  $y^2 - 7y + 12$ .

Coefficient of  $y^2 = 1$

$\therefore$  we have  $y^2 - 7y + 12 = y^2 - 7y + \left(\frac{7}{2}\right)^2 - \left(\frac{7}{2}\right)^2 + 12$

[ $\because$  By adding and subtracting  $\left(\frac{7}{2}\right)^2$ ]

$$= \left(y - \frac{7}{2}\right)^2 - \left(\frac{1}{2}\right)^2 \text{ (Completing the square)}$$

$$= \left(y - \frac{7}{2} - \frac{1}{2}\right) \left(y - \frac{7}{2} + \frac{1}{2}\right)$$

$$=(y-4)(y-6)$$

⑩  $z^2 - 4z - 12$ .

Coefficient of  $z^2 = 1$

$\therefore$  we have  $z^2 - 4z - 12 = z^2 - 4z + 2^2 - 2^2 - 12$

[ $\therefore$  By adding and subtracting  $(\frac{4}{2})^2 = 2^2$ ]

$$(z-2)^2 - u^2 \text{ (Completing the square)}$$

$$= (z-2+u)(z-2-u)$$

$$= (z+2)(z-6)$$

$$\textcircled{6} \quad a^2 - 14a - 51$$

33

Coefficient of  $a^2 = 1$

$$\therefore \text{we have } a^2 - 14a - 51 = a^2 - 14a + 49 - 49 - 51$$

$\left[ \because \text{Adding and subtracting } \left(\frac{14}{2}\right)^2 = 49 \right]$

$$= (a - 7)^2 - 10^2 \quad (\text{completing the square})$$

$$= (a - 7 + 10)(a - 7 - 10)$$

$$= (a + 3)(a - 17)$$

$$\textcircled{7} \quad a^2 + 2a - 3$$

Coefficient of  $a^2 = 1$

$$\therefore \text{we have } a^2 + 2a - 3 = a^2 + 2a + 1^2 - 1^2 - 3$$

$\left[ \because \text{Adding and subtracting } \left(\frac{2}{2}\right)^2 = 1^2 \right]$

$$= (a + 1)^2 - 2^2 \quad (\text{completing the square})$$

$$= (a + 1 + 2)(a + 1 - 2)$$

$$(a + 3)(a - 1)$$

$$\textcircled{8} \quad ux^2 - 12x + 5$$

$$\text{we have } ux^2 - 12x + 5 = u\left(x^2 - 3x + \frac{5}{u}\right)$$

$$= u\left[x^2 - 3x + \left(\frac{3}{2}\right)^2 - \left(\frac{3}{2}\right)^2 + \frac{5}{u}\right]$$

$\left( \because \text{adding and subtracting } \left(\frac{3}{2}\right)^2 \right)$

$$= u\left[\left(x - \frac{3}{2}\right)^2 - 1^2\right] \quad \left( \because \text{completing the square} \right)$$